



Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	-7.644	30	Pass
NVNT	BLE	2442	Ant7	-6.843	30	Pass
NVNT	BLE	2480	Ant7	-6.963	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant7	0.687	0.5	Pass
NVNT	BLE	2442	Ant7	0.689	0.5	Pass
NVNT	BLE	2480	Ant7	0.689	0.5	Pass











Project No.: JYTSZR2302075



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant7	1.046	
NVNT	BLE	2442	Ant7	1.046	
NVNT	BLE	2480	Ant7	1.047	

Page 7 of 19















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	-22.733	8	Pass
NVNT	BLE	2442	Ant7	-21.918	8	Pass
NVNT	BLE	2480	Ant7	-22.067	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-47.31	-20	Pass
NVNT	BLE	2480	Ant7	-48.41	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-41.64	-20	Pass
NVNT	BLE	2442	Ant7	-42.41	-20	Pass
NVNT	BLE	2480	Ant7	-41.26	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant7 Ref

-9.006 dBm

-53.47 dBm -54.64 dBm -54.24 dBm

-50.11 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

2.452 GHz

5.024 GHz 7.246 GHz 9.668 GHz

23.951 GHz



