




#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	-7.68	30	Pass
NVNT	BLE	2442	Ant7	-6.869	30	Pass
NVNT	BLE	2480	Ant7	-7.036	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant7	0.685	0.5	Pass
NVNT	BLE	2442	Ant7	0.686	0.5	Pass
NVNT	BLE	2480	Ant7	0.686	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant7	1.057	
NVNT	BLE	2442	Ant7	1.058	
NVNT	BLE	2480	Ant7	1.057	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	-14.115	8	Pass
NVNT	BLE	2442	Ant7	-13.309	8	Pass
NVNT	BLE	2480	Ant7	-13.458	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-45.5	-20	Pass
NVNT	BLE	2480	Ant7	-45.02	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-25.42	-20	Pass
NVNT	BLE	2442	Ant7	-37.89	-20	Pass
NVNT	BLE	2480	Ant7	-37.83	-20	Pass











