




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	1	30	Pass
NVNT	BLE	2442	Ant6	2.566	30	Pass
NVNT	BLE	2480	Ant6	1.537	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant6	0.68	0.5	Pass
NVNT	BLE	2442	Ant6	0.684	0.5	Pass
NVNT	BLE	2480	Ant6	0.683	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant6	1.036	
NVNT	BLE	2442	Ant6	1.036	
NVNT	BLE	2480	Ant6	1.036	









Tel: +86-755-23118282, Fax: +86-755-23116366






Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-14.237	8	Pass
NVNT	BLE	2442	Ant6	-12.54	8	Pass
NVNT	BLE	2480	Ant6	-13.556	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-56.59	-20	Pass
NVNT	BLE	2480	Ant6	-56.76	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-49.63	-20	Pass
NVNT	BLE	2442	Ant6	-51.37	-20	Pass
NVNT	BLE	2480	Ant6	-50.12	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant6 Ref

-49.71 dBm

24.351 GHz

Apr 19, 2024 5:31:16 AM





? Apr 19, 2024 5:34:27 AM