




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant6	0.976	30	Pass
NVNT	BLE	2442	Ant6	2.362	30	Pass
NVNT	BLE	2478	Ant6	1.542	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant6	1.158	0.5	Pass
NVNT	BLE	2442	Ant6	1.161	0.5	Pass
NVNT	BLE	2478	Ant6	1.126	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant6	2.055	
NVNT	BLE	2442	Ant6	2.059	
NVNT	BLE	2478	Ant6	2.056	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant6	-16.27	8	Pass
NVNT	BLE	2442	Ant6	-14.833	8	Pass
NVNT	BLE	2478	Ant6	-15.656	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant6	-56.66	-20	Pass
NVNT	BLE	2478	Ant6	-57.45	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant6	-48.58	-20	Pass
NVNT	BLE	2442	Ant6	-49.74	-20	Pass
NVNT	BLE	2478	Ant6	-49.4	-20	Pass









Tx. Spurious NVNT BLE 2478MHz Ant6 Ref

-2.515 dBm

-53.08 dBm -55.73 dBm -55.33 dBm

-48.32 dBm

Z Z Z

4.927 GHz 7.389 GHz 9.744 GHz

26.235 GHz

Apr 19, 2024 9:05:33 PM





Page 19 of 19