




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	0.722	30	Pass
NVNT	BLE	2442	Ant6	2.37	30	Pass
NVNT	BLE	2480	Ant6	1.374	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant6	0.682	0.5	Pass
NVNT	BLE	2442	Ant6	0.682	0.5	Pass
NVNT	BLE	2480	Ant6	0.681	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant6	1.048	
NVNT	BLE	2442	Ant6	1.048	
NVNT	BLE	2480	Ant6	1.048	









Tel: +86-755-23118282, Fax: +86-755-23116366





Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-5.762	8	Pass
NVNT	BLE	2442	Ant6	-4.11	8	Pass
NVNT	BLE	2480	Ant6	-5.117	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-53.86	-20	Pass
NVNT	BLE	2480	Ant6	-53.99	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-46.4	-20	Pass
NVNT	BLE	2442	Ant6	-48.29	-20	Pass
NVNT	BLE	2480	Ant6	-46.68	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant6 Ref

-1.274 dBm

-53.57 dBm -55.69 dBm

-54.81 dBm

-49.57 dBm

Function

Function Width

5 Marker Table

3 N 4 N 5 N

Mode

N N Trace

Scale

Function Value

4.899 GHz 7.496 GHz 9.868 GHz

23.876 GHz

Apr 19, 2024 9:32:27 PM



