




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	5.673	30	Pass
NVNT	BLE	2442	Ant13	6.706	30	Pass
NVNT	BLE	2480	Ant13	6.93	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant13	0.695	0.5	Pass
NVNT	BLE	2442	Ant13	0.71	0.5	Pass
NVNT	BLE	2480	Ant13	0.7	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant13	1.044	
NVNT	BLE	2442	Ant13	1.044	
NVNT	BLE	2480	Ant13	1.042	

Project No.: JYTSZR2312025















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	-9.015	8	Pass
NVNT	BLE	2442	Ant13	-8.333	8	Pass
NVNT	BLE	2480	Ant13	-8.098	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-60.78	-20	Pass
NVNT	BLE	2480	Ant13	-62.4	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-54.56	-20	Pass
NVNT	BLE	2442	Ant13	-55.71	-20	Pass
NVNT	BLE	2480	Ant13	-55.35	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant13 Ref

5.388 dBm

-53.28 dBm -55.22 dBm -55.20 dBm

-50.10 dBm

Function

Function Width

Trace

Mode

N N

Scale

Function Value

5.024 GHz 7.396 GHz 9.693 GHz

23.502 GHz

Dec 18, 2023 5:00:44 PM



