




Test Data

Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant8	3.65	30	Pass
NVNT	BLE	2442	Ant8	4.479	30	Pass
NVNT	BLE	2478	Ant8	4.622	30	Pass

Page 1 of 19













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant8	1.16	0.5	Pass
NVNT	BLE	2442	Ant8	1.183	0.5	Pass
NVNT	BLE	2478	Ant8	1.159	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant8	2.069	
NVNT	BLE	2442	Ant8	2.071	
NVNT	BLE	2478	Ant8	2.069	















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant8	-13.557	8	Pass
NVNT	BLE	2442	Ant8	-12.671	8	Pass
NVNT	BLE	2478	Ant8	-12.549	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant8	-59.59	-20	Pass
NVNT	BLE	2478	Ant8	-59.08	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant8	-51.58	-20	Pass
NVNT	BLE	2442	Ant8	-51.28	-20	Pass
NVNT	BLE	2478	Ant8	-52.39	-20	Pass









Start 30 MHz #Res BW 100 kHz Stop 26.50 GHz Sweep ~2.57 s (1001 pts) #Video BW 300 kHz 5 Marker Table Trace Scale Function **Function Width** Function Value Mode 3.663 dBm -53.65 dBm -55.03 dBm -55.27 dBm N N 4.953 GHz 7.177 GHz 9.665 GHz 26.129 GHz -47.71 dBm Dec 20, 2023 9:16:34 AM

Tx. Spurious NVNT BLE 2478MHz Ant8 Ref



