




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant13	5.36	30	Pass
NVNT	BLE	2442	Ant13	6.012	30	Pass
NVNT	BLE	2478	Ant13	6.321	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant13	1.159	0.5	Pass
NVNT	BLE	2442	Ant13	1.15	0.5	Pass
NVNT	BLE	2478	Ant13	1.181	0.5	Pass

Project No.: JYTSZR2312025














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant13	2.073	
NVNT	BLE	2442	Ant13	2.07	
NVNT	BLE	2478	Ant13	2.057	

Project No.: JYTSZR2312025















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant13	-11.76	8	Pass
NVNT	BLE	2442	Ant13	-11.142	8	Pass
NVNT	BLE	2478	Ant13	-10.818	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant13	-60.93	-20	Pass
NVNT	BLE	2478	Ant13	-62.04	-20	Pass













Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant13	-52.01	-20	Pass
NVNT	BLE	2442	Ant13	-53.18	-20	Pass
NVNT	BLE	2478	Ant13	-53.89	-20	Pass











Tx. Spurious NVNT BLE 2478MHz Ant13 Ref



