




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant8	3.603	30	Pass
NVNT	BLE	2442	Ant8	4.514	30	Pass
NVNT	BLE	2480	Ant8	4.492	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant8	0.666	0.5	Pass
NVNT	BLE	2442	Ant8	0.66	0.5	Pass
NVNT	BLE	2480	Ant8	0.659	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant8	1.023	
NVNT	BLE	2442	Ant8	1.024	
NVNT	BLE	2480	Ant8	1.022	

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant8	-2.797	8	Pass
NVNT	BLE	2442	Ant8	-1.865	8	Pass
NVNT	BLE	2480	Ant8	-2.02	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant8	-59.76	-20	Pass
NVNT	BLE	2480	Ant8	-59.47	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant8	-53.55	-20	Pass
NVNT	BLE	2442	Ant8	-54.3	-20	Pass
NVNT	BLE	2480	Ant8	-53.83	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant8 Ref

3.876 dBm

-52.82 dBm -55.50 dBm -55.32 dBm

-50.06 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

4.899 GHz 7.471 GHz 9.668 GHz

23.926 GHz

Dec 20, 2023 9:03:11 AM



