




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant8	3.632	30	Pass
NVNT	BLE	2442	Ant8	4.496	30	Pass
NVNT	BLE	2480	Ant8	4.43	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant8	0.691	0.5	Pass
NVNT	BLE	2442	Ant8	0.69	0.5	Pass
NVNT	BLE	2480	Ant8	0.687	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant8	1.06	
NVNT	BLE	2442	Ant8	1.062	
NVNT	BLE	2480	Ant8	1.058	

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2312025









Tel: +86-755-23118282, Fax: +86-755-23116366





Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant8	-2.708	8	Pass
NVNT	BLE	2442	Ant8	-1.771	8	Pass
NVNT	BLE	2480	Ant8	-1.901	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant8	-56.39	-20	Pass
NVNT	BLE	2480	Ant8	-57.16	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant8	-49.8	-20	Pass
NVNT	BLE	2442	Ant8	-51.16	-20	Pass
NVNT	BLE	2480	Ant8	-50.58	-20	Pass

Project No.: JYTSZR2312025









Tx. Spurious NVNT BLE 2480MHz Ant8 Ref

-52.92 dBm -54.35 dBm

-55.45 dBm

-50.27 dBm

N N

3 N 4 N 5 N

4.999 GHz 7.246 GHz 9.768 GHz

22.603 GHz

Dec 20, 2023 8:53:16 AM



