




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	4.951	30	Pass
NVNT	BLE	2442	Ant13	5.694	30	Pass
NVNT	BLE	2480	Ant13	5.789	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant13	0.691	0.5	Pass
NVNT	BLE	2442	Ant13	0.689	0.5	Pass
NVNT	BLE	2480	Ant13	0.689	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant13	1.059	
NVNT	BLE	2442	Ant13	1.062	
NVNT	BLE	2480	Ant13	1.059	

Project No.: JYTSZR2312025













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	-1.466	8	Pass
NVNT	BLE	2442	Ant13	-0.659	8	Pass
NVNT	BLE	2480	Ant13	-0.24	8	Pass

Page 10 of 19

Project No.: JYTSZR2312025














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-58.17	-20	Pass
NVNT	BLE	2480	Ant13	-59.37	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-52.32	-20	Pass
NVNT	BLE	2442	Ant13	-52.15	-20	Pass
NVNT	BLE	2480	Ant13	-52.53	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant13 Ref

2.100 dBm

-53.82 dBm -55.86 dBm

-50.08 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

5.049 GHz 7.471 GHz 9.718 GHz

23.227 GHz

Dec 19, 2023 7:58:02 AM



