

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
n66	15	5	342500	12@6	DFT_BPSK	23.17	-4.38	18.79	30.00	PASS
n66	15	5	342500	1@1	DFT_BPSK	23.21	-4.38	18.83	30.00	PASS
n66	15	5	342500	1@23	DFT_BPSK	23.04	-4.38	18.66	30.00	PASS
n66	15	5	342500	12@6	DFT_QPSK	23.24	-4.38	18.86	30.00	PASS
n66	15	5	342500	1@1	DFT_QPSK	23.02	-4.38	18.64	30.00	PASS
n66	15	5	342500	1@23	DFT_QPSK	22.95	-4.38	18.57	30.00	PASS
n66	15	5	342500	12@6	DFT_QAM16	22.19	-4.38	17.81	30.00	PASS
n66	15	5	342500	1@1	DFT_QAM16	22.51	-4.38	18.13	30.00	PASS
n66	15	5	342500	1@23	DFT_QAM16	22.21	-4.38	17.83	30.00	PASS
n66	15	5	342500	12@6	DFT_QAM64	20.67	-4.38	16.29	30.00	PASS
n66	15	5	342500	1@1	DFT_QAM64	20.80	-4.38	16.42	30.00	PASS
n66	15	5	342500	1@23	DFT_QAM64	20.92	-4.38	16.54	30.00	PASS
n66	15	5	342500	12@6	DFT_QAM256	18.55	-4.38	14.17	30.00	PASS
n66	15	5	342500	1@1	DFT_QAM256	18.56	-4.38	14.18	30.00	PASS
n66	15	5	342500	1@23	DFT_QAM256	18.53	-4.38	14.15	30.00	PASS
n66	15	5	342500	13@6	CP_QPSK	21.48	-4.38	17.10	30.00	PASS
n66	15	5	342500	1@1	CP_QPSK	21.39	-4.38	17.01	30.00	PASS
n66	15	5	342500	1@23	CP_QPSK	21.37	-4.38	16.99	30.00	PASS
n66	15	5	342500	13@6	CP_QAM16	21.20	-4.38	16.82	30.00	PASS
n66	15	5	342500	1@1	CP_QAM16	21.16	-4.38	16.78	30.00	PASS
n66	15	5	342500	1@23	CP_QAM16	21.25	-4.38	16.87	30.00	PASS
n66	15	5	342500	13@6	CP_QAM64	19.75	-4.38	15.37	30.00	PASS
n66	15	5	342500	1@1	CP_QAM64	19.67	-4.38	15.29	30.00	PASS
n66	15	5	342500	1@23	CP_QAM64	19.66	-4.38	15.28	30.00	PASS
n66	15	5	342500	13@6	CP_QAM256	16.38	-4.38	12.00	30.00	PASS
n66	15	5	342500	1@1	CP_QAM256	16.68	-4.38	12.30	30.00	PASS
n66	15	5	342500	1@23	CP_QAM256	16.75	-4.38	12.37	30.00	PASS
n66	15	5	349000	12@6	DFT_BPSK	23.44	-4.38	19.06	30.00	PASS
n66	15	5	349000	1@1	DFT_BPSK	23.49	-4.38	19.11	30.00	PASS
n66	15	5	349000	1@23	DFT_BPSK	23.44	-4.38	19.06	30.00	PASS
n66	15	5	349000	12@6	DFT_QPSK	23.50	-4.38	19.12	30.00	PASS
n66	15	5	349000	1@1	DFT_QPSK	23.31	-4.38	18.93	30.00	PASS
n66	15	5	349000	1@23	DFT_QPSK	23.29	-4.38	18.91	30.00	PASS
n66	15	5	349000	12@6	DFT_QAM16	22.43	-4.38	18.05	30.00	PASS
n66	15	5	349000	1@1	DFT_QAM16	23.07	-4.38	18.69	30.00	PASS
n66	15	5	349000	1@23	DFT_QAM16	23.05	-4.38	18.67	30.00	PASS

n66	15	5	349000	12@6	DFT_QAM64	20.91	-4.38	16.53	30.00	PASS
n66	15	5	349000	1@1	DFT_QAM64	21.23	-4.38	16.85	30.00	PASS
n66	15	5	349000	1@23	DFT_QAM64	21.10	-4.38	16.72	30.00	PASS
n66	15	5	349000	12@6	DFT_QAM256	18.75	-4.38	14.37	30.00	PASS
n66	15	5	349000	1@1	DFT_QAM256	18.70	-4.38	14.32	30.00	PASS
n66	15	5	349000	1@23	DFT_QAM256	18.70	-4.38	14.32	30.00	PASS
n66	15	5	349000	13@6	CP_QPSK	21.86	-4.38	17.48	30.00	PASS
n66	15	5	349000	1@1	CP_QPSK	21.63	-4.38	17.25	30.00	PASS
n66	15	5	349000	1@23	CP_QPSK	21.53	-4.38	17.15	30.00	PASS
n66	15	5	349000	13@6	CP_QAM16	21.16	-4.38	16.78	30.00	PASS
n66	15	5	349000	1@1	CP_QAM16	21.52	-4.38	17.14	30.00	PASS
n66	15	5	349000	1@23	CP_QAM16	21.40	-4.38	17.02	30.00	PASS
n66	15	5	349000	13@6	CP_QAM64	20.02	-4.38	15.64	30.00	PASS
n66	15	5	349000	1@1	CP_QAM64	19.85	-4.38	15.47	30.00	PASS
n66	15	5	349000	1@23	CP_QAM64	19.86	-4.38	15.48	30.00	PASS
n66	15	5	349000	13@6	CP_QAM256	16.58	-4.38	12.20	30.00	PASS
n66	15	5	349000	1@1	CP_QAM256	16.95	-4.38	12.57	30.00	PASS
n66	15	5	349000	1@23	CP_QAM256	16.92	-4.38	12.54	30.00	PASS
n66	15	5	355500	12@6	DFT_BPSK	23.52	-4.38	19.14	30.00	PASS
n66	15	5	355500	1@1	DFT_BPSK	23.43	-4.38	19.05	30.00	PASS
n66	15	5	355500	1@23	DFT_BPSK	23.49	-4.38	19.11	30.00	PASS
n66	15	5	355500	12@6	DFT_QPSK	23.58	-4.38	19.20	30.00	PASS
n66	15	5	355500	1@1	DFT_QPSK	23.27	-4.38	18.89	30.00	PASS
n66	15	5	355500	1@23	DFT_QPSK	23.35	-4.38	18.97	30.00	PASS
n66	15	5	355500	12@6	DFT_QAM16	22.56	-4.38	18.18	30.00	PASS
n66	15	5	355500	1@1	DFT_QAM16	22.76	-4.38	18.38	30.00	PASS
n66	15	5	355500	1@23	DFT_QAM16	22.85	-4.38	18.47	30.00	PASS
n66	15	5	355500	12@6	DFT_QAM64	20.90	-4.38	16.52	30.00	PASS
n66	15	5	355500	1@1	DFT_QAM64	20.85	-4.38	16.47	30.00	PASS
n66	15	5	355500	1@23	DFT_QAM64	21.01	-4.38	16.63	30.00	PASS
n66	15	5	355500	12@6	DFT_QAM256	19.03	-4.38	14.65	30.00	PASS
n66	15	5	355500	1@1	DFT_QAM256	18.75	-4.38	14.37	30.00	PASS
n66	15	5	355500	1@23	DFT_QAM256	18.84	-4.38	14.46	30.00	PASS
n66	15	5	355500	13@6	CP_QPSK	21.88	-4.38	17.50	30.00	PASS
n66	15	5	355500	1@1	CP_QPSK	21.54	-4.38	17.16	30.00	PASS
n66	15	5	355500	1@23	CP_QPSK	21.75	-4.38	17.37	30.00	PASS
n66	15	5	355500	13@6	CP_QAM16	21.39	-4.38	17.01	30.00	PASS
n66	15	5	355500	1@1	CP_QAM16	21.21	-4.38	16.83	30.00	PASS
n66	15	5	355500	1@23	CP_QAM16	21.65	-4.38	17.27	30.00	PASS
n66	15	5	355500	13@6	CP_QAM64	20.26	-4.38	15.88	30.00	PASS
n66	15	5	355500	1@1	CP_QAM64	19.94	-4.38	15.56	30.00	PASS
n66	15	5	355500	1@23	CP_QAM64	19.99	-4.38	15.61	30.00	PASS

n66	15	5	355500	13@6	CP_QAM256	16.88	-4.38	12.50	30.00	PASS
n66	15	5	355500	1@1	CP_QAM256	16.96	-4.38	12.58	30.00	PASS
n66	15	5	355500	1@23	CP_QAM256	17.05	-4.38	12.67	30.00	PASS
n66	15	10	343000	25@12	DFT_BPSK	22.87	-4.38	18.49	30.00	PASS
n66	15	10	343000	1@1	DFT_BPSK	22.95	-4.38	18.57	30.00	PASS
n66	15	10	343000	1@50	DFT_BPSK	22.80	-4.38	18.42	30.00	PASS
n66	15	10	343000	25@12	DFT_QPSK	22.94	-4.38	18.56	30.00	PASS
n66	15	10	343000	1@1	DFT_QPSK	22.84	-4.38	18.46	30.00	PASS
n66	15	10	343000	1@50	DFT_QPSK	22.72	-4.38	18.34	30.00	PASS
n66	15	10	343000	25@12	DFT_QAM16	21.92	-4.38	17.54	30.00	PASS
n66	15	10	343000	1@1	DFT_QAM16	22.49	-4.38	18.11	30.00	PASS
n66	15	10	343000	1@50	DFT_QAM16	22.30	-4.38	17.92	30.00	PASS
n66	15	10	343000	25@12	DFT_QAM64	20.32	-4.38	15.94	30.00	PASS
n66	15	10	343000	1@1	DFT_QAM64	20.64	-4.38	16.26	30.00	PASS
n66	15	10	343000	1@50	DFT_QAM64	20.53	-4.38	16.15	30.00	PASS
n66	15	10	343000	25@12	DFT_QAM256	18.36	-4.38	13.98	30.00	PASS
n66	15	10	343000	1@1	DFT_QAM256	18.38	-4.38	14.00	30.00	PASS
n66	15	10	343000	1@50	DFT_QAM256	18.28	-4.38	13.90	30.00	PASS
n66	15	10	343000	26@13	CP_QPSK	21.32	-4.38	16.94	30.00	PASS
n66	15	10	343000	1@1	CP_QPSK	21.23	-4.38	16.85	30.00	PASS
n66	15	10	343000	1@50	CP_QPSK	21.16	-4.38	16.78	30.00	PASS
n66	15	10	343000	26@13	CP_QAM16	20.98	-4.38	16.60	30.00	PASS
n66	15	10	343000	1@1	CP_QAM16	21.17	-4.38	16.79	30.00	PASS
n66	15	10	343000	1@50	CP_QAM16	20.98	-4.38	16.60	30.00	PASS
n66	15	10	343000	26@13	CP_QAM64	19.42	-4.38	15.04	30.00	PASS
n66	15	10	343000	1@1	CP_QAM64	19.35	-4.38	14.97	30.00	PASS
n66	15	10	343000	1@50	CP_QAM64	19.34	-4.38	14.96	30.00	PASS
n66	15	10	343000	26@13	CP_QAM256	16.32	-4.38	11.94	30.00	PASS
n66	15	10	343000	1@1	CP_QAM256	16.30	-4.38	11.92	30.00	PASS
n66	15	10	343000	1@50	CP_QAM256	16.49	-4.38	12.11	30.00	PASS
n66	15	10	349000	25@12	DFT_BPSK	23.26	-4.38	18.88	30.00	PASS
n66	15	10	349000	1@1	DFT_BPSK	23.22	-4.38	18.84	30.00	PASS
n66	15	10	349000	1@50	DFT_BPSK	23.17	-4.38	18.79	30.00	PASS
n66	15	10	349000	25@12	DFT_QPSK	23.31	-4.38	18.93	30.00	PASS
n66	15	10	349000	1@1	DFT_QPSK	23.07	-4.38	18.69	30.00	PASS
n66	15	10	349000	1@50	DFT_QPSK	22.98	-4.38	18.60	30.00	PASS
n66	15	10	349000	25@12	DFT_QAM16	22.27	-4.38	17.89	30.00	PASS
n66	15	10	349000	1@1	DFT_QAM16	22.67	-4.38	18.29	30.00	PASS
n66	15	10	349000	1@50	DFT_QAM16	22.71	-4.38	18.33	30.00	PASS
n66	15	10	349000	25@12	DFT_QAM64	20.78	-4.38	16.40	30.00	PASS
n66	15	10	349000	1@1	DFT_QAM64	20.74	-4.38	16.36	30.00	PASS
n66	15	10	349000	1@50	DFT_QAM64	20.78	-4.38	16.40	30.00	PASS

n66	15	10	349000	25@12	DFT_QAM256	18.59	-4.38	14.21	30.00	PASS
n66	15	10	349000	1@1	DFT_QAM256	18.62	-4.38	14.24	30.00	PASS
n66	15	10	349000	1@50	DFT_QAM256	18.52	-4.38	14.14	30.00	PASS
n66	15	10	349000	26@13	CP_QPSK	21.68	-4.38	17.30	30.00	PASS
n66	15	10	349000	1@1	CP_QPSK	21.46	-4.38	17.08	30.00	PASS
n66	15	10	349000	1@50	CP_QPSK	21.39	-4.38	17.01	30.00	PASS
n66	15	10	349000	26@13	CP_QAM16	21.17	-4.38	16.79	30.00	PASS
n66	15	10	349000	1@1	CP_QAM16	21.22	-4.38	16.84	30.00	PASS
n66	15	10	349000	1@50	CP_QAM16	21.09	-4.38	16.71	30.00	PASS
n66	15	10	349000	26@13	CP_QAM64	19.71	-4.38	15.33	30.00	PASS
n66	15	10	349000	1@1	CP_QAM64	19.61	-4.38	15.23	30.00	PASS
n66	15	10	349000	1@50	CP_QAM64	19.54	-4.38	15.16	30.00	PASS
n66	15	10	349000	26@13	CP_QAM256	16.60	-4.38	12.22	30.00	PASS
n66	15	10	349000	1@1	CP_QAM256	16.50	-4.38	12.12	30.00	PASS
n66	15	10	349000	1@50	CP_QAM256	16.40	-4.38	12.02	30.00	PASS
n66	15	10	355000	25@12	DFT_BPSK	23.26	-4.38	18.88	30.00	PASS
n66	15	10	355000	1@1	DFT_BPSK	22.82	-4.38	18.44	30.00	PASS
n66	15	10	355000	1@50	DFT_BPSK	23.33	-4.38	18.95	30.00	PASS
n66	15	10	355000	25@12	DFT_QPSK	23.28	-4.38	18.90	30.00	PASS
n66	15	10	355000	1@1	DFT_QPSK	22.78	-4.38	18.40	30.00	PASS
n66	15	10	355000	1@50	DFT_QPSK	23.24	-4.38	18.86	30.00	PASS
n66	15	10	355000	25@12	DFT_QAM16	22.37	-4.38	17.99	30.00	PASS
n66	15	10	355000	1@1	DFT_QAM16	22.30	-4.38	17.92	30.00	PASS
n66	15	10	355000	1@50	DFT_QAM16	22.75	-4.38	18.37	30.00	PASS
n66	15	10	355000	25@12	DFT_QAM64	20.59	-4.38	16.21	30.00	PASS
n66	15	10	355000	1@1	DFT_QAM64	20.56	-4.38	16.18	30.00	PASS
n66	15	10	355000	1@50	DFT_QAM64	20.65	-4.38	16.27	30.00	PASS
n66	15	10	355000	25@12	DFT_QAM256	18.53	-4.38	14.15	30.00	PASS
n66	15	10	355000	1@1	DFT_QAM256	18.45	-4.38	14.07	30.00	PASS
n66	15	10	355000	1@50	DFT_QAM256	18.68	-4.38	14.30	30.00	PASS
n66	15	10	355000	26@13	CP_QPSK	21.68	-4.38	17.30	30.00	PASS
n66	15	10	355000	1@1	CP_QPSK	21.40	-4.38	17.02	30.00	PASS
n66	15	10	355000	1@50	CP_QPSK	21.47	-4.38	17.09	30.00	PASS
n66	15	10	355000	26@13	CP_QAM16	21.22	-4.38	16.84	30.00	PASS
n66	15	10	355000	1@1	CP_QAM16	21.00	-4.38	16.62	30.00	PASS
n66	15	10	355000	1@50	CP_QAM16	21.46	-4.38	17.08	30.00	PASS
n66	15	10	355000	26@13	CP_QAM64	19.71	-4.38	15.33	30.00	PASS
n66	15	10	355000	1@1	CP_QAM64	19.80	-4.38	15.42	30.00	PASS
n66	15	10	355000	1@50	CP_QAM64	19.66	-4.38	15.28	30.00	PASS
n66	15	10	355000	26@13	CP_QAM256	16.58	-4.38	12.20	30.00	PASS
n66	15	10	355000	1@1	CP_QAM256	16.61	-4.38	12.23	30.00	PASS
n66	15	10	355000	1@50	CP_QAM256	16.90	-4.38	12.52	30.00	PASS

n66	15	15	343500	36@18	DFT_BPSK	23.03	-4.38	18.65	30.00	PASS
n66	15	15	343500	1@1	DFT_BPSK	23.00	-4.38	18.62	30.00	PASS
n66	15	15	343500	1@77	DFT_BPSK	22.83	-4.38	18.45	30.00	PASS
n66	15	15	343500	36@18	DFT_QPSK	23.08	-4.38	18.70	30.00	PASS
n66	15	15	343500	1@1	DFT_QPSK	22.88	-4.38	18.50	30.00	PASS
n66	15	15	343500	1@77	DFT_QPSK	22.75	-4.38	18.37	30.00	PASS
n66	15	15	343500	36@18	DFT_QAM16	22.03	-4.38	17.65	30.00	PASS
n66	15	15	343500	1@1	DFT_QAM16	22.58	-4.38	18.20	30.00	PASS
n66	15	15	343500	1@77	DFT_QAM16	22.31	-4.38	17.93	30.00	PASS
n66	15	15	343500	36@18	DFT_QAM64	20.57	-4.38	16.19	30.00	PASS
n66	15	15	343500	1@1	DFT_QAM64	20.89	-4.38	16.51	30.00	PASS
n66	15	15	343500	1@77	DFT_QAM64	20.50	-4.38	16.12	30.00	PASS
n66	15	15	343500	36@18	DFT_QAM256	18.54	-4.38	14.16	30.00	PASS
n66	15	15	343500	1@1	DFT_QAM256	18.44	-4.38	14.06	30.00	PASS
n66	15	15	343500	1@77	DFT_QAM256	18.27	-4.38	13.89	30.00	PASS
n66	15	15	343500	39@19	CP_QPSK	21.46	-4.38	17.08	30.00	PASS
n66	15	15	343500	1@1	CP_QPSK	21.22	-4.38	16.84	30.00	PASS
n66	15	15	343500	1@77	CP_QPSK	21.22	-4.38	16.84	30.00	PASS
n66	15	15	343500	39@19	CP_QAM16	20.98	-4.38	16.60	30.00	PASS
n66	15	15	343500	1@1	CP_QAM16	21.25	-4.38	16.87	30.00	PASS
n66	15	15	343500	1@77	CP_QAM16	21.03	-4.38	16.65	30.00	PASS
n66	15	15	343500	39@19	CP_QAM64	19.59	-4.38	15.21	30.00	PASS
n66	15	15	343500	1@1	CP_QAM64	19.52	-4.38	15.14	30.00	PASS
n66	15	15	343500	1@77	CP_QAM64	19.43	-4.38	15.05	30.00	PASS
n66	15	15	343500	39@19	CP_QAM256	16.31	-4.38	11.93	30.00	PASS
n66	15	15	343500	1@1	CP_QAM256	16.45	-4.38	12.07	30.00	PASS
n66	15	15	343500	1@77	CP_QAM256	16.54	-4.38	12.16	30.00	PASS
n66	15	15	349000	36@18	DFT_BPSK	23.43	-4.38	19.05	30.00	PASS
n66	15	15	349000	1@1	DFT_BPSK	23.14	-4.38	18.76	30.00	PASS
n66	15	15	349000	1@77	DFT_BPSK	23.08	-4.38	18.70	30.00	PASS
n66	15	15	349000	36@18	DFT_QPSK	23.48	-4.38	19.10	30.00	PASS
n66	15	15	349000	1@1	DFT_QPSK	23.05	-4.38	18.67	30.00	PASS
n66	15	15	349000	1@77	DFT_QPSK	23.03	-4.38	18.65	30.00	PASS
n66	15	15	349000	36@18	DFT_QAM16	22.35	-4.38	17.97	30.00	PASS
n66	15	15	349000	1@1	DFT_QAM16	22.23	-4.38	17.85	30.00	PASS
n66	15	15	349000	1@77	DFT_QAM16	22.57	-4.38	18.19	30.00	PASS
n66	15	15	349000	36@18	DFT_QAM64	20.96	-4.38	16.58	30.00	PASS
n66	15	15	349000	1@1	DFT_QAM64	20.74	-4.38	16.36	30.00	PASS
n66	15	15	349000	1@77	DFT_QAM64	20.74	-4.38	16.36	30.00	PASS
n66	15	15	349000	36@18	DFT_QAM256	18.68	-4.38	14.30	30.00	PASS
n66	15	15	349000	1@1	DFT_QAM256	18.53	-4.38	14.15	30.00	PASS
n66	15	15	349000	1@77	DFT_QAM256	18.51	-4.38	14.13	30.00	PASS

n66	15	15	349000	39@19	CP_QPSK	21.92	-4.38	17.54	30.00	PASS
n66	15	15	349000	1@1	CP_QPSK	21.52	-4.38	17.14	30.00	PASS
n66	15	15	349000	1@77	CP_QPSK	21.32	-4.38	16.94	30.00	PASS
n66	15	15	349000	39@19	CP_QAM16	21.29	-4.38	16.91	30.00	PASS
n66	15	15	349000	1@1	CP_QAM16	21.11	-4.38	16.73	30.00	PASS
n66	15	15	349000	1@77	CP_QAM16	21.26	-4.38	16.88	30.00	PASS
n66	15	15	349000	39@19	CP_QAM64	19.91	-4.38	15.53	30.00	PASS
n66	15	15	349000	1@1	CP_QAM64	19.66	-4.38	15.28	30.00	PASS
n66	15	15	349000	1@77	CP_QAM64	19.79	-4.38	15.41	30.00	PASS
n66	15	15	349000	39@19	CP_QAM256	16.58	-4.38	12.20	30.00	PASS
n66	15	15	349000	1@1	CP_QAM256	16.53	-4.38	12.15	30.00	PASS
n66	15	15	349000	1@77	CP_QAM256	16.75	-4.38	12.37	30.00	PASS
n66	15	15	354500	36@18	DFT_BPSK	23.20	-4.38	18.82	30.00	PASS
n66	15	15	354500	1@1	DFT_BPSK	22.87	-4.38	18.49	30.00	PASS
n66	15	15	354500	1@77	DFT_BPSK	23.38	-4.38	19.00	30.00	PASS
n66	15	15	354500	36@18	DFT_QPSK	23.25	-4.38	18.87	30.00	PASS
n66	15	15	354500	1@1	DFT_QPSK	22.85	-4.38	18.47	30.00	PASS
n66	15	15	354500	1@77	DFT_QPSK	23.24	-4.38	18.86	30.00	PASS
n66	15	15	354500	36@18	DFT_QAM16	22.27	-4.38	17.89	30.00	PASS
n66	15	15	354500	1@1	DFT_QAM16	21.99	-4.38	17.61	30.00	PASS
n66	15	15	354500	1@77	DFT_QAM16	22.79	-4.38	18.41	30.00	PASS
n66	15	15	354500	36@18	DFT_QAM64	20.64	-4.38	16.26	30.00	PASS
n66	15	15	354500	1@1	DFT_QAM64	20.72	-4.38	16.34	30.00	PASS
n66	15	15	354500	1@77	DFT_QAM64	20.78	-4.38	16.40	30.00	PASS
n66	15	15	354500	36@18	DFT_QAM256	18.71	-4.38	14.33	30.00	PASS
n66	15	15	354500	1@1	DFT_QAM256	18.46	-4.38	14.08	30.00	PASS
n66	15	15	354500	1@77	DFT_QAM256	18.84	-4.38	14.46	30.00	PASS
n66	15	15	354500	39@19	CP_QPSK	21.82	-4.38	17.44	30.00	PASS
n66	15	15	354500	1@1	CP_QPSK	21.25	-4.38	16.87	30.00	PASS
n66	15	15	354500	1@77	CP_QPSK	21.65	-4.38	17.27	30.00	PASS
n66	15	15	354500	39@19	CP_QAM16	21.15	-4.38	16.77	30.00	PASS
n66	15	15	354500	1@1	CP_QAM16	20.95	-4.38	16.57	30.00	PASS
n66	15	15	354500	1@77	CP_QAM16	21.46	-4.38	17.08	30.00	PASS
n66	15	15	354500	39@19	CP_QAM64	19.71	-4.38	15.33	30.00	PASS
n66	15	15	354500	1@1	CP_QAM64	19.59	-4.38	15.21	30.00	PASS
n66	15	15	354500	1@77	CP_QAM64	19.79	-4.38	15.41	30.00	PASS
n66	15	15	354500	39@19	CP_QAM256	16.64	-4.38	12.26	30.00	PASS
n66	15	15	354500	1@1	CP_QAM256	16.43	-4.38	12.05	30.00	PASS
n66	15	15	354500	1@77	CP_QAM256	16.86	-4.38	12.48	30.00	PASS
n66	15	20	344000	50@25	DFT_BPSK	22.99	-4.38	18.61	30.00	PASS
n66	15	20	344000	1@1	DFT_BPSK	23.01	-4.38	18.63	30.00	PASS
n66	15	20	344000	1@104	DFT_BPSK	22.91	-4.38	18.53	30.00	PASS

n66	15	20	344000	50@25	DFT_QPSK	22.96	-4.38	18.58	30.00	PASS
n66	15	20	344000	1@1	DFT_QPSK	22.86	-4.38	18.48	30.00	PASS
n66	15	20	344000	1@104	DFT_QPSK	22.76	-4.38	18.38	30.00	PASS
n66	15	20	344000	50@25	DFT_QAM16	21.93	-4.38	17.55	30.00	PASS
n66	15	20	344000	1@1	DFT_QAM16	22.36	-4.38	17.98	30.00	PASS
n66	15	20	344000	1@104	DFT_QAM16	21.89	-4.38	17.51	30.00	PASS
n66	15	20	344000	50@25	DFT_QAM64	20.53	-4.38	16.15	30.00	PASS
n66	15	20	344000	1@1	DFT_QAM64	20.52	-4.38	16.14	30.00	PASS
n66	15	20	344000	1@104	DFT_QAM64	20.54	-4.38	16.16	30.00	PASS
n66	15	20	344000	50@25	DFT_QAM256	18.48	-4.38	14.10	30.00	PASS
n66	15	20	344000	1@1	DFT_QAM256	18.43	-4.38	14.05	30.00	PASS
n66	15	20	344000	1@104	DFT_QAM256	18.37	-4.38	13.99	30.00	PASS
n66	15	20	344000	53@26	CP_QPSK	21.46	-4.38	17.08	30.00	PASS
n66	15	20	344000	1@1	CP_QPSK	21.29	-4.38	16.91	30.00	PASS
n66	15	20	344000	1@104	CP_QPSK	21.25	-4.38	16.87	30.00	PASS
n66	15	20	344000	53@26	CP_QAM16	20.95	-4.38	16.57	30.00	PASS
n66	15	20	344000	1@1	CP_QAM16	21.12	-4.38	16.74	30.00	PASS
n66	15	20	344000	1@104	CP_QAM16	21.10	-4.38	16.72	30.00	PASS
n66	15	20	344000	53@26	CP_QAM64	19.50	-4.38	15.12	30.00	PASS
n66	15	20	344000	1@1	CP_QAM64	19.43	-4.38	15.05	30.00	PASS
n66	15	20	344000	1@104	CP_QAM64	19.61	-4.38	15.23	30.00	PASS
n66	15	20	344000	53@26	CP_QAM256	16.43	-4.38	12.05	30.00	PASS
n66	15	20	344000	1@1	CP_QAM256	16.56	-4.38	12.18	30.00	PASS
n66	15	20	344000	1@104	CP_QAM256	16.35	-4.38	11.97	30.00	PASS
n66	15	20	349000	50@25	DFT_BPSK	23.46	-4.38	19.08	30.00	PASS
n66	15	20	349000	1@1	DFT_BPSK	23.02	-4.38	18.64	30.00	PASS
n66	15	20	349000	1@104	DFT_BPSK	23.14	-4.38	18.76	30.00	PASS
n66	15	20	349000	50@25	DFT_QPSK	23.47	-4.38	19.09	30.00	PASS
n66	15	20	349000	1@1	DFT_QPSK	22.95	-4.38	18.57	30.00	PASS
n66	15	20	349000	1@104	DFT_QPSK	22.97	-4.38	18.59	30.00	PASS
n66	15	20	349000	50@25	DFT_QAM16	22.36	-4.38	17.98	30.00	PASS
n66	15	20	349000	1@1	DFT_QAM16	22.40	-4.38	18.02	30.00	PASS
n66	15	20	349000	1@104	DFT_QAM16	22.18	-4.38	17.80	30.00	PASS
n66	15	20	349000	50@25	DFT_QAM64	20.87	-4.38	16.49	30.00	PASS
n66	15	20	349000	1@1	DFT_QAM64	20.71	-4.38	16.33	30.00	PASS
n66	15	20	349000	1@104	DFT_QAM64	20.86	-4.38	16.48	30.00	PASS
n66	15	20	349000	50@25	DFT_QAM256	18.78	-4.38	14.40	30.00	PASS
n66	15	20	349000	1@1	DFT_QAM256	18.43	-4.38	14.05	30.00	PASS
n66	15	20	349000	1@104	DFT_QAM256	18.49	-4.38	14.11	30.00	PASS
n66	15	20	349000	53@26	CP_QPSK	21.84	-4.38	17.46	30.00	PASS
n66	15	20	349000	1@1	CP_QPSK	21.26	-4.38	16.88	30.00	PASS
n66	15	20	349000	1@104	CP_QPSK	21.37	-4.38	16.99	30.00	PASS

n66	15	20	349000	53@26	CP_QAM16	21.29	-4.38	16.91	30.00	PASS
n66	15	20	349000	1@1	CP_QAM16	20.87	-4.38	16.49	30.00	PASS
n66	15	20	349000	1@104	CP_QAM16	20.90	-4.38	16.52	30.00	PASS
n66	15	20	349000	53@26	CP_QAM64	19.77	-4.38	15.39	30.00	PASS
n66	15	20	349000	1@1	CP_QAM64	19.62	-4.38	15.24	30.00	PASS
n66	15	20	349000	1@104	CP_QAM64	19.55	-4.38	15.17	30.00	PASS
n66	15	20	349000	53@26	CP_QAM256	16.73	-4.38	12.35	30.00	PASS
n66	15	20	349000	1@1	CP_QAM256	16.54	-4.38	12.16	30.00	PASS
n66	15	20	349000	1@104	CP_QAM256	16.60	-4.38	12.22	30.00	PASS
n66	15	20	354000	50@25	DFT_BPSK	23.12	-4.38	18.74	30.00	PASS
n66	15	20	354000	1@1	DFT_BPSK	23.03	-4.38	18.65	30.00	PASS
n66	15	20	354000	1@104	DFT_BPSK	23.35	-4.38	18.97	30.00	PASS
n66	15	20	354000	50@25	DFT_QPSK	23.24	-4.38	18.86	30.00	PASS
n66	15	20	354000	1@1	DFT_QPSK	22.79	-4.38	18.41	30.00	PASS
n66	15	20	354000	1@104	DFT_QPSK	23.18	-4.38	18.80	30.00	PASS
n66	15	20	354000	50@25	DFT_QAM16	22.15	-4.38	17.77	30.00	PASS
n66	15	20	354000	1@1	DFT_QAM16	22.24	-4.38	17.86	30.00	PASS
n66	15	20	354000	1@104	DFT_QAM16	22.67	-4.38	18.29	30.00	PASS
n66	15	20	354000	50@25	DFT_QAM64	20.69	-4.38	16.31	30.00	PASS
n66	15	20	354000	1@1	DFT_QAM64	20.58	-4.38	16.20	30.00	PASS
n66	15	20	354000	1@104	DFT_QAM64	21.02	-4.38	16.64	30.00	PASS
n66	15	20	354000	50@25	DFT_QAM256	18.54	-4.38	14.16	30.00	PASS
n66	15	20	354000	1@1	DFT_QAM256	18.37	-4.38	13.99	30.00	PASS
n66	15	20	354000	1@104	DFT_QAM256	18.68	-4.38	14.30	30.00	PASS
n66	15	20	354000	53@26	CP_QPSK	21.71	-4.38	17.33	30.00	PASS
n66	15	20	354000	1@1	CP_QPSK	21.20	-4.38	16.82	30.00	PASS
n66	15	20	354000	1@104	CP_QPSK	21.54	-4.38	17.16	30.00	PASS
n66	15	20	354000	53@26	CP_QAM16	21.15	-4.38	16.77	30.00	PASS
n66	15	20	354000	1@1	CP_QAM16	20.71	-4.38	16.33	30.00	PASS
n66	15	20	354000	1@104	CP_QAM16	21.64	-4.38	17.26	30.00	PASS
n66	15	20	354000	53@26	CP_QAM64	19.72	-4.38	15.34	30.00	PASS
n66	15	20	354000	1@1	CP_QAM64	19.44	-4.38	15.06	30.00	PASS
n66	15	20	354000	1@104	CP_QAM64	19.95	-4.38	15.57	30.00	PASS
n66	15	20	354000	53@26	CP_QAM256	16.64	-4.38	12.26	30.00	PASS
n66	15	20	354000	1@1	CP_QAM256	16.59	-4.38	12.21	30.00	PASS
n66	15	20	354000	1@104	CP_QAM256	16.85	-4.38	12.47	30.00	PASS
n66	15	40	346000	108@54	DFT_BPSK	22.99	-4.38	18.61	30.00	PASS
n66	15	40	346000	1@1	DFT_BPSK	22.52	-4.38	18.14	30.00	PASS
n66	15	40	346000	1@214	DFT_BPSK	22.60	-4.38	18.22	30.00	PASS
n66	15	40	346000	108@54	DFT_QPSK	23.02	-4.38	18.64	30.00	PASS
n66	15	40	346000	1@1	DFT_QPSK	22.34	-4.38	17.96	30.00	PASS
n66	15	40	346000	1@214	DFT_QPSK	22.56	-4.38	18.18	30.00	PASS

n66	15	40	346000	108@54	DFT_QAM16	21.99	-4.38	17.61	30.00	PASS
n66	15	40	346000	1@1	DFT_QAM16	21.63	-4.38	17.25	30.00	PASS
n66	15	40	346000	1@214	DFT_QAM16	21.78	-4.38	17.40	30.00	PASS
n66	15	40	346000	108@54	DFT_QAM64	20.52	-4.38	16.14	30.00	PASS
n66	15	40	346000	1@1	DFT_QAM64	20.27	-4.38	15.89	30.00	PASS
n66	15	40	346000	1@214	DFT_QAM64	20.28	-4.38	15.90	30.00	PASS
n66	15	40	346000	108@54	DFT_QAM256	18.48	-4.38	14.10	30.00	PASS
n66	15	40	346000	1@1	DFT_QAM256	17.97	-4.38	13.59	30.00	PASS
n66	15	40	346000	1@214	DFT_QAM256	18.06	-4.38	13.68	30.00	PASS
n66	15	40	346000	108@54	CP_QPSK	21.44	-4.38	17.06	30.00	PASS
n66	15	40	346000	1@1	CP_QPSK	20.75	-4.38	16.37	30.00	PASS
n66	15	40	346000	1@214	CP_QPSK	21.03	-4.38	16.65	30.00	PASS
n66	15	40	346000	108@54	CP_QAM16	21.03	-4.38	16.65	30.00	PASS
n66	15	40	346000	1@1	CP_QAM16	20.42	-4.38	16.04	30.00	PASS
n66	15	40	346000	1@214	CP_QAM16	20.50	-4.38	16.12	30.00	PASS
n66	15	40	346000	108@54	CP_QAM64	19.56	-4.38	15.18	30.00	PASS
n66	15	40	346000	1@1	CP_QAM64	19.09	-4.38	14.71	30.00	PASS
n66	15	40	346000	1@214	CP_QAM64	19.23	-4.38	14.85	30.00	PASS
n66	15	40	346000	108@54	CP_QAM256	16.37	-4.38	11.99	30.00	PASS
n66	15	40	346000	1@1	CP_QAM256	16.03	-4.38	11.65	30.00	PASS
n66	15	40	346000	1@214	CP_QAM256	16.13	-4.38	11.75	30.00	PASS
n66	15	40	349000	108@54	DFT_BPSK	23.33	-4.38	18.95	30.00	PASS
n66	15	40	349000	1@1	DFT_BPSK	22.35	-4.38	17.97	30.00	PASS
n66	15	40	349000	1@214	DFT_BPSK	22.48	-4.38	18.10	30.00	PASS
n66	15	40	349000	108@54	DFT_QPSK	23.27	-4.38	18.89	30.00	PASS
n66	15	40	349000	1@1	DFT_QPSK	22.22	-4.38	17.84	30.00	PASS
n66	15	40	349000	1@214	DFT_QPSK	22.26	-4.38	17.88	30.00	PASS
n66	15	40	349000	108@54	DFT_QAM16	22.28	-4.38	17.90	30.00	PASS
n66	15	40	349000	1@1	DFT_QAM16	21.46	-4.38	17.08	30.00	PASS
n66	15	40	349000	1@214	DFT_QAM16	21.54	-4.38	17.16	30.00	PASS
n66	15	40	349000	108@54	DFT_QAM64	20.84	-4.38	16.46	30.00	PASS
n66	15	40	349000	1@1	DFT_QAM64	19.93	-4.38	15.55	30.00	PASS
n66	15	40	349000	1@214	DFT_QAM64	20.14	-4.38	15.76	30.00	PASS
n66	15	40	349000	108@54	DFT_QAM256	18.59	-4.38	14.21	30.00	PASS
n66	15	40	349000	1@1	DFT_QAM256	17.82	-4.38	13.44	30.00	PASS
n66	15	40	349000	1@214	DFT_QAM256	18.02	-4.38	13.64	30.00	PASS
n66	15	40	349000	108@54	CP_QPSK	21.67	-4.38	17.29	30.00	PASS
n66	15	40	349000	1@1	CP_QPSK	20.73	-4.38	16.35	30.00	PASS
n66	15	40	349000	1@214	CP_QPSK	20.88	-4.38	16.50	30.00	PASS
n66	15	40	349000	108@54	CP_QAM16	21.20	-4.38	16.82	30.00	PASS
n66	15	40	349000	1@1	CP_QAM16	20.17	-4.38	15.79	30.00	PASS
n66	15	40	349000	1@214	CP_QAM16	20.72	-4.38	16.34	30.00	PASS

n66	15	40	349000	108@54	CP_QAM64	19.72	-4.38	15.34	30.00	PASS
n66	15	40	349000	1@1	CP_QAM64	19.00	-4.38	14.62	30.00	PASS
n66	15	40	349000	1@214	CP_QAM64	19.09	-4.38	14.71	30.00	PASS
n66	15	40	349000	108@54	CP_QAM256	16.52	-4.38	12.14	30.00	PASS
n66	15	40	349000	1@1	CP_QAM256	15.93	-4.38	11.55	30.00	PASS
n66	15	40	349000	1@214	CP_QAM256	16.22	-4.38	11.84	30.00	PASS
n66	15	40	352000	108@54	DFT_BPSK	23.12	-4.38	18.74	30.00	PASS
n66	15	40	352000	1@1	DFT_BPSK	22.78	-4.38	18.40	30.00	PASS
n66	15	40	352000	1@214	DFT_BPSK	22.96	-4.38	18.58	30.00	PASS
n66	15	40	352000	108@54	DFT_QPSK	23.19	-4.38	18.81	30.00	PASS
n66	15	40	352000	1@1	DFT_QPSK	22.57	-4.38	18.19	30.00	PASS
n66	15	40	352000	1@214	DFT_QPSK	22.82	-4.38	18.44	30.00	PASS
n66	15	40	352000	108@54	DFT_QAM16	22.10	-4.38	17.72	30.00	PASS
n66	15	40	352000	1@1	DFT_QAM16	21.82	-4.38	17.44	30.00	PASS
n66	15	40	352000	1@214	DFT_QAM16	22.17	-4.38	17.79	30.00	PASS
n66	15	40	352000	108@54	DFT_QAM64	20.67	-4.38	16.29	30.00	PASS
n66	15	40	352000	1@1	DFT_QAM64	20.47	-4.38	16.09	30.00	PASS
n66	15	40	352000	1@214	DFT_QAM64	20.43	-4.38	16.05	30.00	PASS
n66	15	40	352000	108@54	DFT_QAM256	18.54	-4.38	14.16	30.00	PASS
n66	15	40	352000	1@1	DFT_QAM256	18.08	-4.38	13.70	30.00	PASS
n66	15	40	352000	1@214	DFT_QAM256	18.23	-4.38	13.85	30.00	PASS
n66	15	40	352000	108@54	CP_QPSK	21.56	-4.38	17.18	30.00	PASS
n66	15	40	352000	1@1	CP_QPSK	21.12	-4.38	16.74	30.00	PASS
n66	15	40	352000	1@214	CP_QPSK	21.07	-4.38	16.69	30.00	PASS
n66	15	40	352000	108@54	CP_QAM16	21.05	-4.38	16.67	30.00	PASS
n66	15	40	352000	1@1	CP_QAM16	20.50	-4.38	16.12	30.00	PASS
n66	15	40	352000	1@214	CP_QAM16	20.72	-4.38	16.34	30.00	PASS
n66	15	40	352000	108@54	CP_QAM64	19.58	-4.38	15.20	30.00	PASS
n66	15	40	352000	1@1	CP_QAM64	19.26	-4.38	14.88	30.00	PASS
n66	15	40	352000	1@214	CP_QAM64	19.45	-4.38	15.07	30.00	PASS
n66	15	40	352000	108@54	CP_QAM256	16.53	-4.38	12.15	30.00	PASS
n66	15	40	352000	1@1	CP_QAM256	16.17	-4.38	11.79	30.00	PASS
n66	15	40	352000	1@214	CP_QAM256	16.40	-4.38	12.02	30.00	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n66	15	40	349000	108@54	DFT_BPSK	-0.69	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_BPSK	-0.69	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_BPSK	-1.64	0.00	-2.5	2.5	PASS
n66	15	40	349000	108@54	DFT_QPSK	-2.50	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_QPSK	-4.18	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_QPSK	-5.65	0.00	-2.5	2.5	PASS

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n66	15	40	349000	108@54	DFT_BPSK	3.91	-0.69	0.00	Within authorized band for 5G NR n66	PASS
n66	15	40	349000	108@54	DFT_BPSK	3.45	-0.69	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	4.45	-1.64	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	3.91	-2.50	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	3.45	-4.18	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	4.45	-5.65	0.00		PASS

Note: Only the worst case shown in the report.

NV:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n66	15	40	349000	108@54	DFT_BPSK	-30	-3.96	0.00	Within authorized band for 5G NR n66	PASS
n66	15	40	349000	108@54	DFT_BPSK	-20	-4.89	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	-10	-2.65	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	0	-6.05	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	10	-1.71	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	20	-2.88	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	30	-3.77	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	40	-3.12	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	50	-5.40	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	-30	-6.47	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	-20	-8.78	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	-10	-3.48	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	0	-4.10	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	10	-5.96	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	20	-3.49	0.00	PASS	


n66	15	40	349000	108@54	DFT_QPSK	30	-5.19	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	40	-7.01	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	50	-8.91	0.00		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	15	5	349000	25@0	DFT_BPSK	4.33	13	PASS
n66	15	5	349000	25@0	DFT_QPSK	5.28	13	PASS
n66	15	5	349000	25@0	DFT_QAM16	5.93	13	PASS
n66	15	5	349000	25@0	DFT_QAM64	6.31	13	PASS
n66	15	5	349000	25@0	DFT_QAM256	6.75	13	PASS
n66	15	10	349000	50@0	DFT_BPSK	4.41	13	PASS
n66	15	10	349000	50@0	DFT_QPSK	5.29	13	PASS
n66	15	10	349000	50@0	DFT_QAM16	6.15	13	PASS
n66	15	10	349000	50@0	DFT_QAM64	6.26	13	PASS
n66	15	10	349000	50@0	DFT_QAM256	7.01	13	PASS
n66	15	15	349000	75@0	DFT_BPSK	4.38	13	PASS
n66	15	15	349000	75@0	DFT_QPSK	5.38	13	PASS
n66	15	15	349000	75@0	DFT_QAM16	6.16	13	PASS
n66	15	15	349000	75@0	DFT_QAM64	6.38	13	PASS
n66	15	15	349000	75@0	DFT_QAM256	7.09	13	PASS
n66	15	20	349000	100@0	DFT_BPSK	4.46	13	PASS
n66	15	20	349000	100@0	DFT_QPSK	5.41	13	PASS
n66	15	20	349000	100@0	DFT_QAM16	6.36	13	PASS
n66	15	20	349000	100@0	DFT_QAM64	6.42	13	PASS
n66	15	20	349000	100@0	DFT_QAM256	6.96	13	PASS
n66	15	40	349000	216@0	DFT_BPSK	5.05	13	PASS
n66	15	40	349000	216@0	DFT_QPSK	5.64	13	PASS
n66	15	40	349000	216@0	DFT_QAM16	6.38	13	PASS
n66	15	40	349000	216@0	DFT_QAM64	6.69	13	PASS
n66	15	40	349000	216@0	DFT_QAM256	6.93	13	PASS


n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=349000 RB=216@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	4.490	4.770	PASS
n66	15	5	342500	25@0	DFT_QPSK	4.490	4.770	PASS
n66	15	5	342500	25@0	DFT_QAM16	4.490	4.760	PASS
n66	15	5	342500	25@0	DFT_QAM64	4.490	4.770	PASS
n66	15	5	342500	25@0	DFT_QAM256	4.490	4.770	PASS
n66	15	5	342500	25@0	CP_QPSK	4.490	4.790	PASS
n66	15	5	349000	25@0	DFT_BPSK	4.490	4.770	PASS
n66	15	5	349000	25@0	DFT_QPSK	4.490	4.760	PASS
n66	15	5	349000	25@0	DFT_QAM16	4.490	4.760	PASS
n66	15	5	349000	25@0	DFT_QAM64	4.490	4.780	PASS
n66	15	5	349000	25@0	DFT_QAM256	4.490	4.760	PASS
n66	15	5	349000	25@0	CP_QPSK	4.490	4.790	PASS
n66	15	5	355500	25@0	DFT_BPSK	4.490	4.760	PASS
n66	15	5	355500	25@0	DFT_QPSK	4.500	4.770	PASS
n66	15	5	355500	25@0	DFT_QAM16	4.490	4.750	PASS
n66	15	5	355500	25@0	DFT_QAM64	4.480	4.780	PASS

n66	15	5	355500	25@0	DFT_QAM256	4.490	4.770	PASS
n66	15	5	355500	25@0	CP_QPSK	4.490	4.780	PASS
n66	15	10	343000	50@0	DFT_BPSK	9.210	9.480	PASS
n66	15	10	343000	50@0	DFT_QPSK	9.220	9.480	PASS
n66	15	10	343000	50@0	DFT_QAM16	9.220	9.470	PASS
n66	15	10	343000	50@0	DFT_QAM64	9.210	9.470	PASS
n66	15	10	343000	50@0	DFT_QAM256	9.220	9.470	PASS
n66	15	10	343000	52@0	CP_QPSK	9.330	9.850	PASS
n66	15	10	349000	50@0	DFT_BPSK	9.210	9.480	PASS
n66	15	10	349000	50@0	DFT_QPSK	9.240	9.470	PASS
n66	15	10	349000	50@0	DFT_QAM16	9.200	9.470	PASS
n66	15	10	349000	50@0	DFT_QAM64	9.210	9.480	PASS
n66	15	10	349000	50@0	DFT_QAM256	9.220	9.500	PASS
n66	15	10	349000	52@0	CP_QPSK	9.330	9.830	PASS
n66	15	10	355000	50@0	DFT_BPSK	9.210	9.490	PASS
n66	15	10	355000	50@0	DFT_QPSK	9.240	9.480	PASS
n66	15	10	355000	50@0	DFT_QAM16	9.220	9.480	PASS
n66	15	10	355000	50@0	DFT_QAM64	9.220	9.480	PASS
n66	15	10	355000	50@0	DFT_QAM256	9.240	9.480	PASS
n66	15	10	355000	52@0	CP_QPSK	9.330	9.840	PASS
n66	15	15	343500	75@0	DFT_BPSK	13.990	14.200	PASS
n66	15	15	343500	75@0	DFT_QPSK	14.010	14.200	PASS
n66	15	15	343500	75@0	DFT_QAM16	13.990	14.190	PASS
n66	15	15	343500	75@0	DFT_QAM64	14.000	14.210	PASS
n66	15	15	343500	75@0	DFT_QAM256	14.000	14.220	PASS
n66	15	15	343500	79@0	CP_QPSK	14.170	14.920	PASS
n66	15	15	349000	75@0	DFT_BPSK	14.000	14.200	PASS
n66	15	15	349000	75@0	DFT_QPSK	14.010	14.210	PASS
n66	15	15	349000	75@0	DFT_QAM16	13.980	14.180	PASS
n66	15	15	349000	75@0	DFT_QAM64	14.000	14.200	PASS
n66	15	15	349000	75@0	DFT_QAM256	14.000	14.210	PASS
n66	15	15	349000	79@0	CP_QPSK	14.170	14.930	PASS
n66	15	15	354500	75@0	DFT_BPSK	14.000	14.200	PASS
n66	15	15	354500	75@0	DFT_QPSK	14.010	14.210	PASS
n66	15	15	354500	75@0	DFT_QAM16	13.990	14.200	PASS
n66	15	15	354500	75@0	DFT_QAM64	14.000	14.210	PASS
n66	15	15	354500	75@0	DFT_QAM256	14.000	14.210	PASS
n66	15	15	354500	79@0	CP_QPSK	14.170	14.930	PASS
n66	15	20	344000	100@0	DFT_BPSK	18.760	18.910	PASS
n66	15	20	344000	100@0	DFT_QPSK	18.740	18.920	PASS
n66	15	20	344000	100@0	DFT_QAM16	18.750	18.920	PASS
n66	15	20	344000	100@0	DFT_QAM64	18.760	18.910	PASS

n66	15	20	344000	100@0	DFT_QAM256	18.750	18.930	PASS
n66	15	20	344000	106@0	CP_QPSK	18.990	19.990	PASS
n66	15	20	349000	100@0	DFT_BPSK	18.750	18.900	PASS
n66	15	20	349000	100@0	DFT_QPSK	18.750	18.920	PASS
n66	15	20	349000	100@0	DFT_QAM16	18.680	18.900	PASS
n66	15	20	349000	100@0	DFT_QAM64	18.750	18.900	PASS
n66	15	20	349000	100@0	DFT_QAM256	18.740	18.920	PASS
n66	15	20	349000	106@0	CP_QPSK	18.980	19.990	PASS
n66	15	20	354000	100@0	DFT_BPSK	18.810	18.910	PASS
n66	15	20	354000	100@0	DFT_QPSK	18.750	18.920	PASS
n66	15	20	354000	100@0	DFT_QAM16	18.750	18.910	PASS
n66	15	20	354000	100@0	DFT_QAM64	18.800	18.910	PASS
n66	15	20	354000	100@0	DFT_QAM256	18.810	18.900	PASS
n66	15	20	354000	106@0	CP_QPSK	18.980	19.980	PASS
n66	15	40	346000	216@0	DFT_BPSK	38.730	40.730	PASS
n66	15	40	346000	216@0	DFT_QPSK	38.740	40.740	PASS
n66	15	40	346000	216@0	DFT_QAM16	38.740	40.720	PASS
n66	15	40	346000	216@0	DFT_QAM64	38.720	40.700	PASS
n66	15	40	346000	216@0	DFT_QAM256	38.730	40.710	PASS
n66	15	40	346000	216@0	CP_QPSK	38.730	40.740	PASS
n66	15	40	349000	216@0	DFT_BPSK	38.590	40.650	PASS
n66	15	40	349000	216@0	DFT_QPSK	38.590	40.680	PASS
n66	15	40	349000	216@0	DFT_QAM16	38.600	40.670	PASS
n66	15	40	349000	216@0	DFT_QAM64	38.600	40.670	PASS
n66	15	40	349000	216@0	DFT_QAM256	38.600	40.680	PASS
n66	15	40	349000	216@0	CP_QPSK	38.600	40.690	PASS
n66	15	40	352000	216@0	DFT_BPSK	38.730	40.720	PASS
n66	15	40	352000	216@0	DFT_QPSK	38.730	40.730	PASS
n66	15	40	352000	216@0	DFT_QAM16	38.740	40.720	PASS
n66	15	40	352000	216@0	DFT_QAM64	38.730	40.710	PASS
n66	15	40	352000	216@0	DFT_QAM256	38.720	40.710	PASS
n66	15	40	352000	216@0	CP_QPSK	38.740	40.740	PASS

n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=342500 RB=25@0