


Annex A.3 Occupied Bandwidth

1. GSM_GSM850


1.1. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.246	0.314	0.3	Pass



1.2. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.244	0.309	0.3	Pass



1.3. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.245	0.311	0.3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 848.8 MHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 9.17 dB

Center 848.800 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)


Occupied Bandwidth	Occ BW % Pwr 99.00 %
245.0025 kHz	x dB -26.00 dB
Transmit Freq Error -234.124 Hz	
x dB Bandwidth 311.015 kHz	

Copyright 2000-2012 Agilent Technologies

2. GSM_PCS


2.1. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.245	0.315	0.3	Pass



2.2. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.245	0.316	0.3	Pass



2.3. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.246	0.312	0.3	Pass

Agilent

Measure

Ch Freq 1.9098 GHz

Trig Free

Occupied Bandwidth

Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

245.5210 kHz

Transmit Freq Error 715.036 Hz

x dB Bandwidth 311.637 kHz

Occ BW % Pwr 99.00 %


x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

3. EGPRS_GSM850

3.1. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.249	0.316	0.3	Pass



3.2. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.248	0.316	0.3	Pass

Agilent

Measure

Ch Freq 836.6 MHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 836.600 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth	Occ BW % Pwr 99.00 %
248.3267 kHz	x dB -26.00 dB
Transmit Freq Error -790.193 Hz	
x dB Bandwidth 316.075 kHz	

Copyright 2000-2012 Agilent Technologies

3.3. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.248	0.309	0.3	Pass

Agilent

Measure

Ch Freq 848.8 MHz **Trig** Free

Occupied Bandwidth Averages: 3

Meas Off

Ref 30 dBm #Atten 40 dB

#Peak

Log

10

dB/

Offst

9.17

dB

Center 848.800 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat

CCDF

More

1 of 2

Occupied Bandwidth

247.5867 kHz

Transmit Freq Error -417.370 Hz

x dB Bandwidth 309.471 kHz

Occ BW % Pwr 99.00 %


x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

4. EGPRS_PCS

4.1. EGPRS Occupied Bandwidth_Part22-24(NTLV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.251	0.313	0.3	Pass



4.2. EGPRS Occupied Bandwidth_Part22-24(NTLV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.253	0.32	0.3	Pass

Agilent

Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB
 #Peak Log
 10 dB/Offst
 10.8 dB

Center 1.880 000 0 GHz Span 2 MHz
 #Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
252.9253 kHz	x dB	-26.00 dB
Transmit Freq Error	-2.026 kHz	
x dB Bandwidth	319.757 kHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

4.3. EGPRS Occupied Bandwidth_Part22-24(NTLV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.254	0.309	0.3	Pass

Agilent

Measure

Ch Freq 1.9098 GHz
Trig Free

Occupied Bandwidth
Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
253.9595 kHz	x dB	-26.00 dB
Transmit Freq Error	-1.119 kHz	
x dB Bandwidth	309.428 kHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More


1 of 2

Copyright 2000-2012 Agilent Technologies

5. WCDMA_Band2

5.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9262)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.4	99	26	0.1	Peak	4.137	4.706	5	Pass



5.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9400)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.134	4.698	5	Pass

Agilent

Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1342 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.888 kHz	
x dB Bandwidth	4.698 MHz	

Copyright 2000-2012 Agilent Technologies

5.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9538)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.6	99	26	0.1	Peak	4.139	4.715	5	Pass

Agilent

Measure

Ch Freq 1.9076 GHz

Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.907 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2


Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1392 MHz	x dB	-26.00 dB
Transmit Freq Error		-13.201 kHz
x dB Bandwidth		4.715 MHz

Copyright 2000-2012 Agilent Technologies

6. WCDMA_Band4

6.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1312)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.4	99	26	0.1	Peak	4.141	4.706	5	Pass



6.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1412)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.4	99	26	0.1	Peak	4.139	4.699	5	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More 1 of 2

Ch Freq 1.7324 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.732 400 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.1385 MHz x dB -26.00 dB

Transmit Freq Error -16.638 kHz

x dB Bandwidth 4.699 MHz

Copyright 2000-2012 Agilent Technologies

6.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1513)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.6	99	26	0.1	Peak	4.138	4.703	5	Pass

Agilent

Measure

Ch Freq 1.7526 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.752 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1376 MHz	x dB	-26.00 dB
Transmit Freq Error	-386.688 Hz	
x dB Bandwidth	4.703 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF


More 1 of 2

Copyright 2000-2012 Agilent Technologies

7. WCDMA_Band5


7.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4132)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.4	99	26	0.1	Peak	4.138	4.704	5	Pass



7.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4182)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.4	99	26	0.1	Peak	4.144	4.722	5	Pass



7.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4233)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.6	99	26	0.1	Peak	4.138	4.716	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 846.6 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.15 dBm #Atten 30 dB


Center 846.600 MHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1381 MHz	x dB	-26.00 dB
Transmit Freq Error	-8.609 kHz	
x dB Bandwidth	4.716 MHz	

Copyright 2000-2012 Agilent Technologies


8. LTE_Band2

8.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




8.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.095	1.31	1.4	Pass




8.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.094	1.304	1.4	Pass



8.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.087	1.275	1.4	Pass



8.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.097	1.282	1.4	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 1.9093 GHz. The occupied bandwidth is highlighted as 1.0972 MHz. The power level is 99.00% and the XdB down is -26.00 dB. The transmit frequency error is 707.518 Hz and the XdB bandwidth is 1.282 MHz. The interface includes various measurement buttons on the right side, such as 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0972 MHz	x dB	-26.00 dB
Transmit Freq Error	707.518 Hz	
x dB Bandwidth	1.282 MHz	


8.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.091	1.273	1.4	Pass




8.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.696	2.954	3	Pass




8.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.696	2.962	3	Pass



8.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.698	2.95	3	Pass



8.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.693	2.954	3	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is centered at 1.880 GHz with a span of 6 MHz. The vertical axis is labeled 'dB/Offst' with a value of 10.8 dB. The horizontal axis is labeled 'Center' with a value of 1.880 000 GHz. The plot shows a signal with a peak at approximately 1.880 GHz. The 'Occupied Bandwidth' is highlighted in a green box at the bottom of the screen, showing a value of 2.6927 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -4.557 kHz and the 'x dB Bandwidth' is 2.954 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom of the screen.

Occupied Bandwidth	Occ BW % Pwr	x dB
2.6927 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies


8.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.697	2.953	3	Pass




8.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.692	2.965	3	Pass




8.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	4.973	5	Pass




8.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.489	4.956	5	Pass




8.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.497	5.006	5	Pass




8.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.514	4.99	5	Pass




8.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.486	4.972	5	Pass




8.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.507	4.996	5	Pass



8.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.977	10.029	10	Pass



8.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.987	9.803	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 1.855 GHz and the span is 20 MHz. The occupied bandwidth is highlighted in a green box with the following data:

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9865 MHz	x dB	-26.00 dB
Transmit Freq Error	6.462 kHz	
x dB Bandwidth	9.803 MHz	


Additional parameters shown in the interface include: Ch Freq 1.855 GHz, Trig Free, Averages: 2, Ref 30 dBm, #Atten 30 dB, #Peak, Log 10, dB/Offst 10.7 dB, Center 1.855 00 GHz, Span 20 MHz, #Res BW 200 kHz, #VBW 620 kHz, #Sweep 5 s (500 pts).

On the right side, there is a 'Measure' menu with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2).

Copyright 2000-2012 Agilent Technologies


8.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.948	9.817	10	Pass



8.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.976	9.851	10	Pass



8.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.982	9.849	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 1.905 GHz, and the span is 20 MHz. The occupied bandwidth is highlighted in a green box at the bottom of the screen.


Occupied Bandwidth Measurement Results:

Occupied Bandwidth	8.9817 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	-18.828 kHz		
x dB Bandwidth	9.849 MHz		

Copyright 2000-2012 Agilent Technologies


8.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.965	9.873	10	Pass




8.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.476	14.773	15	Pass




8.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.461	14.704	15	Pass



8.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.425	14.693	15	Pass




8.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.471	14.704	15	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 1.88 GHz. The 'Occupied Bandwidth' measurement is highlighted in a green box, showing a value of 13.4711 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. Other parameters shown include Transmit Freq Error (5.377 kHz) and x dB Bandwidth (14.704 MHz). The interface also includes a 'Measure' menu with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen displays the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

8.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.434	14.81	15	Pass



8.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.467	14.723	15	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is centered at 1.9025 GHz with a span of 30 MHz. The vertical axis is labeled 'dB/Offst' with a scale of 10.8 dB. The horizontal axis is labeled 'Span 30 MHz'. The plot shows a signal with a peak at approximately 1.9025 GHz. The 'Occupied Bandwidth' is measured as 13.4666 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -23.646 kHz and the 'x dB Bandwidth' is 14.723 MHz. The 'Averages' are set to 2. The 'Ref' is 30 dBm and the '#Atten' is 30 dB. The 'Log' is set to 10. The 'Sweep' is 5 s (500 pts). The 'Res BW' is 300 kHz and the '#VBW' is 1 MHz. The 'Trig' is set to 'Free'. The 'Meas Off' button is visible. The 'Channel Power' button is visible. The 'Occupied BW' button is visible. The 'ACP' button is visible. The 'Multi Carrier Power' button is visible. The 'Power Stat CCDF' button is visible. The 'More 1 of 2' button is visible. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4666 MHz	x dB	-26.00 dB
Transmit Freq Error	-23.646 kHz	
x dB Bandwidth	14.723 MHz	

Copyright 2000-2012 Agilent Technologies

8.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.924	19.413	20	Pass



8.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	18.001	19.481	20	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is centered at 1.860 GHz with a span of 40 MHz. The vertical axis is labeled 'dB/Offst' with a value of 10.8 dB. The horizontal axis is labeled 'Span 40 MHz'. The plot shows a signal with a peak at approximately 1.860 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 18.0014 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 25.563 kHz and the 'x dB Bandwidth' is 19.481 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Occupied Bandwidth	Occ BW % Pwr	x dB
18.0014 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies

8.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.944	19.464	20	Pass



8.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.94	19.568	20	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 1.88 GHz, and the span is 40 MHz. The occupied bandwidth is highlighted in green, showing a value of 17.9397 MHz. The power level is 99.00% and the XdB bandwidth is -26.00 dB. The interface includes various measurement buttons on the right side, such as 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9397 MHz	x dB	-26.00 dB
Transmit Freq Error	-17.066 kHz	
x dB Bandwidth	19.568 MHz	


8.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.941	19.903	20	Pass




8.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.913	19.418	20	Pass



9. LTE_Band4

9.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



9.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.095	1.31	1.4	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 1.7107 GHz. The main display shows a spectrum plot with a yellow trace. The plot parameters include: Ref 30 dBm, #Atten 30 dB, Log 10, dB/Offst 10.5 dB, Center 1.710 700 GHz, Span 2.8 MHz, #Res BW 27 kHz, #VBW 100 kHz, and #Sweep 5 s (518 pts). A green box highlights the measurement results: Occupied Bandwidth 1.0953 MHz, Occ BW % Pwr 99.00 %, x dB -26.00 dB, Transmit Freq Error -2.877 kHz, and x dB Bandwidth 1.310 MHz. The right-hand side of the interface features a 'Measure' menu with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2). The bottom of the screen shows the copyright notice: Copyright 2000-2012 Agilent Technologies.

9.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.095	1.3	1.4	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 1.7325 GHz. The occupied bandwidth is highlighted in a green box at the bottom of the screen.

Occupied Bandwidth Measurement Results:

Occupied Bandwidth	1.0953 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	828.510 Hz		
x dB Bandwidth	1.300 MHz		

Other parameters shown in the screenshot include: Ch Freq 1.7325 GHz, Trig Free, Averages: 2, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 10.6 dB, Center 1.732 500 GHz, Span 2.8 MHz, #Res BW 27 kHz, #VBW 100 kHz, #Sweep 5 s (518 pts).

Copyright 2000-2012 Agilent Technologies

9.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.088	1.271	1.4	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is centered at 1.7325 GHz with a span of 2.8 MHz. The vertical axis is labeled 'dB/Offst' with a scale of 10.6 dB. The horizontal axis is labeled 'Span 2.8 MHz'. The plot shows a signal with a peak at approximately 1.7325 GHz. The 'Occupied Bandwidth' is highlighted in a green box at the bottom of the screen, showing a value of 1.0881 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 472.610 Hz and the 'x dB Bandwidth' is 1.271 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom of the screen.

Occupied Bandwidth	Occ BW % Pwr	x dB
1.0881 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies


9.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.097	1.285	1.4	Pass



9.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.091	1.288	1.4	Pass



9.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.694	2.942	3	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is centered at 1.7115 GHz with a span of 6 MHz. The y-axis is labeled 'dB/Offst' and ranges from 10 to 10.5 dB. The plot shows a signal with a peak at approximately 1.7115 GHz. The 'Occupied Bandwidth' is measured as 2.6938 MHz, which is 99.00% of the power. The 'x dB Bandwidth' is 2.942 MHz. The 'Transmit Freq Error' is 485.141 Hz. The 'Power Stat' is CCDF. The 'More' button shows 1 of 2 pages.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6938 MHz	x dB	-26.00 dB
Transmit Freq Error	485.141 Hz	
x dB Bandwidth	2.942 MHz	

Copyright 2000-2012 Agilent Technologies


9.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.695	2.96	3	Pass




9.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.705	2.952	3	Pass




9.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.695	2.962	3	Pass



9.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.698	2.949	3	Pass



9.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.693	2.954	3	Pass


The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 1.7535 GHz. The main display shows a spectrum plot with a peak at 2.6932 MHz. The occupied bandwidth is measured as 2.6932 MHz, which is 99.00% of the power. The XdB bandwidth is 2.954 MHz, and the XdB down is -26.00 dB. The transmit frequency error is -1.076 kHz. The interface includes various measurement buttons on the right side, such as Measure, Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More. The bottom of the screen shows the copyright information: Copyright 2000-2012 Agilent Technologies.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6932 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.076 kHz	
x dB Bandwidth	2.954 MHz	

Copyright 2000-2012 Agilent Technologies


9.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.508	5.004	5	Pass




9.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.495	4.957	5	Pass




9.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.502	4.992	5	Pass



9.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.517	4.982	5	Pass



9.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.488	4.984	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 1.7525 GHz. The main display shows a spectrum plot with a peak at 4.4876 MHz. The occupied bandwidth is 4.4876 MHz, which is 99.00% of the power. The XdB down is -26.00 dB. The transmit frequency error is 897.701 Hz, and the XdB bandwidth is 4.984 MHz. The interface includes various measurement buttons on the right side, such as Measure, Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More. The bottom of the screen shows the copyright information: Copyright 2000-2012 Agilent Technologies.


Occupied Bandwidth	Occ BW % Pwr	X dB
4.4876 MHz	99.00 %	-26.00 dB

Transmit Freq Error: 897.701 Hz
 x dB Bandwidth: 4.984 MHz

Copyright 2000-2012 Agilent Technologies

9.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.505	5.008	5	Pass



9.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.992	9.918	10	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The center frequency is 1.715 GHz, and the span is 20 MHz. The occupied bandwidth is measured as 8.9921 MHz, which is 99.00% of the power. The XdB down is -26.00 dB. The transmit frequency error is 15.569 kHz, and the XdB bandwidth is 9.918 MHz. The interface includes various measurement buttons on the right side, such as 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright information: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9921 MHz	x dB	-26.00 dB
Transmit Freq Error	15.569 kHz	
x dB Bandwidth	9.918 MHz	

Copyright 2000-2012 Agilent Technologies


9.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.976	9.811	10	Pass




9.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.957	9.764	10	Pass



9.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.979	9.831	10	Pass




9.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.982	9.993	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is set to 1.75 GHz. The main display shows a spectrum plot with a yellow trace. The plot parameters include: Ref 30 dBm, #Atten 30 dB, Log 10 dB/Offst 10.5 dB, Center 1.750 00 GHz, Span 20 MHz, #Res BW 200 kHz, #VBW 620 kHz, and #Sweep 5 s (500 pts). The Occupied Bandwidth is highlighted in a green box with the following values: 8.9819 MHz, Occ BW % Pwr 99.00 %, and x dB -26.00 dB. Other parameters shown include Transmit Freq Error -758.082 Hz and x dB Bandwidth 9.993 MHz. The right-hand side of the interface features a 'Measure' menu with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2). The bottom of the screen displays the copyright notice: Copyright 2000-2012 Agilent Technologies.


9.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.963	9.851	10	Pass



9.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.464	14.754	15	Pass



9.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.465	14.735	15	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 1.7175 GHz. The occupied bandwidth is highlighted in a green box at the bottom of the screen, showing a value of 13.4646 MHz. The power level is 99.00% and the XdB bandwidth is -26.00 dB. The interface also shows various measurement parameters such as Res BW (300 kHz), VBW (1 MHz), and Sweep (5 s).

Occupied Bandwidth	Occ BW % Pwr	x dB
13.4646 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies


9.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.409	14.635	15	Pass




9.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.47	14.671	15	Pass




9.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.46	14.818	15	Pass




9.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.493	14.71	15	Pass



9.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.904	19.37	20	Pass



9.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.978	19.47	20	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is centered at 1.720 GHz with a span of 40 MHz. The vertical axis is labeled 'dB/Offst' with a scale of 10.5 dB. The horizontal axis is labeled 'Span 40 MHz'. The plot shows a signal with a peak at approximately 1.720 GHz. The 'Occupied Bandwidth' is measured as 17.978 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 57.437 kHz and the 'x dB Bandwidth' is 19.470 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Occupied Bandwidth	Occ BW % Pwr	x dB
17.978 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies


9.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.909	19.379	20	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.7325 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot parameters include 'Ref 30 dBm', '#Atten 30 dB', 'Log 10 dB/Offst 10.6 dB', 'Center 1.732 50 GHz', 'Span 40 MHz', '#Res BW 390 kHz', '#VBW 1.2 MHz', and '#Sweep 5 s (512 pts)'. A green box highlights the 'Occupied Bandwidth' measurement results: 'Occupied Bandwidth 17.9093 MHz', 'Occ BW % Pwr 99.00 %', and 'x dB -26.00 dB'. Below this, it shows 'Transmit Freq Error -13.254 kHz' and 'x dB Bandwidth 19.379 MHz'. On the right side, there is a 'Measure' menu with options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. At the bottom, it says 'Copyright 2000-2012 Agilent Technologies'.


9.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.898	19.508	20	Pass




9.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.982	19.779	20	Pass




9.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.956	19.581	20	Pass




10. LTE_Band5

10.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




10.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.094	1.298	1.4	Pass




10.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.088	1.299	1.4	Pass




10.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.087	1.264	1.4	Pass




10.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.088	1.276	1.4	Pass




10.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.092	1.285	1.4	Pass




10.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.692	2.931	3	Pass




10.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.692	2.944	3	Pass




10.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.689	2.935	3	Pass



10.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.693	2.941	3	Pass



10.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.694	2.938	3	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 847.500 MHz and the span is 6 MHz. The occupied bandwidth is highlighted in a green box at the bottom of the screen.

Occupied Bandwidth Measurement Results:

Occupied Bandwidth	2.6940 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	-3.306 kHz		
x dB Bandwidth	2.938 MHz		

Additional parameters shown in the interface include: Ch Freq 847.5 MHz, Trig Free, Averages: 2, Ref 29.16 dBm, #Atten 30 dB, #Peak Log 10 dB/Offst 9.16 dB, #Res BW 62 kHz, #VBW 200 kHz, #Sweep 1 s (483 pts).

Copyright 2000-2012 Agilent Technologies

10.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.685	2.945	3	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 847.500 MHz and the span is 6 MHz. The occupied bandwidth is highlighted in a green box at the bottom of the screen.

Occupied Bandwidth Measurement Results:


Occupied Bandwidth	2.6847 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	-3.419 kHz		
x dB Bandwidth	2.945 MHz		

Other parameters shown in the screenshot include: Ch Freq 847.5 MHz, Trig Free, Averages: 2, Ref 29.16 dBm, #Atten 30 dB, #Peak Log 10 dB/Offst 9.16 dB, #Res BW 62 kHz, #VBW 200 kHz, #Sweep 1 s (483 pts).

Copyright 2000-2012 Agilent Technologies


10.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.496	4.972	5	Pass



10.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.491	4.931	5	Pass



10.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.492	4.963	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 836.500 MHz, and the span is 10 MHz. The resolution bandwidth (RBW) is 100 kHz, and the video bandwidth (VBW) is 300 kHz. The sweep time is 1 s (500 pts). The occupied bandwidth is measured as 4.4916 MHz, which is 99.00% of the power. The XdB down is -26.00 dB. The transmit frequency error is -6.125 kHz, and the XdB bandwidth is 4.963 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4916 MHz	x dB	-26.00 dB
Transmit Freq Error	-6.125 kHz	
x dB Bandwidth	4.963 MHz	

Copyright 2000-2012 Agilent Technologies

10.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.497	4.952	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 836.5 MHz' and 'Trig Free'. Below this, the 'Occupied Bandwidth' measurement is shown with 'Averages: 2'. The main display area shows a spectrum plot with a yellow trace. The plot parameters include 'Ref 29.08 dBm', '#Atten 30 dB', 'Log 10 dB/Offst 9.08 dB', 'Center 836.500 MHz', 'Span 10 MHz', '#Res BW 100 kHz', '#VBW 300 kHz', and '#Sweep 1 s (500 pts)'. A green box highlights the measurement results: 'Occupied Bandwidth 4.4967 MHz', 'Occ BW % Pwr 99.00 %', 'x dB -26.00 dB', 'Transmit Freq Error -2.714 kHz', and 'x dB Bandwidth 4.952 MHz'. On the right side, there is a 'Measure' menu with options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. At the bottom, it says 'Copyright 2000-2012 Agilent Technologies'.

10.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.487	4.959	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 846.5 MHz. The Occupied Bandwidth (OBW) is measured as 4.4869 MHz, which is 99.00% of the power. The XdB Bandwidth is 4.959 MHz, and the XdB Down is -26.00 dB. The transmit frequency error is -5.883 kHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4869 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.883 kHz	
x dB Bandwidth	4.959 MHz	

10.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.499	4.996	5	Pass



10.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.985	9.88	10	Pass

