

22.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.91	31.15	30	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 1.765 GHz. The main display shows a spectral plot with a peak at approximately 1.765 GHz. The measurement results are summarized in a table at the bottom of the screen:

Occupied Bandwidth	Occ BW % Pwr	x dB
28.9138 MHz	99.00 %	-26.00 dB

Additional parameters shown include: Transmit Freq Error: -44.059 kHz, x dB Bandwidth: 31.145 MHz, and a copyright notice for Agilent Technologies (2000-2012).

22.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.7	41.26	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:

Measurement	Value
Occupied Bandwidth	38.6951 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	-25.336 kHz
x dB Bandwidth	41.260 MHz

Additional parameters shown in the interface include: Ch Freq 1.73 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 10.2 dB, Center 1.730 0 GHz, Span 80 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 5 s (401 pts).

Copyright 2000-2012 Agilent Technologies

22.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.86	41.38	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 1.745 GHz. The main display shows a spectrum plot with a peak at approximately 1.745 GHz. The measurement results are summarized in a table at the bottom of the screen:

Occupied Bandwidth	Occ BW % Pwr	x dB
38.8643 MHz	99.00 %	-26.00 dB
Transmit Freq Error	-96.976 kHz	
x dB Bandwidth	41.380 MHz	

Additional parameters shown include: Center 1.745 0 GHz, Span 80 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 5 s (401 pts), Ref 30 dBm, #Atten 30 dB, and Ext Ref. The interface also includes a 'Measure' menu with options like Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2).

22.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.72	41.32	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.76 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot is labeled with 'Ref 30 dBm', '#Atten 30 dB', and 'Ext Ref'. The y-axis is labeled 'Log 10 dB/Offst 10.2 dB'. The x-axis is labeled 'Center 1.760 0 GHz' and 'Span 80 MHz'. Below the plot, the following parameters are shown: '#Res BW 1 MHz', '#VBW 3 MHz', and '#Sweep 5 s (401 pts)'. A summary box at the bottom of the plot area contains the following data:


Occupied Bandwidth	Occ BW % Pwr	99.00 %
38.7166 MHz	x dB	-26.00 dB
Transmit Freq Error		4.274 kHz
x dB Bandwidth		41.318 MHz

On the right side of the interface, there is a 'Measure' menu with the following options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The 'Occupied BW' option is currently selected.

Copyright 2000-2012 Agilent Technologies

23. n38_PC3

23.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



23.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.5	99	26	0.1	Peak	4.49	4.97	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.5925 GHz. The Occupied Bandwidth is measured as 4.4922 MHz, which is 99.00% of the 4.971 MHz bandwidth. The XdB Down is -26.00 dB. The transmit frequency error is -7.481 kHz. The interface includes various measurement controls and a 'Measure' menu on the right.

Occupied Bandwidth	Occ BW % Pwr	x dB
4.4922 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies


23.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.49	4.97	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal trace with a peak at 2.6175 GHz. The 'Occupied Bandwidth' measurement is highlighted in a green box, showing a value of 4.4931 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -7.667 kHz and the 'x dB Bandwidth' is 4.975 MHz. The interface also shows various settings like 'Ch Freq 2.6175 GHz', 'Trig Free', 'Averages: 1', 'Ref 30 dBm', '#Atten 30 dB', 'Center 2.617 500 GHz', 'Span 10 MHz', '#Res BW 100 kHz', '#VBW 300 kHz', and '#Sweep 5 s (500 pts)'. A 'Measure' menu on the right includes options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The footer reads 'Copyright 2000-2012 Agilent Technologies'.


23.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:515000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.03	Peak	9.26	9.67	10	Pass




23.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	9.26	9.73	10	Pass




23.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.03	Peak	9.26	9.75	10	Pass




23.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.03	Peak	14.07	14.53	15	Pass




23.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	14.08	14.57	15	Pass



23.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.03	Peak	14.07	14.52	15	Pass



23.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.03	Peak	18.9	19.54	20	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:


Measurement	Value
Occupied Bandwidth	18.8953 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	77.407 Hz
x dB Bandwidth	19.539 MHz

Additional parameters shown in the interface include: Ch Freq 2.58 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 11.6 dB, Center 2.580 000 GHz, Span 40 MHz, #Res BW 30 kHz, #VBW 1 MHz, #Sweep 5 s (6666 pts).

Copyright 2000-2012 Agilent Technologies

23.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	18.89	19.52	20	Pass



23.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.03	Peak	18.89	19.45	20	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:


Measurement	Value
Occupied Bandwidth	18.8910 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	-9.422 kHz
x dB Bandwidth	19.447 MHz

Additional parameters shown in the interface include: Ch Freq 2.61 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak Log, 10 dB/Offst, 11.6 dB, Center 2.610 000 GHz, Span 40 MHz, #Res BW 30 kHz, #VBW 1 MHz, #Sweep 5 s (6666 pts).

Copyright 2000-2012 Agilent Technologies


24. n41

24.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




24.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	9.26	9.6	10	Pass




24.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	9.27	11.95	10	Pass




24.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:500700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	14.08	14.5	15	Pass




24.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	14.09	14.6	15	Pass




24.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:536499, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.495	99	26	0.03	Peak	14.09	14.9	15	Pass




24.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.005	99	26	0.03	Peak	18.89	19.49	20	Pass




24.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	18.9	19.55	20	Pass



24.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.91	19.87	20	Pass



24.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502200, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2511	99	26	1	Peak	28.95	31.24	30	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.511 GHz. The 'Occupied Bandwidth' measurement is highlighted in a green box, showing a value of 28.9491 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 50.499 kHz and the 'x dB Bandwidth' is 31.238 MHz. The interface also shows various settings like 'Ch Freq 2.511 GHz', 'Trig Free', 'Averages: 1', 'Ref 30 dBm', '#Atten 30 dB', 'Center 2.511 00 GHz', 'Span 60 MHz', '#Res BW 1 MHz', '#VBW 3 MHz', and '#Sweep 1 s (401 pts)'. A 'Measure' menu on the right includes options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The footer of the screenshot reads 'Copyright 2000-2012 Agilent Technologies'.

24.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	29.03	41.73	30	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.59301 GHz. The Occupied Bandwidth is measured as 29.0282 MHz. The power level is 99.00% and the XdB Down is -26.00 dB. The transmit frequency error is 22.482 kHz and the X dB Bandwidth is 41.730 MHz. The interface includes various measurement buttons on the right side, such as Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More.

Occupied Bandwidth	Occ BW % Pwr	x dB
29.0282 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies

24.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534999, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2674.995	99	26	1	Peak	29.41	53.11	30	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 2.675 GHz, and the span is 60 MHz. The occupied bandwidth is measured as 29.4086 MHz. The power is 99.00% and the XdB down is -26.00 dB. The transmit frequency error is 116.132 kHz, and the XdB bandwidth is 53.107 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
29.4086 MHz	99.00 %	-26.00 dB

Transmit Freq Error: 116.132 kHz
 x dB Bandwidth: 53.107 MHz

Copyright 2000-2012 Agilent Technologies

24.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:503202, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.79	41.36	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.51601 GHz. The Occupied Bandwidth is measured as 38.7899 MHz, which is 99.00% of the 40 MHz channel bandwidth. The XdB Down is -26.00 dB. The interface includes a 'Measure' panel on the right with buttons for 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom status bar shows 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
38.7899 MHz	99.00 %	-26.00 dB

Additional parameters shown in the screenshot include: Ch Freq 2.51601 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak Log 10 dB/Offst 11.5 dB, Center 2.516 0 GHz, Span 80 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (401 pts), Transmit Freq Error 30.346 kHz, and x dB Bandwidth 41.358 MHz.

24.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	38.83	41.7	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.59301 GHz. The Occupied Bandwidth is measured as 38.8292 MHz, which is 99.00% of the 40 MHz channel bandwidth. The XdB Bandwidth is 41.700 MHz, and the XdB Down is -26.00 dB. The transmit frequency error is -8.675 kHz. The interface includes a 'Measure' panel on the right with buttons for 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
38.8292 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -8.675 kHz
x dB Bandwidth: 41.700 MHz

Copyright 2000-2012 Agilent Technologies

24.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	39.06	61.19	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 2.67 GHz, and the span is 80 MHz. The occupied bandwidth is measured as 39.0624 MHz. The power is 99.00% and the XdB bandwidth is -26.00 dB. The detector is set to Peak. The upper limit is 40 MHz. The verdict is Pass.

Occupied Bandwidth	Occ BW % Pwr	x dB
39.0624 MHz	99.00 %	-26.00 dB

Other parameters shown in the screenshot include: Ch Freq 2.67 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak Log, 10 dB/Offst, 11.7 dB, Center 2.670 0 GHz, Span 80 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (401 pts).

Copyright 2000-2012 Agilent Technologies

24.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:504201, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.005	99	26	1	Peak	48.32	50.93	50	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a peak at 2.52101 GHz. The 'Occupied Bandwidth' is measured as 48.3216 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 72.974 kHz and the 'x dB Bandwidth' is 50.935 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
48.3216 MHz	99.00 %	-26.00 dB

24.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	48.38	55.42	50	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.59301 GHz. The Occupied Bandwidth is measured as 48.3785 MHz. The power level is 99.00% and the XdB Down is -26.00 dB. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom status bar shows 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
48.3785 MHz	99.00 %	-26.00 dB

Other parameters shown in the screenshot include: Ch Freq 2.59301 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 11.6 dB, Center 2.593 00 GHz, Span 100 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (500 pts), Transmit Freq Error -568.132 Hz, x dB Bandwidth 55.419 MHz.

24.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	48.46	65.93	50	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 2.66499 GHz. The Occupied Bandwidth is measured as 48.4594 MHz, which is 99.00% of the 50 MHz channel bandwidth. The XdB Down is -26.00 dB. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom status bar shows 'Copyright 2000-2012 Agilent Technologies'.


Occupied Bandwidth	Occ BW % Pwr	x dB
48.4594 MHz	99.00 %	-26.00 dB

Additional parameters shown in the screenshot:

- Center: 2.664 99 GHz
- Span: 100 MHz
- #Res BW: 1 MHz
- #VBW: 3 MHz
- #Sweep: 1 s (500 pts)
- Ref: 30 dBm
- #Atten: 30 dB
- Ext Ref: -109.223 kHz
- x dB Bandwidth: 65.925 MHz

24.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	57.85	60.9	60	Pass



24.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.87	61.02	60	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 2.59299 GHz, and the span is 120 MHz. The resolution bandwidth (RBW) is 3 MHz, and the video bandwidth (VBW) is 3 MHz. The sweep time is 1 second with 600 points. The occupied bandwidth is measured as 57.8675 MHz, which is 99.00% of the channel bandwidth. The XdB down is -26.00 dB. The transmit frequency error is 32.835 kHz, and the XdB bandwidth is 61.017 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.


Occupied Bandwidth	Occ BW % Pwr	x dB
57.8675 MHz	99.00 %	-26.00 dB

Transmit Freq Error: 32.835 kHz
 x dB Bandwidth: 61.017 MHz

Copyright 2000-2012 Agilent Technologies

24.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	57.97	67.96	60	Pass



24.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.28	80.66	80	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:

Measurement	Value
Occupied Bandwidth	77.2802 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	175.960 kHz
x dB Bandwidth	80.661 MHz

Additional parameters shown in the interface include: Ch Freq 2.53602 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 11.5 dB, Center 2.536 02 GHz, Span 160 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (800 pts).

Copyright 2000-2012 Agilent Technologies

24.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.22	80.68	80	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows the channel frequency (Ch Freq) as 2.59299 GHz and the trigger mode as Free. The main display area shows a spectrum plot with a yellow trace representing the signal. The plot includes a reference level (Ref 30 dBm) and an attenuation setting (#Atten 30 dB). The plot shows a signal with a peak level of approximately -26 dB. The occupied bandwidth is measured as 77.223 MHz. The interface also shows various settings such as Res BW (1 MHz), VBW (3 MHz), and Sweep (1 s, 800 pts). A summary box at the bottom of the plot area provides the following data:


Occupied Bandwidth	Occ BW % Pwr	99.00 %
77.223 MHz	x dB	-26.00 dB
Transmit Freq Error		2.695 kHz
x dB Bandwidth		80.675 MHz

On the right side of the interface, there is a 'Measure' menu with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2).

Copyright 2000-2012 Agilent Technologies

24.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.28	85.76	80	Pass



24.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.28	90.58	90	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:

Measurement	Value
Occupied Bandwidth	87.2799 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	278.273 kHz
x dB Bandwidth	90.576 MHz

Additional parameters shown in the interface include: Ch Freq 2.541 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 11.5 dB, Center 2.541 00 GHz, Span 180 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (900 pts). The 'Measure' menu on the right includes options like Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2).

Copyright 2000-2012 Agilent Technologies

24.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	87.24	90.53	90	Pass


The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 2.59299 GHz' and 'Trig Free'. The 'Occupied Bandwidth' measurement is highlighted with a green border, showing a value of 87.2430 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 50.121 kHz and the 'x dB Bandwidth' is 90.529 MHz. The graph shows a signal with a peak at the center frequency and a reference level marked 'Ext Ref'. The 'Measure' menu on the right includes options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'.

Occupied Bandwidth	Occ BW % Pwr	x dB
87.2430 MHz	99.00 %	-26.00 dB

Copyright 2000-2012 Agilent Technologies

24.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.39	101.78	90	Pass



24.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2546.01	99	26	1	Peak	96.96	100.72	100	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 2.54601 GHz, and the span is 200 MHz. The occupied bandwidth is measured as 96.9570 MHz, which is 99.00% of the 100 MHz channel bandwidth. The XdB down is -26.00 dB. The transmit frequency error is 388.445 kHz, and the XdB bandwidth is 100.718 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.


Occupied Bandwidth	Occ BW % Pwr	x dB
96.9570 MHz	99.00 %	-26.00 dB

Transmit Freq Error: 388.445 kHz
 x dB Bandwidth: 100.718 MHz

Copyright 2000-2012 Agilent Technologies


24.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	97.01	100.72	100	Pass




24.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	97.14	104.34	100	Pass



25. n77 (3450-3550)

25.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



25.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	9.26	9.68	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:

Measurement	Value
Occupied Bandwidth	9.2632 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	-4.637 kHz
x dB Bandwidth	9.675 MHz

Other visible parameters include: Ch Freq 3.49998 GHz, Res BW 30 kHz, VBW 1 MHz, Span 20 MHz, and a copyright notice for Agilent Technologies from 2000-2012.

25.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3544.98	99	26	0.03	Peak	9.27	9.67	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow signal trace. The plot is centered at 3.54498 GHz with a span of 20 MHz. The signal level is approximately 10 dBm. The occupied bandwidth is measured as 9.2668 MHz, which is 99.00% of the channel bandwidth. The XdB down is -26.00 dB. The transmit frequency error is -8.921 kHz, and the XdB bandwidth is 9.673 MHz. The interface includes various measurement buttons on the right side, such as 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
9.2668 MHz	x dB	-26.00 dB
Transmit Freq Error	-8.921 kHz	
x dB Bandwidth	9.673 MHz	

25.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3457.5	99	26	0.03	Peak	14.08	14.49	15	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The center frequency is 3.4575 GHz, and the span is 30 MHz. The occupied bandwidth is measured as 14.0753 MHz. The power is 99.00% and the XdB down is -26.00 dB. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
14.0753 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -11.997 kHz
 x dB Bandwidth: 14.486 MHz


25.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	14.08	14.54	15	Pass




25.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3542.49	99	26	0.03	Peak	14.09	14.56	15	Pass




25.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.88	19.48	20	Pass




25.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.88	19.44	20	Pass



25.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.87	19.39	20	Pass



25.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.69	41.15	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 3.47001 GHz. The Occupied Bandwidth is measured as 38.6888 MHz, which is 99.00% of the 40 MHz channel bandwidth. The XdB Down is -26.00 dB. The transmit frequency error is -28.106 kHz, and the x dB Bandwidth is 41.153 MHz. The interface includes various control buttons on the right side, such as 'Measure', 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
38.6888 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -28.106 kHz
x dB Bandwidth: 41.153 MHz

Copyright 2000-2012 Agilent Technologies

25.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.69	41.19	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 3.49998 GHz. The Occupied Bandwidth is measured as 38.6911 MHz. The power level is 99.00% and the XdB bandwidth is -26.00 dB. The transmit frequency error is -29.420 kHz and the XdB bandwidth is 41.187 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
38.6911 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -29.420 kHz
x dB Bandwidth: 41.187 MHz

Copyright 2000-2012 Agilent Technologies

25.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.7	41.17	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 3.52998 GHz. The Occupied Bandwidth is measured as 38.6995 MHz. The power level is 99.00% and the XdB Down is -26.00 dB. The transmit frequency error is -18.311 kHz and the XdB Bandwidth is 41.174 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
38.6995 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -18.311 kHz
 x dB Bandwidth: 41.174 MHz

Copyright 2000-2012 Agilent Technologies

25.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	48.22	51.04	50	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a peak at 3.47502 GHz. The Occupied Bandwidth is measured as 48.228 MHz. The power level is 99.00% and the XdB bandwidth is -26.00 dB. The interface includes various measurement controls and a list of available measurement functions on the right side.

Measurement	Value
Occupied Bandwidth	48.228 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	34.489 kHz
x dB Bandwidth	51.043 MHz

Copyright 2000-2012 Agilent Technologies

25.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	48.19	51.01	50	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:

Measurement	Value
Occupied Bandwidth	48.1887 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	49.585 kHz
x dB Bandwidth	51.009 MHz

Additional parameters shown in the interface include: Ch Freq 3.49998 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak Log, 10 dB/Offst, 12.6 dB, Center 3.499 98 GHz, Span 100 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (500 pts).

Copyright 2000-2012 Agilent Technologies

25.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	48.19	50.94	50	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 3.525 GHz, and the span is 100 MHz. The occupied bandwidth is measured as 48.1868 MHz. The power is 99.00% and the XdB bandwidth is -26.00 dB. The interface includes a 'Measure' panel on the right with buttons for 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
48.1868 MHz	99.00 %	-26.00 dB

Transmit Freq Error: 34.088 kHz
 x dB Bandwidth: 50.942 MHz

25.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.7	60.88	60	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 3.48 GHz, and the span is 120 MHz. The occupied bandwidth is measured as 57.6992 MHz. The power is 99.00% and the XdB down is -26.00 dB. The detector is set to Peak. The RBW is 3 MHz. The sweep time is 1 s (600 pts). The resolution bandwidth is 1 MHz. The reference level is 30 dBm, and the attenuation is 30 dB. The upper limit is 60 MHz. The verdict is Pass.


Occupied Bandwidth	Occ BW % Pwr	x dB
57.6992 MHz	99.00 %	-26.00 dB

Transmit Freq Error: 23.851 kHz
x dB Bandwidth: 60.876 MHz

Copyright 2000-2012 Agilent Technologies

25.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.71	60.91	60	Pass



25.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.7	70.5	60	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 3.51999 GHz, and the span is 120 MHz. The occupied bandwidth is measured as 57.7049 MHz. The power is 99.00% and the XdB bandwidth is -26.00 dB. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
57.7049 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -19.099 kHz
 x dB Bandwidth: 70.498 MHz

25.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.29	71.29	70	Pass



25.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.36	79.11	70	Pass

Agilent
Measure

Ch Freq 3.49998 GHz Trig Free

Occupied Bandwidth Averages: 1

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12.6 dB

Center 3.499 98 GHz Span 140 MHz

#Res BW 1 MHz #VBW 3 MHz #Sweep 1 s (700 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

67.3630 MHz

Transmit Freq Error -327.347 Hz

x dB Bandwidth 79.107 MHz


Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

25.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.31	70.91	70	Pass



25.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.36	80.65	80	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:


Measurement	Value
Occupied Bandwidth	77.3622 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	18.458 kHz
x dB Bandwidth	80.655 MHz

Additional parameters shown in the interface include: Ch Freq 3.49002 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 12.5 dB, Center 3.490 02 GHz, Span 160 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (800 pts).

Copyright 2000-2012 Agilent Technologies


25.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.3	82.38	80	Pass




25.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.28	80.75	80	Pass



25.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.23	127.43	90	Pass



25.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	87.26	110.05	90	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The center frequency is 3.49998 GHz, and the span is 180 MHz. The occupied bandwidth is measured as 87.2606 MHz, which is 99.00% of the channel bandwidth. The XdB down is -26.00 dB. The transmit frequency error is -18.501 kHz, and the XdB bandwidth is 110.048 MHz. The interface includes a 'Measure' panel on the right with buttons for 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.


Occupied Bandwidth	Occ BW % Pwr	x dB
87.2606 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -18.501 kHz
 x dB Bandwidth: 110.048 MHz

Copyright 2000-2012 Agilent Technologies


25.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.24	110.3	90	Pass




25.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.22	131.98	100	Pass




26. n77 (3700-3980)

26.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




26.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.03	Peak	9.27	9.65	10	Pass




26.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3975	99	26	0.03	Peak	9.27	9.7	10	Pass




26.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647168, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3707.52	99	26	0.03	Peak	14.07	14.5	15	Pass




26.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.03	Peak	14.07	14.5	15	Pass




26.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664832, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3972.48	99	26	0.03	Peak	14.07	14.51	15	Pass




26.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.87	19.39	20	Pass




26.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.03	Peak	18.88	19.54	20	Pass



26.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3969.99	99	26	0.03	Peak	18.88	19.4	20	Pass



26.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.64	41.17	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 3.720 GHz and a span of 80 MHz. The resolution bandwidth (RBW) is 1 MHz, and the video bandwidth (VBW) is 3 MHz. The sweep time is 1 second with 401 points. The plot shows a signal with a peak level of approximately 0 dBm, with a 30 dB attenuation applied. The occupied bandwidth is measured as 38.6427 MHz, which is 99.00% of the channel bandwidth. The XdB down is -26.00 dB. The transmit frequency error is -45.502 kHz, and the XdB bandwidth is 41.173 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.


Occupied Bandwidth	Occ BW % Pwr	x dB
38.6427 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -45.502 kHz
 x dB Bandwidth: 41.173 MHz

Copyright 2000-2012 Agilent Technologies

26.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.68	41.35	40	Pass



26.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.7	41.26	40	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace representing the signal. The plot is set to a center frequency of 3.960 GHz and a span of 80 MHz. The vertical axis is labeled 'Log 10 dB/Offst 13.5 dB'. The horizontal axis is labeled 'Center 3.960 0 GHz' and 'Span 80 MHz'. The plot shows a signal with a peak level of approximately 30 dBm and a bandwidth of 38.7041 MHz. The signal is centered at 3.960 GHz. The plot also shows the reference level (Ref 30 dBm) and the attenuation (Atten 30 dB). The signal is labeled 'Ext Ref'.

The measurement results are displayed in a summary box at the bottom of the screen:

Occupied Bandwidth	Occ BW % Pwr	x dB
38.7041 MHz	99.00 %	-26.00 dB

Other parameters shown in the summary box include:


- Transmit Freq Error: 3.218 kHz
- x dB Bandwidth: 41.258 MHz

The interface also includes a 'Measure' menu on the right side with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2).

Copyright 2000-2012 Agilent Technologies


26.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	48.21	51.02	50	Pass



26.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	48.21	51.01	50	Pass



26.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3954.99	99	26	1	Peak	48.22	51.02	50	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 3.95499 GHz. The main display shows a spectrum plot with a peak at approximately 3.95499 GHz. The occupied bandwidth is measured as 48.2232 MHz. The power level is 99.00% and the XdB down is -26.00 dB. The plot also shows a reference level at 30 dBm and an attenuation of 30 dB. The measurement parameters include a resolution bandwidth of 1 MHz, a video bandwidth of 3 MHz, and a sweep time of 1 second (500 points). The bottom of the screen shows the copyright information for Agilent Technologies from 2000 to 2012.


Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More 1 of 2

Occupied Bandwidth 48.2232 MHz
Occ BW % Pwr 99.00 %
x dB -26.00 dB
Transmit Freq Error 26.362 kHz
x dB Bandwidth 51.018 MHz

Copyright 2000-2012 Agilent Technologies


26.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.66	60.83	60	Pass



26.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	57.74	60.79	60	Pass



26.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	57.69	60.78	60	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The center frequency is 3.94998 GHz, and the span is 120 MHz. The occupied bandwidth is highlighted as 57.6917 MHz. The power is 99.00% and the XdB down is -26.00 dB. The interface includes various measurement controls and a 'Measure' menu on the right side.

Occupied Bandwidth	Occ BW % Pwr	x dB
57.6917 MHz	99.00 %	-26.00 dB

Additional parameters shown in the screenshot:

- Center: 3.949 98 GHz
- Span: 120 MHz
- #Res BW: 1 MHz
- #VBW: 3 MHz
- #Sweep: 1 s (600 pts)
- Ref: 30 dBm
- #Atten: 30 dB
- #Peak: Log
- dB/Offst: 10 dB
- 13.4 dB

Copyright 2000-2012 Agilent Technologies

26.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.39	71.15	70	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 3.735 GHz, and the span is 140 MHz. The occupied bandwidth is measured as 67.3865 MHz. The power is 99.00% and the XdB down is -26.00 dB. The transmit frequency error is -14.739 kHz, and the XdB bandwidth is 71.148 MHz. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
67.3865 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -14.739 kHz
 x dB Bandwidth: 71.148 MHz

Copyright 2000-2012 Agilent Technologies

26.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	67.37	71.15	70	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 3.84 GHz, and the span is 140 MHz. The occupied bandwidth is highlighted in green, showing a value of 67.3713 MHz. The power level is 99.00% and the XdB bandwidth is -26.00 dB. The interface includes various control buttons on the right side, such as 'Measure', 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
67.3713 MHz	99.00 %	-26.00 dB

26.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:663000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3945	99	26	1	Peak	67.53	71.34	70	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 3.945 GHz. The main display shows a spectrum plot with a yellow trace representing the signal. The plot is set to a logarithmic scale with a 10 dB offset. The occupied bandwidth is highlighted with a green box, showing a value of 67.5298 MHz. The power level is 99.00% and the XdB down is -26.00 dB. The plot also shows a reference signal (Ext Ref) and a peak marker. The bottom of the screen displays the copyright information: Copyright 2000-2012 Agilent Technologies.

Occupied Bandwidth	Occ BW % Pwr	x dB
67.5298 MHz	99.00 %	-26.00 dB


26.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.17	80.54	80	Pass



26.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.24	80.95	80	Pass



26.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.31	80.68	80	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 3.93999 GHz. The occupied bandwidth is highlighted as 77.3117 MHz. The power is 99.00% and the XdB down is -26.00 dB. The plot also shows a reference level at 30 dBm and an attenuation of 30 dB. The span is 160 MHz, and the resolution bandwidth is 1 MHz. The sweep time is 1 second with 800 points. The interface includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
77.3117 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -62.462 kHz
 x dB Bandwidth: 80.682 MHz

26.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.17	90.69	90	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, the channel frequency is 3.74502 GHz. The main display shows a spectrum plot with a yellow trace representing the signal. The plot is set to a reference level of 30 dBm and an attenuation of 30 dB. The occupied bandwidth is highlighted with a green box, showing a value of 87.1686 MHz. The power level is 99.00% and the XdB down is -26.00 dB. The transmit frequency error is -106.628 kHz and the XdB bandwidth is 90.695 MHz. The interface also includes a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
87.1686 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -106.628 kHz
 x dB Bandwidth: 90.695 MHz

Copyright 2000-2012 Agilent Technologies

26.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	87.18	90.61	90	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 3.84 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot parameters include 'Ref 30 dBm', '#Atten 30 dB', 'Log 10 dB/Offst 13.1 dB', 'Center 3.840 00 GHz', 'Span 180 MHz', '#Res BW 1 MHz', '#VBW 3 MHz', and '#Sweep 1 s (900 pts)'. A green box highlights the measurement results: 'Occupied Bandwidth 87.1760 MHz', 'Occ BW % Pwr 99.00 %', 'x dB -26.00 dB', 'Transmit Freq Error -33.705 kHz', and 'x dB Bandwidth 90.612 MHz'. On the right side, there is a 'Measure' menu with options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice 'Copyright 2000-2012 Agilent Technologies'.

26.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3934.98	99	26	1	Peak	87.22	90.68	90	Pass

Agilent
Measure

Ch Freq 3.93498 GHz Trig Free

Occupied Bandwidth Averages: 1

Ext Ref

Ref 30 dBm #Atten 30 dB

Center 3.934 98 GHz Span 180 MHz

#Res BW 1 MHz #VBW 3 MHz #Sweep 1 s (900 pts)

Occupied Bandwidth

87.2160 MHz

Transmit Freq Error -33.380 kHz

x dB Bandwidth 90.680 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

26.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	96.96	100.82	100	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal trace with a yellow line representing the signal level. The trace is centered at 3.750 GHz with a span of 200 MHz. The resolution bandwidth (RBW) is 1 MHz, and the video bandwidth (VBW) is 3 MHz. The sweep time is 1 second. The signal level is approximately -26 dB. The occupied bandwidth is measured as 96.9623 MHz, which is 99.00% of the 100 MHz channel bandwidth. The XdB down is -26.00 dB. The transmit frequency error is -148.361 kHz. The XdB bandwidth is 100.821 MHz. The interface also shows a 'Measure' menu on the right with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen displays the copyright information: 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	x dB
96.9623 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -148.361 kHz
x dB Bandwidth: 100.821 MHz

Copyright 2000-2012 Agilent Technologies

26.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.02	100.83	100	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal trace with a yellow line representing the signal level. The measurement results are summarized in a table at the bottom of the screen:

Occupied Bandwidth	Occ BW % Pwr	x dB
97.0203 MHz	99.00 %	-26.00 dB
Transmit Freq Error	-93.258 kHz	
x dB Bandwidth	100.833 MHz	

Additional parameters shown in the interface include: Ch Freq 3.84 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 13.1 dB, Center 3.840 00 GHz, Span 200 MHz, #Res BW 1 MHz, #VBW 3 MHz, #Sweep 1 s (1000 pts).

Copyright 2000-2012 Agilent Technologies

26.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.05	100.86	100	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The center frequency is 3.93 GHz. The occupied bandwidth is measured as 97.0463 MHz. The power is 99.00% and the XdB down is -26.00 dB. The transmit frequency error is -73.292 kHz and the XdB bandwidth is 100.858 MHz. The interface includes a 'Measure' panel on the right with buttons for 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen shows the copyright notice: 'Copyright 2000-2012 Agilent Technologies'.


Occupied Bandwidth	Occ BW % Pwr	x dB
97.0463 MHz	99.00 %	-26.00 dB

Transmit Freq Error: -73.292 kHz
 x dB Bandwidth: 100.858 MHz

Copyright 2000-2012 Agilent Technologies


27. n78 (3450-3550)

27.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




27.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	9.26	9.71	10	Pass




27.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3544.98	99	26	0.03	Peak	9.27	9.69	10	Pass



27.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3457.5	99	26	0.03	Peak	14.09	14.49	15	Pass



27.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	14.07	14.56	15	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The center frequency is 3.49998 GHz, and the span is 30 MHz. The occupied bandwidth is measured as 14.0650 MHz. The power is 99.00% and the XdB down is -26.00 dB. The interface includes various measurement controls and a 'Measure' menu on the right side.

Occupied Bandwidth	Occ BW % Pwr	x dB
14.0650 MHz	99.00 %	-26.00 dB

Other parameters shown in the screenshot include: Ch Freq 3.49998 GHz, Trig Free, Averages: 1, Ref 30 dBm, #Atten 30 dB, #Peak, Log, 10 dB/Offst, 12.6 dB, Center 3.499 980 GHz, Span 30 MHz, #Res BW 30 kHz, #VBW 1 MHz, #Sweep 1 s (5000 pts), Transmit Freq Error -13.055 kHz, x dB Bandwidth 14.555 MHz.