


18.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	Pass	2986
30	1000	0.1	RMS	906.238	-63.48	-13	Pass	9701
1000	1700	1	RMS	1681	-52.35	-13	Pass	701
1700	1790	1	RMS	1760.975	22.68	60	Pass	401
1790	3000	1	RMS	2873	-48.31	-13	Pass	1211
3000	12000	1	RMS	11837	-38.78	-13	Pass	9002
12000	20000	1	RMS	18289	-29.43	-13	Pass	8001



18.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2986
30	1000	0.1	RMS	905.037	-63.39	-13	Pass	9701
1000	1700	1	RMS	1683	-52.36	-13	Pass	701
1700	1790	1	RMS	1760.975	21.75	60	Pass	401
1790	3000	1	RMS	2874	-48.38	-13	Pass	1211
3000	12000	1	RMS	11494	-38.74	-13	Pass	9002
12000	20000	1	RMS	19909	-29.54	-13	Pass	8001



19. n5


19.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.57	-13	Pass	7841
814	859	0.1	RMS	827.3	3.91	60	Pass	451
859	1000	0.1	RMS	900	-64.72	-13	Pass	1411
1000	3000	1	RMS	2862	-50.41	-13	Pass	2001
3000	10000	1	RMS	6941	-64.12	-13	Pass	7001




19.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.01	-13	Pass	2986
30	814	0.1	RMS	744.8	-65.12	-13	Pass	7841
814	859	0.1	RMS	824.3	17.02	60	Pass	451
859	1000	0.1	RMS	997.8	-64.84	-13	Pass	1411
1000	3000	1	RMS	2957	-50.34	-13	Pass	2001
3000	10000	1	RMS	6673	-64.08	-13	Pass	7001




19.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.62	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.07	-13	Pass	2986
30	814	0.1	RMS	732.4	-65.11	-13	Pass	7841
814	859	0.1	RMS	828.6	16.55	60	Pass	451
859	1000	0.1	RMS	999.7	-64.59	-13	Pass	1411
1000	3000	1	RMS	2860	-50.42	-13	Pass	2001
3000	10000	1	RMS	6939	-64.08	-13	Pass	7001




19.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.47	-13	Pass	2986
30	814	0.1	RMS	734.5	-65.14	-13	Pass	7841
814	859	0.1	RMS	835.7	3.95	60	Pass	451
859	1000	0.1	RMS	874.5	-64.71	-13	Pass	1411
1000	3000	1	RMS	2857	-50.4	-13	Pass	2001
3000	10000	1	RMS	6940	-64.05	-13	Pass	7001




19.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2986
30	814	0.1	RMS	730.7	-65.03	-13	Pass	7841
814	859	0.1	RMS	834.3	16.96	60	Pass	451
859	1000	0.1	RMS	877.8	-64.72	-13	Pass	1411
1000	3000	1	RMS	2998	-50.46	-13	Pass	2001
3000	10000	1	RMS	6938	-64.09	-13	Pass	7001




19.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.6	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.76	-13	Pass	2986
30	814	0.1	RMS	736.7	-65.19	-13	Pass	7841
814	859	0.1	RMS	838.7	16.58	60	Pass	451
859	1000	0.1	RMS	871.1	-64.62	-13	Pass	1411
1000	3000	1	RMS	2858	-50.43	-13	Pass	2001
3000	10000	1	RMS	6933	-64.08	-13	Pass	7001




19.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	814	0.1	RMS	757.5	-65.06	-13	Pass	7841
814	859	0.1	RMS	844.8	3.99	60	Pass	451
859	1000	0.1	RMS	859	-61.77	-13	Pass	1411
1000	3000	1	RMS	2998	-50.38	-13	Pass	2001
3000	10000	1	RMS	6939	-64.05	-13	Pass	7001




19.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.42	-13	Pass	2986
30	814	0.1	RMS	735.7	-65.04	-13	Pass	7841
814	859	0.1	RMS	844.3	16.94	60	Pass	451
859	1000	0.1	RMS	988.7	-64.7	-13	Pass	1411
1000	3000	1	RMS	2857	-50.4	-13	Pass	2001
3000	10000	1	RMS	6939	-64.01	-13	Pass	7001




19.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	814	0.1	RMS	764.7	-65.14	-13	Pass	7841
814	859	0.1	RMS	848.6	16.42	60	Pass	451
859	1000	0.1	RMS	998.8	-64.83	-13	Pass	1411
1000	3000	1	RMS	3000	-50.4	-13	Pass	2001
3000	10000	1	RMS	6975	-64.07	-13	Pass	7001




19.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2986
30	814	0.1	RMS	814	-58.24	-13	Pass	7841
814	859	0.1	RMS	836.6	-0.88	60	Pass	451
859	1000	0.1	RMS	859	-59.35	-13	Pass	1411
1000	3000	1	RMS	2859	-50.41	-13	Pass	2001
3000	10000	1	RMS	6943	-64.09	-13	Pass	7001




19.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-67.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	Pass	2986
30	814	0.1	RMS	813.8	-64.6	-13	Pass	7841
814	859	0.1	RMS	824.5	16.95	60	Pass	451
859	1000	0.1	RMS	995.5	-64.69	-13	Pass	1411
1000	3000	1	RMS	2998	-50.43	-13	Pass	2001
3000	10000	1	RMS	6941	-64.18	-13	Pass	7001




19.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	Pass	2986
30	814	0.1	RMS	814	-64.86	-13	Pass	7841
814	859	0.1	RMS	838.5	17.19	60	Pass	451
859	1000	0.1	RMS	999.8	-64.68	-13	Pass	1411
1000	3000	1	RMS	3000	-50.43	-13	Pass	2001
3000	10000	1	RMS	6928	-64.09	-13	Pass	7001




19.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.56	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.35	-13	Pass	7841
814	859	0.1	RMS	841.7	-0.78	60	Pass	451
859	1000	0.1	RMS	859	-54.95	-13	Pass	1411
1000	3000	1	RMS	2855	-50.42	-13	Pass	2001
3000	10000	1	RMS	6942	-64.09	-13	Pass	7001




19.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	Pass	2986
30	814	0.1	RMS	732	-65.06	-13	Pass	7841
814	859	0.1	RMS	829.5	16.96	60	Pass	451
859	1000	0.1	RMS	859	-63.93	-13	Pass	1411
1000	3000	1	RMS	2855	-50.42	-13	Pass	2001
3000	10000	1	RMS	6939	-64.11	-13	Pass	7001




19.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	814	0.1	RMS	814	-65.15	-13	Pass	7841
814	859	0.1	RMS	843.5	17.1	60	Pass	451
859	1000	0.1	RMS	859	-63.98	-13	Pass	1411
1000	3000	1	RMS	2957	-50.39	-13	Pass	2001
3000	10000	1	RMS	6942	-64.05	-13	Pass	7001




19.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.94	-13	Pass	7841
814	859	0.1	RMS	846.7	-0.95	60	Pass	451
859	1000	0.1	RMS	859	-49.74	-13	Pass	1411
1000	3000	1	RMS	2998	-50.39	-13	Pass	2001
3000	10000	1	RMS	6942	-64.07	-13	Pass	7001




19.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	814	0.1	RMS	733.9	-65.22	-13	Pass	7841
814	859	0.1	RMS	834.5	16.97	60	Pass	451
859	1000	0.1	RMS	859.1	-62.01	-13	Pass	1411
1000	3000	1	RMS	2995	-50.42	-13	Pass	2001
3000	10000	1	RMS	6942	-64.07	-13	Pass	7001




19.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-13	Pass	2986
30	814	0.1	RMS	758.2	-65.19	-13	Pass	7841
814	859	0.1	RMS	848.5	17.02	60	Pass	451
859	1000	0.1	RMS	859.1	-62.06	-13	Pass	1411
1000	3000	1	RMS	2854	-50.41	-13	Pass	2001
3000	10000	1	RMS	6939	-64.08	-13	Pass	7001




19.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-13	Pass	2986
30	814	0.1	RMS	814	-57.48	-13	Pass	7841
814	859	0.1	RMS	839.2	-2.23	60	Pass	451
859	1000	0.1	RMS	859.1	-53.36	-13	Pass	1411
1000	3000	1	RMS	2957	-50.37	-13	Pass	2001
3000	10000	1	RMS	6940	-64.02	-13	Pass	7001




19.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.11	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.64	-13	Pass	2986
30	814	0.1	RMS	814	-64.66	-13	Pass	7841
814	859	0.1	RMS	824.5	16.66	60	Pass	451
859	1000	0.1	RMS	859	-63.49	-13	Pass	1411
1000	3000	1	RMS	2850	-50.41	-13	Pass	2001
3000	10000	1	RMS	6678	-64.11	-13	Pass	7001




19.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.79	-13	Pass	7841
814	859	0.1	RMS	843.4	16.62	60	Pass	451
859	1000	0.1	RMS	859	-63.74	-13	Pass	1411
1000	3000	1	RMS	2862	-50.41	-13	Pass	2001
3000	10000	1	RMS	6928	-64.08	-13	Pass	7001




19.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.96	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.59	-13	Pass	7841
814	859	0.1	RMS	841.7	-2.13	60	Pass	451
859	1000	0.1	RMS	859	-51.85	-13	Pass	1411
1000	3000	1	RMS	2857	-50.39	-13	Pass	2001
3000	10000	1	RMS	6942	-64.05	-13	Pass	7001




19.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.16	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.43	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.95	-13	Pass	7841
814	859	0.1	RMS	827	16.62	60	Pass	451
859	1000	0.1	RMS	859.1	-63.15	-13	Pass	1411
1000	3000	1	RMS	2999	-50.41	-13	Pass	2001
3000	10000	1	RMS	6935	-64.07	-13	Pass	7001




19.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-13	Pass	2986
30	814	0.1	RMS	814	-65.01	-13	Pass	7841
814	859	0.1	RMS	845.9	16.66	60	Pass	451
859	1000	0.1	RMS	859	-63.04	-13	Pass	1411
1000	3000	1	RMS	2859	-50.44	-13	Pass	2001
3000	10000	1	RMS	6681	-64.1	-13	Pass	7001




19.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	814	0.1	RMS	814	-60.64	-13	Pass	7841
814	859	0.1	RMS	842.1	-2.27	60	Pass	451
859	1000	0.1	RMS	859	-49.41	-13	Pass	1411
1000	3000	1	RMS	2855	-50.41	-13	Pass	2001
3000	10000	1	RMS	6939	-64.08	-13	Pass	7001




19.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.87	-13	Pass	7841
814	859	0.1	RMS	829.5	16.63	60	Pass	451
859	1000	0.1	RMS	859	-62.27	-13	Pass	1411
1000	3000	1	RMS	2857	-50.37	-13	Pass	2001
3000	10000	1	RMS	6940	-64.03	-13	Pass	7001



19.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71	-13	Pass	2986
30	814	0.1	RMS	738.2	-65.12	-13	Pass	7841
814	859	0.1	RMS	848.4	16.61	60	Pass	451
859	1000	0.1	RMS	859.1	-62.4	-13	Pass	1411
1000	3000	1	RMS	2858	-50.37	-13	Pass	2001
3000	10000	1	RMS	6943	-64.08	-13	Pass	7001



20. n7


20.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.25	-25	Pass	2986
30	1000	0.1	RMS	894.33	-63.63	-25	Pass	9701
1000	2495	1	RMS	2495	-35.04	-25	Pass	1496
2495	2575	1	RMS	2501.8	13.77	60	Pass	401
2575	3000	1	RMS	2869	-48.8	-25	Pass	426
3000	6500	1	RMS	6221	-63.41	-25	Pass	3501
6500	26000	1	RMS	6508	-46.04	-25	Pass	19503




20.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.64	-25	Pass	2986
30	1000	0.1	RMS	906.238	-63.4	-25	Pass	9701
1000	2495	1	RMS	2495	-44.13	-25	Pass	1496
2495	2575	1	RMS	2500.2	19.88	60	Pass	401
2575	3000	1	RMS	2884	-48.8	-25	Pass	426
3000	6500	1	RMS	5001	-63.34	-25	Pass	3501
6500	26000	1	RMS	6510	-46.16	-25	Pass	19503




20.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.45	-25	Pass	2986
30	1000	0.1	RMS	900.934	-63.68	-25	Pass	9701
1000	2495	1	RMS	2495	-42.82	-25	Pass	1496
2495	2575	1	RMS	2504.6	19.94	60	Pass	401
2575	3000	1	RMS	2878	-48.79	-25	Pass	426
3000	6500	1	RMS	6214	-63.37	-25	Pass	3501
6500	26000	1	RMS	6513	-46.02	-25	Pass	19503




20.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-25	Pass	2986
30	1000	0.1	RMS	896.131	-63.62	-25	Pass	9701
1000	2495	1	RMS	2489	-50.55	-25	Pass	1496
2495	2575	1	RMS	2534.4	13.72	60	Pass	401
2575	3000	1	RMS	2877	-48.79	-25	Pass	426
3000	6500	1	RMS	6217	-63.38	-25	Pass	3501
6500	26000	1	RMS	6509	-46.04	-25	Pass	19503




20.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-25	Pass	2986
30	1000	0.1	RMS	897.832	-63.55	-25	Pass	9701
1000	2495	1	RMS	2494	-50.57	-25	Pass	1496
2495	2575	1	RMS	2532.8	19.84	60	Pass	401
2575	3000	1	RMS	2869	-48.81	-25	Pass	426
3000	6500	1	RMS	6220	-63.38	-25	Pass	3501
6500	26000	1	RMS	6511	-46	-25	Pass	19503




20.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.26	-25	Pass	2986
30	1000	0.1	RMS	890.427	-63.65	-25	Pass	9701
1000	2495	1	RMS	2492	-50.6	-25	Pass	1496
2495	2575	1	RMS	2537	19.87	60	Pass	401
2575	3000	1	RMS	2874	-48.81	-25	Pass	426
3000	6500	1	RMS	6217	-63.39	-25	Pass	3501
6500	26000	1	RMS	6510	-46.09	-25	Pass	19503




20.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-25	Pass	2986
30	1000	0.1	RMS	883.723	-63.63	-25	Pass	9701
1000	2495	1	RMS	2495	-50.56	-25	Pass	1496
2495	2575	1	RMS	2567	13.64	60	Pass	401
2575	3000	1	RMS	2575	-35.99	-25	Pass	426
3000	6500	1	RMS	6219	-63.4	-25	Pass	3501
6500	26000	1	RMS	6509	-46.03	-25	Pass	19503




20.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-25	Pass	2986
30	1000	0.1	RMS	890.227	-63.73	-25	Pass	9701
1000	2495	1	RMS	2495	-50.59	-25	Pass	1496
2495	2575	1	RMS	2565.2	19.8	60	Pass	401
2575	3000	1	RMS	2575	-45.26	-25	Pass	426
3000	6500	1	RMS	6219	-63.37	-25	Pass	3501
6500	26000	1	RMS	6509	-46.09	-25	Pass	19503




20.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.31	-25	Pass	2986
30	1000	0.1	RMS	923.95	-63.66	-25	Pass	9701
1000	2495	1	RMS	2490	-50.6	-25	Pass	1496
2495	2575	1	RMS	2569.6	19.89	60	Pass	401
2575	3000	1	RMS	2575	-45.36	-25	Pass	426
3000	6500	1	RMS	6221	-63.37	-25	Pass	3501
6500	26000	1	RMS	6509	-46.07	-25	Pass	19503




20.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	Pass	2986
30	1000	0.1	RMS	902.035	-63.64	-25	Pass	9701
1000	2485	1	RMS	2485	-42.48	-25	Pass	1486
2485	2585	1	RMS	2503	8.92	60	Pass	401
2585	3000	1	RMS	2870	-48.8	-25	Pass	416
3000	6500	1	RMS	6220	-63.42	-25	Pass	3501
6500	26000	1	RMS	6512	-45.98	-25	Pass	19503




20.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.82	-25	Pass	2986
30	1000	0.1	RMS	894.23	-63.61	-25	Pass	9701
1000	2485	1	RMS	2485	-49.43	-25	Pass	1486
2485	2585	1	RMS	2500.25	19.78	60	Pass	401
2585	3000	1	RMS	2875	-48.79	-25	Pass	416
3000	6500	1	RMS	5001	-63.07	-25	Pass	3501
6500	26000	1	RMS	6509	-46.07	-25	Pass	19503




20.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.4	-25	Pass	2986
30	1000	0.1	RMS	993.496	-63.63	-25	Pass	9701
1000	2485	1	RMS	2485	-49.32	-25	Pass	1486
2485	2585	1	RMS	2514.5	19.65	60	Pass	401
2585	3000	1	RMS	2877	-48.8	-25	Pass	416
3000	6500	1	RMS	6219	-63.36	-25	Pass	3501
6500	26000	1	RMS	6509	-46.12	-25	Pass	19503




20.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.06	-25	Pass	2986
30	1000	0.1	RMS	896.631	-63.58	-25	Pass	9701
1000	2485	1	RMS	2484	-50.74	-25	Pass	1486
2485	2585	1	RMS	2539.5	8.9	60	Pass	401
2585	3000	1	RMS	2868	-48.76	-25	Pass	416
3000	6500	1	RMS	6217	-63.42	-25	Pass	3501
6500	26000	1	RMS	6505	-46.17	-25	Pass	19503




20.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-25	Pass	2986
30	1000	0.1	RMS	997.098	-63.62	-25	Pass	9701
1000	2485	1	RMS	2481	-50.75	-25	Pass	1486
2485	2585	1	RMS	2527.75	19.77	60	Pass	401
2585	3000	1	RMS	2869	-48.74	-25	Pass	416
3000	6500	1	RMS	6221	-63.42	-25	Pass	3501
6500	26000	1	RMS	6509	-46.11	-25	Pass	19503




20.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-25	Pass	2986
30	1000	0.1	RMS	877.719	-63.65	-25	Pass	9701
1000	2485	1	RMS	2485	-50.71	-25	Pass	1486
2485	2585	1	RMS	2542	19.67	60	Pass	401
2585	3000	1	RMS	2877	-48.82	-25	Pass	416
3000	6500	1	RMS	6220	-63.4	-25	Pass	3501
6500	26000	1	RMS	6510	-46.03	-25	Pass	19503




20.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.22	-25	Pass	2986
30	1000	0.1	RMS	896.031	-63.52	-25	Pass	9701
1000	2485	1	RMS	2484	-50.71	-25	Pass	1486
2485	2585	1	RMS	2568.25	8.92	60	Pass	401
2585	3000	1	RMS	2585	-41.92	-25	Pass	416
3000	6500	1	RMS	6218	-63.4	-25	Pass	3501
6500	26000	1	RMS	6508	-46.05	-25	Pass	19503




20.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.84	-25	Pass	2986
30	1000	0.1	RMS	895.731	-63.55	-25	Pass	9701
1000	2485	1	RMS	2483	-50.7	-25	Pass	1486
2485	2585	1	RMS	2555.25	19.71	60	Pass	401
2585	3000	1	RMS	2876	-48.79	-25	Pass	416
3000	6500	1	RMS	6221	-63.4	-25	Pass	3501
6500	26000	1	RMS	6509	-46.12	-25	Pass	19503




20.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-25	Pass	2986
30	1000	0.1	RMS	996.698	-63.57	-25	Pass	9701
1000	2485	1	RMS	2484	-50.75	-25	Pass	1486
2485	2585	1	RMS	2569.5	19.69	60	Pass	401
2585	3000	1	RMS	2884	-48.81	-25	Pass	416
3000	6500	1	RMS	6220	-63.41	-25	Pass	3501
6500	26000	1	RMS	6509	-46.1	-25	Pass	19503




20.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.84	-25	Pass	2986
30	1000	0.1	RMS	902.235	-63.63	-25	Pass	9701
1000	2480	1	RMS	2480	-45.96	-25	Pass	1481
2480	2590	1	RMS	2504.75	7.66	60	Pass	401
2590	3000	1	RMS	2878	-48.81	-25	Pass	411
3000	6500	1	RMS	6220	-63.39	-25	Pass	3501
6500	26000	1	RMS	6506	-46.16	-25	Pass	19503




20.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-25	Pass	2986
30	1000	0.1	RMS	886.925	-63.64	-25	Pass	9701
1000	2480	1	RMS	2480	-50.57	-25	Pass	1481
2480	2590	1	RMS	2500.35	19.78	60	Pass	401
2590	3000	1	RMS	2870	-48.82	-25	Pass	411
3000	6500	1	RMS	5001	-63.14	-25	Pass	3501
6500	26000	1	RMS	6507	-45.98	-25	Pass	19503




20.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.76	-25	Pass	2986
30	1000	0.1	RMS	891.628	-63.59	-25	Pass	9701
1000	2480	1	RMS	2480	-50.65	-25	Pass	1481
2480	2590	1	RMS	2519.325	19.8	60	Pass	401
2590	3000	1	RMS	2869	-48.78	-25	Pass	411
3000	6500	1	RMS	6220	-63.41	-25	Pass	3501
6500	26000	1	RMS	6508	-45.99	-25	Pass	19503




20.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-25	Pass	2986
30	1000	0.1	RMS	894.93	-63.61	-25	Pass	9701
1000	2480	1	RMS	2478	-50.76	-25	Pass	1481
2480	2590	1	RMS	2541.325	7.65	60	Pass	401
2590	3000	1	RMS	2870	-48.82	-25	Pass	411
3000	6500	1	RMS	6220	-63.36	-25	Pass	3501
6500	26000	1	RMS	6512	-46.1	-25	Pass	19503




20.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.74	-25	Pass	2986
30	1000	0.1	RMS	900.434	-63.64	-25	Pass	9701
1000	2480	1	RMS	2474	-50.83	-25	Pass	1481
2480	2590	1	RMS	2525.375	19.79	60	Pass	401
2590	3000	1	RMS	2876	-48.8	-25	Pass	411
3000	6500	1	RMS	6220	-63.32	-25	Pass	3501
6500	26000	1	RMS	6507	-46.11	-25	Pass	19503




20.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.22	-25	Pass	2986
30	1000	0.1	RMS	897.032	-63.67	-25	Pass	9701
1000	2480	1	RMS	2448	-50.83	-25	Pass	1481
2480	2590	1	RMS	2544.35	19.76	60	Pass	401
2590	3000	1	RMS	2876	-48.81	-25	Pass	411
3000	6500	1	RMS	5089	-63.33	-25	Pass	3501
6500	26000	1	RMS	6505	-46.09	-25	Pass	19503




20.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-25	Pass	2986
30	1000	0.1	RMS	988.793	-63.66	-25	Pass	9701
1000	2480	1	RMS	2473	-50.84	-25	Pass	1481
2480	2590	1	RMS	2552.6	7.69	60	Pass	401
2590	3000	1	RMS	2590	-45.12	-25	Pass	411
3000	6500	1	RMS	6220	-63.41	-25	Pass	3501
6500	26000	1	RMS	6509	-46.07	-25	Pass	19503




20.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.93	-25	Pass	2986
30	1000	0.1	RMS	990.194	-63.71	-25	Pass	9701
1000	2480	1	RMS	2477	-50.81	-25	Pass	1481
2480	2590	1	RMS	2550.4	19.68	60	Pass	401
2590	3000	1	RMS	2883	-48.84	-25	Pass	411
3000	6500	1	RMS	5101	-63.18	-25	Pass	3501
6500	26000	1	RMS	6515	-46.17	-25	Pass	19503



20.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.12	-25	Pass	2986
30	1000	0.1	RMS	999.3	-63.63	-25	Pass	9701
1000	2480	1	RMS	2479	-50.84	-25	Pass	1481
2480	2590	1	RMS	2569.375	19.71	60	Pass	401
2590	3000	1	RMS	2883	-48.82	-25	Pass	411
3000	6500	1	RMS	6220	-63.37	-25	Pass	3501
6500	26000	1	RMS	6507	-46.08	-25	Pass	19503



21. n12


21.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-13	Pass	2986
30	689	0.1	RMS	478.1	-64.41	-13	Pass	6591
689	726	0.1	RMS	702.228	3.32	60	Pass	401
726	1000	0.1	RMS	910.9	-63.43	-13	Pass	2741
1000	3000	1	RMS	2877	-48.72	-13	Pass	2001
3000	10000	1	RMS	8913	-59.01	-13	Pass	7001




21.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.1	-13	Pass	2986
30	689	0.1	RMS	479.3	-64.41	-13	Pass	6591
689	726	0.1	RMS	699.36	16.41	60	Pass	401
726	1000	0.1	RMS	910.9	-63.31	-13	Pass	2741
1000	3000	1	RMS	2871	-48.71	-13	Pass	2001
3000	10000	1	RMS	8954	-59.01	-13	Pass	7001




21.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.69	-13	Pass	2986
30	689	0.1	RMS	479.9	-64.34	-13	Pass	6591
689	726	0.1	RMS	703.615	16.3	60	Pass	401
726	1000	0.1	RMS	887.6	-63.44	-13	Pass	2741
1000	3000	1	RMS	2869	-48.68	-13	Pass	2001
3000	10000	1	RMS	8943	-59.03	-13	Pass	7001




21.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.88	-13	Pass	2986
30	689	0.1	RMS	645.9	-64.41	-13	Pass	6591
689	726	0.1	RMS	706.205	3.29	60	Pass	401
726	1000	0.1	RMS	892	-63.08	-13	Pass	2741
1000	3000	1	RMS	2867	-48.68	-13	Pass	2001
3000	10000	1	RMS	8937	-59.02	-13	Pass	7001




21.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.04	-13	Pass	2986
30	689	0.1	RMS	477.3	-64.43	-13	Pass	6591
689	726	0.1	RMS	705.373	16.2	60	Pass	401
726	1000	0.1	RMS	882.9	-63.37	-13	Pass	2741
1000	3000	1	RMS	2871	-48.7	-13	Pass	2001
3000	10000	1	RMS	8921	-59.03	-13	Pass	7001




21.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2986
30	689	0.1	RMS	483.5	-64.37	-13	Pass	6591
689	726	0.1	RMS	709.628	16.51	60	Pass	401
726	1000	0.1	RMS	999.5	-63.37	-13	Pass	2741
1000	3000	1	RMS	2868	-48.64	-13	Pass	2001
3000	10000	1	RMS	8916	-58.99	-13	Pass	7001




21.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.54	-13	Pass	2986
30	689	0.1	RMS	470.1	-64.35	-13	Pass	6591
689	726	0.1	RMS	712.125	3.52	60	Pass	401
726	1000	0.1	RMS	916.1	-63.3	-13	Pass	2741
1000	3000	1	RMS	2876	-48.67	-13	Pass	2001
3000	10000	1	RMS	8947	-59.01	-13	Pass	7001




21.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	Pass	2986
30	689	0.1	RMS	482.5	-64.39	-13	Pass	6591
689	726	0.1	RMS	711.293	16.24	60	Pass	401
726	1000	0.1	RMS	884.2	-63.24	-13	Pass	2741
1000	3000	1	RMS	2872	-48.68	-13	Pass	2001
3000	10000	1	RMS	8950	-59.02	-13	Pass	7001




21.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2986
30	689	0.1	RMS	475.5	-64.28	-13	Pass	6591
689	726	0.1	RMS	715.64	16.7	60	Pass	401
726	1000	0.1	RMS	899.9	-63.31	-13	Pass	2741
1000	3000	1	RMS	2869	-48.65	-13	Pass	2001
3000	10000	1	RMS	8938	-58.99	-13	Pass	7001




21.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.07	-13	Pass	2986
30	689	0.1	RMS	463.6	-64.37	-13	Pass	6591
689	726	0.1	RMS	702.875	0.06	60	Pass	401
726	1000	0.1	RMS	903	-63.35	-13	Pass	2741
1000	3000	1	RMS	2870	-48.64	-13	Pass	2001
3000	10000	1	RMS	8901	-59.04	-13	Pass	7001




21.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-13	Pass	2986
30	689	0.1	RMS	482.1	-64.42	-13	Pass	6591
689	726	0.1	RMS	699.36	15.83	60	Pass	401
726	1000	0.1	RMS	914.1	-63.34	-13	Pass	2741
1000	3000	1	RMS	2869	-48.69	-13	Pass	2001
3000	10000	1	RMS	8950	-58.97	-13	Pass	7001




21.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	Pass	2986
30	689	0.1	RMS	474.4	-64.36	-13	Pass	6591
689	726	0.1	RMS	708.61	16.19	60	Pass	401
726	1000	0.1	RMS	890.3	-63.3	-13	Pass	2741
1000	3000	1	RMS	2884	-48.66	-13	Pass	2001
3000	10000	1	RMS	8953	-59.06	-13	Pass	7001




21.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.38	-13	Pass	2986
30	689	0.1	RMS	468	-64.26	-13	Pass	6591
689	726	0.1	RMS	711.663	0.1	60	Pass	401
726	1000	0.1	RMS	917.8	-63.37	-13	Pass	2741
1000	3000	1	RMS	2869	-48.68	-13	Pass	2001
3000	10000	1	RMS	8950	-59.02	-13	Pass	7001




21.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.06	-13	Pass	2986
30	689	0.1	RMS	477	-64.09	-13	Pass	6591
689	726	0.1	RMS	702.875	16.23	60	Pass	401
726	1000	0.1	RMS	903.8	-63.47	-13	Pass	2741
1000	3000	1	RMS	2870	-48.68	-13	Pass	2001
3000	10000	1	RMS	8912	-58.92	-13	Pass	7001




21.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.45	-13	Pass	2986
30	689	0.1	RMS	649.4	-64.33	-13	Pass	6591
689	726	0.1	RMS	712.125	15.93	60	Pass	401
726	1000	0.1	RMS	900	-63.41	-13	Pass	2741
1000	3000	1	RMS	2873	-48.67	-13	Pass	2001
3000	10000	1	RMS	8910	-59.01	-13	Pass	7001




21.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	Pass	2986
30	689	0.1	RMS	469.7	-64.22	-13	Pass	6591
689	726	0.1	RMS	712.31	0.11	60	Pass	401
726	1000	0.1	RMS	994.8	-63.23	-13	Pass	2741
1000	3000	1	RMS	2869	-48.67	-13	Pass	2001
3000	10000	1	RMS	8923	-59	-13	Pass	7001




21.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	Pass	2986
30	689	0.1	RMS	492.6	-64.46	-13	Pass	6591
689	726	0.1	RMS	706.39	16.43	60	Pass	401
726	1000	0.1	RMS	916.1	-63.45	-13	Pass	2741
1000	3000	1	RMS	2872	-48.68	-13	Pass	2001
3000	10000	1	RMS	8938	-59.02	-13	Pass	7001




21.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.57	-13	Pass	2986
30	689	0.1	RMS	480.1	-64.35	-13	Pass	6591
689	726	0.1	RMS	715.548	16.22	60	Pass	401
726	1000	0.1	RMS	898.3	-63.35	-13	Pass	2741
1000	3000	1	RMS	2886	-48.67	-13	Pass	2001
3000	10000	1	RMS	8914	-58.99	-13	Pass	7001




21.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	Pass	2986
30	689	0.1	RMS	614.2	-64.37	-13	Pass	6591
689	726	0.1	RMS	700.84	-1.41	60	Pass	401
726	1000	0.1	RMS	899.2	-63.36	-13	Pass	2741
1000	3000	1	RMS	2882	-48.66	-13	Pass	2001
3000	10000	1	RMS	8949	-58.99	-13	Pass	7001




21.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	689	0.1	RMS	478.8	-64.31	-13	Pass	6591
689	726	0.1	RMS	699.453	16.37	60	Pass	401
726	1000	0.1	RMS	866.8	-63.28	-13	Pass	2741
1000	3000	1	RMS	2874	-48.69	-13	Pass	2001
3000	10000	1	RMS	8942	-58.95	-13	Pass	7001




21.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.44	-13	Pass	2986
30	689	0.1	RMS	476.9	-64.32	-13	Pass	6591
689	726	0.1	RMS	713.513	16.61	60	Pass	401
726	1000	0.1	RMS	904.5	-63.21	-13	Pass	2741
1000	3000	1	RMS	2869	-48.63	-13	Pass	2001
3000	10000	1	RMS	8940	-59	-13	Pass	7001




21.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2986
30	689	0.1	RMS	478.2	-64.26	-13	Pass	6591
689	726	0.1	RMS	701.95	-1.19	60	Pass	401
726	1000	0.1	RMS	1000	-63.32	-13	Pass	2741
1000	3000	1	RMS	2871	-48.67	-13	Pass	2001
3000	10000	1	RMS	8923	-58.99	-13	Pass	7001




21.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2986
30	689	0.1	RMS	484.9	-64.48	-13	Pass	6591
689	726	0.1	RMS	700.47	16.57	60	Pass	401
726	1000	0.1	RMS	999.4	-63.27	-13	Pass	2741
1000	3000	1	RMS	2872	-48.64	-13	Pass	2001
3000	10000	1	RMS	8944	-59	-13	Pass	7001




21.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.17	-13	Pass	2986
30	689	0.1	RMS	471.4	-64.36	-13	Pass	6591
689	726	0.1	RMS	714.53	16.49	60	Pass	401
726	1000	0.1	RMS	919.5	-63.4	-13	Pass	2741
1000	3000	1	RMS	2883	-48.62	-13	Pass	2001
3000	10000	1	RMS	8939	-58.99	-13	Pass	7001




21.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.78	-13	Pass	2986
30	689	0.1	RMS	486.4	-64.42	-13	Pass	6591
689	726	0.1	RMS	702.875	-1.33	60	Pass	401
726	1000	0.1	RMS	913	-63.44	-13	Pass	2741
1000	3000	1	RMS	2869	-48.68	-13	Pass	2001
3000	10000	1	RMS	8920	-59.04	-13	Pass	7001




21.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	Pass	2986
30	689	0.1	RMS	475	-64.32	-13	Pass	6591
689	726	0.1	RMS	701.488	16.43	60	Pass	401
726	1000	0.1	RMS	995.3	-63.45	-13	Pass	2741
1000	3000	1	RMS	2884	-48.67	-13	Pass	2001
3000	10000	1	RMS	8938	-59	-13	Pass	7001



21.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.06	-13	Pass	2986
30	689	0.1	RMS	488.2	-64.39	-13	Pass	6591
689	726	0.1	RMS	715.548	16.25	60	Pass	401
726	1000	0.1	RMS	906.2	-63.42	-13	Pass	2741
1000	3000	1	RMS	2869	-48.67	-13	Pass	2001
3000	10000	1	RMS	8902	-59	-13	Pass	7001



22. n66


22.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.54	-13	Pass	2986
30	1000	0.1	RMS	892.929	-63.93	-13	Pass	9701
1000	1700	1	RMS	1700	-44.5	-13	Pass	701
1700	1790	1	RMS	1713.275	13.75	60	Pass	401
1790	3000	1	RMS	2868	-48.82	-13	Pass	1211
3000	6500	1	RMS	6197	-63.09	-13	Pass	3501
6500	20000	1	RMS	18296	-50.52	-13	Pass	13502




22.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2986
30	1000	0.1	RMS	891.128	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	Pass	701
1700	1790	1	RMS	1710.125	19.86	60	Pass	401
1790	3000	1	RMS	2869	-48.75	-13	Pass	1211
3000	6500	1	RMS	6201	-63.13	-13	Pass	3501
6500	20000	1	RMS	19902	-50.5	-13	Pass	13502




22.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.72	-13	Pass	2986
30	1000	0.1	RMS	895.03	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-52.69	-13	Pass	701
1700	1790	1	RMS	1714.625	19.83	60	Pass	401
1790	3000	1	RMS	2869	-48.83	-13	Pass	1211
3000	6500	1	RMS	6201	-63.11	-13	Pass	3501
6500	20000	1	RMS	18267	-50.51	-13	Pass	13502




22.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.7	-13	Pass	2986
30	1000	0.1	RMS	890.227	-63.89	-13	Pass	9701
1000	1700	1	RMS	1662	-52.85	-13	Pass	701
1700	1790	1	RMS	1745.675	13.64	60	Pass	401
1790	3000	1	RMS	2868	-48.8	-13	Pass	1211
3000	6500	1	RMS	6201	-63.12	-13	Pass	3501
6500	20000	1	RMS	18308	-50.55	-13	Pass	13502




22.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.76	-13	Pass	2986
30	1000	0.1	RMS	899.033	-63.85	-13	Pass	9701
1000	1700	1	RMS	1698	-52.84	-13	Pass	701
1700	1790	1	RMS	1742.75	19.86	60	Pass	401
1790	3000	1	RMS	2872	-48.78	-13	Pass	1211
3000	6500	1	RMS	6199	-63.13	-13	Pass	3501
6500	20000	1	RMS	19910	-50.55	-13	Pass	13502




22.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	Pass	2986
30	1000	0.1	RMS	890.928	-63.59	-13	Pass	9701
1000	1700	1	RMS	1665	-52.85	-13	Pass	701
1700	1790	1	RMS	1747.025	19.88	60	Pass	401
1790	3000	1	RMS	2871	-48.9	-13	Pass	1211
3000	6500	1	RMS	6199	-63.08	-13	Pass	3501
6500	20000	1	RMS	19906	-50.54	-13	Pass	13502




22.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	1000	0.1	RMS	901.034	-63.87	-13	Pass	9701
1000	1700	1	RMS	1671	-52.85	-13	Pass	701
1700	1790	1	RMS	1777.625	13.55	60	Pass	401
1790	3000	1	RMS	1790	-47.52	-13	Pass	1211
3000	6500	1	RMS	6200	-63.03	-13	Pass	3501
6500	20000	1	RMS	19900	-50.51	-13	Pass	13502




22.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	Pass	2986
30	1000	0.1	RMS	894.03	-63.9	-13	Pass	9701
1000	1700	1	RMS	1680	-52.86	-13	Pass	701
1700	1790	1	RMS	1775.15	19.68	60	Pass	401
1790	3000	1	RMS	2869	-48.85	-13	Pass	1211
3000	6500	1	RMS	6199	-63.13	-13	Pass	3501
6500	20000	1	RMS	18301	-50.52	-13	Pass	13502




22.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2986
30	1000	0.1	RMS	996.698	-63.69	-13	Pass	9701
1000	1700	1	RMS	1698	-52.83	-13	Pass	701
1700	1790	1	RMS	1779.425	19.53	60	Pass	401
1790	3000	1	RMS	2865	-48.85	-13	Pass	1211
3000	6500	1	RMS	6204	-63.12	-13	Pass	3501
6500	20000	1	RMS	18293	-50.49	-13	Pass	13502




22.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.57	-13	Pass	2986
30	1000	0.1	RMS	883.123	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-34.21	-13	Pass	701
1700	1790	1	RMS	1722.95	7.9	60	Pass	401
1790	3000	1	RMS	2867	-48.75	-13	Pass	1211
3000	6500	1	RMS	6199	-63.12	-13	Pass	3501
6500	20000	1	RMS	18300	-50.53	-13	Pass	13502




22.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2986
30	1000	0.1	RMS	897.232	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-47.16	-13	Pass	701
1700	1790	1	RMS	1710.35	19.78	60	Pass	401
1790	3000	1	RMS	2870	-48.81	-13	Pass	1211
3000	6500	1	RMS	6240	-63.1	-13	Pass	3501
6500	20000	1	RMS	19904	-50.52	-13	Pass	13502




22.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.56	-13	Pass	2986
30	1000	0.1	RMS	898.633	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-47.8	-13	Pass	701
1700	1790	1	RMS	1729.25	19.52	60	Pass	401
1790	3000	1	RMS	2872	-48.84	-13	Pass	1211
3000	6500	1	RMS	6200	-63.12	-13	Pass	3501
6500	20000	1	RMS	18257	-50.57	-13	Pass	13502




22.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	979.887	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-47.86	-13	Pass	701
1700	1790	1	RMS	1751.975	8.15	60	Pass	401
1790	3000	1	RMS	1790	-48.21	-13	Pass	1211
3000	6500	1	RMS	6204	-63.08	-13	Pass	3501
6500	20000	1	RMS	19897	-50.47	-13	Pass	13502




22.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.89	-13	Pass	2986
30	1000	0.1	RMS	891.928	-63.87	-13	Pass	9701
1000	1700	1	RMS	1698	-52.53	-13	Pass	701
1700	1790	1	RMS	1735.325	19.48	60	Pass	401
1790	3000	1	RMS	2868	-48.8	-13	Pass	1211
3000	6500	1	RMS	6200	-63.08	-13	Pass	3501
6500	20000	1	RMS	18284	-50.46	-13	Pass	13502




22.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	Pass	2986
30	1000	0.1	RMS	888.426	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-52.88	-13	Pass	701
1700	1790	1	RMS	1754.225	19.49	60	Pass	401
1790	3000	1	RMS	2865	-48.85	-13	Pass	1211
3000	6500	1	RMS	6202	-63.16	-13	Pass	3501
6500	20000	1	RMS	18301	-50.56	-13	Pass	13502




22.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.62	-13	Pass	2986
30	1000	0.1	RMS	896.331	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-52.26	-13	Pass	701
1700	1790	1	RMS	1777.4	8	60	Pass	401
1790	3000	1	RMS	1790	-32.78	-13	Pass	1211
3000	6500	1	RMS	6201	-63.06	-13	Pass	3501
6500	20000	1	RMS	18296	-50.55	-13	Pass	13502




22.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.45	-13	Pass	2986
30	1000	0.1	RMS	893.229	-63.81	-13	Pass	9701
1000	1700	1	RMS	1670	-52.84	-13	Pass	701
1700	1790	1	RMS	1760.525	19.45	60	Pass	401
1790	3000	1	RMS	2881	-48.85	-13	Pass	1211
3000	6500	1	RMS	6201	-63.13	-13	Pass	3501
6500	20000	1	RMS	19901	-50.53	-13	Pass	13502




22.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.26	-13	Pass	2986
30	1000	0.1	RMS	882.822	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-52.87	-13	Pass	701
1700	1790	1	RMS	1779.425	19.51	60	Pass	401
1790	3000	1	RMS	2865	-48.85	-13	Pass	1211
3000	6500	1	RMS	6201	-63.13	-13	Pass	3501
6500	20000	1	RMS	18291	-50.5	-13	Pass	13502




22.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	Pass	2986
30	1000	0.1	RMS	889.026	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-34.26	-13	Pass	701
1700	1790	1	RMS	1724.3	5	60	Pass	401
1790	3000	1	RMS	1790	-45.77	-13	Pass	1211
3000	6500	1	RMS	6240	-63.12	-13	Pass	3501
6500	20000	1	RMS	19876	-50.51	-13	Pass	13502




22.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	1000	0.1	RMS	888.626	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-48.55	-13	Pass	701
1700	1790	1	RMS	1710.575	19.37	60	Pass	401
1790	3000	1	RMS	2873	-48.86	-13	Pass	1211
3000	6500	1	RMS	6199	-63.14	-13	Pass	3501
6500	20000	1	RMS	18302	-50.52	-13	Pass	13502




22.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2986
30	1000	0.1	RMS	891.728	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-48.24	-13	Pass	701
1700	1790	1	RMS	1749.275	19.19	60	Pass	401
1790	3000	1	RMS	2879	-48.82	-13	Pass	1211
3000	6500	1	RMS	6203	-63.12	-13	Pass	3501
6500	20000	1	RMS	18287	-50.59	-13	Pass	13502




22.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.26	-13	Pass	2986
30	1000	0.1	RMS	893.93	-63.89	-13	Pass	9701
1000	1700	1	RMS	1700	-37.67	-13	Pass	701
1700	1790	1	RMS	1726.55	4.85	60	Pass	401
1790	3000	1	RMS	1790	-39.43	-13	Pass	1211
3000	6500	1	RMS	6200	-63.06	-13	Pass	3501
6500	20000	1	RMS	18271	-50.56	-13	Pass	13502




22.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	Pass	2986
30	1000	0.1	RMS	915.644	-63.81	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1725.425	19.04	60	Pass	401
1790	3000	1	RMS	2876	-48.83	-13	Pass	1211
3000	6500	1	RMS	6201	-63.1	-13	Pass	3501
6500	20000	1	RMS	18298	-50.58	-13	Pass	13502




22.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.69	-13	Pass	2986
30	1000	0.1	RMS	891.428	-63.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1790	1	RMS	1764.125	19.05	60	Pass	401
1790	3000	1	RMS	2861	-48.89	-13	Pass	1211
3000	6500	1	RMS	6204	-63.12	-13	Pass	3501
6500	20000	1	RMS	19898	-50.54	-13	Pass	13502




22.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-13	Pass	2986
30	1000	0.1	RMS	899.133	-63.93	-13	Pass	9701
1000	1700	1	RMS	1700	-44.16	-13	Pass	701
1700	1790	1	RMS	1755.35	4.84	60	Pass	401
1790	3000	1	RMS	1790	-35.63	-13	Pass	1211
3000	6500	1	RMS	6198	-63.1	-13	Pass	3501
6500	20000	1	RMS	18242	-50.53	-13	Pass	13502




22.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.28	-13	Pass	2986
30	1000	0.1	RMS	893.73	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	Pass	701
1700	1790	1	RMS	1740.5	19.33	60	Pass	401
1790	3000	1	RMS	1790	-48.61	-13	Pass	1211
3000	6500	1	RMS	6200	-63.11	-13	Pass	3501
6500	20000	1	RMS	19898	-50.49	-13	Pass	13502



22.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	Pass	2986
30	1000	0.1	RMS	994.496	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1790	1	RMS	1779.2	19.09	60	Pass	401
1790	3000	1	RMS	2878	-48.89	-13	Pass	1211
3000	6500	1	RMS	6201	-63.15	-13	Pass	3501
6500	20000	1	RMS	19901	-50.51	-13	Pass	13502



23. n38_PC3


23.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.41	-25	Pass	2986
30	1000	0.1	RMS	992.495	-60.87	-25	Pass	9701
1000	2565	1	RMS	2565	-32.99	-25	Pass	1566
2565	2625	1	RMS	2571.45	14.4	60	Pass	401
2625	3000	1	RMS	2872.5	-48.25	-25	Pass	401
3000	6500	1	RMS	5145	-55.04	-25	Pass	3501
6500	26500	1	RMS	6509	-44.82	-25	Pass	20003




23.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.34	-25	Pass	2986
30	1000	0.1	RMS	971.381	-61.09	-25	Pass	9701
1000	2565	1	RMS	2565	-44.15	-25	Pass	1566
2565	2625	1	RMS	2570.25	20.49	60	Pass	401
2625	3000	1	RMS	2868.75	-48.19	-25	Pass	401
3000	6500	1	RMS	5141	-50.33	-25	Pass	3501
6500	26500	1	RMS	25454	-44.97	-25	Pass	20003




23.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.39	-25	Pass	2986
30	1000	0.1	RMS	872.315	-61.1	-25	Pass	9701
1000	2565	1	RMS	2565	-41.93	-25	Pass	1566
2565	2625	1	RMS	2574.6	20.44	60	Pass	401
2625	3000	1	RMS	2885.625	-48.2	-25	Pass	401
3000	6500	1	RMS	5149	-50.67	-25	Pass	3501
6500	26500	1	RMS	6514	-44.86	-25	Pass	20003




23.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.73	-25	Pass	2986
30	1000	0.1	RMS	901.535	-60.72	-25	Pass	9701
1000	2565	1	RMS	2518	-49.74	-25	Pass	1566
2565	2625	1	RMS	2591.85	14.52	60	Pass	401
2625	3000	1	RMS	2875.313	-48.23	-25	Pass	401
3000	6500	1	RMS	5185	-55.96	-25	Pass	3501
6500	26500	1	RMS	6509	-44.96	-25	Pass	20003




23.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	Pass	2986
30	1000	0.1	RMS	826.3	-60.76	-25	Pass	9701
1000	2565	1	RMS	2512	-49.65	-25	Pass	1566
2565	2625	1	RMS	2590.35	20.49	60	Pass	401
2625	3000	1	RMS	2870.625	-48.24	-25	Pass	401
3000	6500	1	RMS	5181	-51.79	-25	Pass	3501
6500	26500	1	RMS	25201	-44.91	-25	Pass	20003




23.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.54	-25	Pass	2986
30	1000	0.1	RMS	897.332	-60.61	-25	Pass	9701
1000	2565	1	RMS	2564	-49.85	-25	Pass	1566
2565	2625	1	RMS	2594.7	20.52	60	Pass	401
2625	3000	1	RMS	2871.563	-48.22	-25	Pass	401
3000	6500	1	RMS	5189	-51.39	-25	Pass	3501
6500	26500	1	RMS	25215	-45.32	-25	Pass	20003




23.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.21	-25	Pass	2986
30	1000	0.1	RMS	914.143	-60.88	-25	Pass	9701
1000	2565	1	RMS	2536	-49.73	-25	Pass	1566
2565	2625	1	RMS	2616.3	14.8	60	Pass	401
2625	3000	1	RMS	2625	-33.09	-25	Pass	401
3000	6500	1	RMS	5235	-57.56	-25	Pass	3501
6500	26500	1	RMS	6517	-44.87	-25	Pass	20003




23.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.79	-25	Pass	2986
30	1000	0.1	RMS	489.4	-61.09	-25	Pass	9701
1000	2565	1	RMS	2563	-49.83	-25	Pass	1566
2565	2625	1	RMS	2615.4	20.65	60	Pass	401
2625	3000	1	RMS	2625	-42.66	-25	Pass	401
3000	6500	1	RMS	5231	-53.56	-25	Pass	3501
6500	26500	1	RMS	25189	-45.04	-25	Pass	20003




23.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.46	-25	Pass	2986
30	1000	0.1	RMS	872.716	-60.53	-25	Pass	9701
1000	2565	1	RMS	2543	-49.83	-25	Pass	1566
2565	2625	1	RMS	2619.6	20.66	60	Pass	401
2625	3000	1	RMS	2625	-44.78	-25	Pass	401
3000	6500	1	RMS	5239	-53.17	-25	Pass	3501
6500	26500	1	RMS	6513	-45.07	-25	Pass	20003




23.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:515500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.23	-25	Pass	2986
30	1000	0.1	RMS	973.783	-60.77	-25	Pass	9701
1000	2555	1	RMS	2555	-37.19	-25	Pass	1556
2555	2635	1	RMS	2583.2	9.69	60	Pass	401
2635	3000	1	RMS	2879.55	-48.2	-25	Pass	401
3000	6500	1	RMS	5155	-59.09	-25	Pass	3501
6500	26500	1	RMS	25790	-45.11	-25	Pass	20003




23.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-25	Pass	401
0.15	30	0.01	RMS	0.55	-69.74	-25	Pass	2986
30	1000	0.1	RMS	904.136	-60.85	-25	Pass	9701
1000	2555	1	RMS	2555	-47.38	-25	Pass	1556
2555	2635	1	RMS	2570.4	20.36	60	Pass	401
2635	3000	1	RMS	2875.9	-48.29	-25	Pass	401
3000	6500	1	RMS	5141	-49.63	-25	Pass	3501
6500	26500	1	RMS	25480	-44.8	-25	Pass	20003




23.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:515500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.77	-25	Pass	2986
30	1000	0.1	RMS	889.827	-60.87	-25	Pass	9701
1000	2555	1	RMS	2555	-47.79	-25	Pass	1556
2555	2635	1	RMS	2584.6	20.34	60	Pass	401
2635	3000	1	RMS	2870.425	-48.23	-25	Pass	401
3000	6500	1	RMS	5169	-50.63	-25	Pass	3501
6500	26500	1	RMS	6504	-45.06	-25	Pass	20003




23.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.57	-25	Pass	2986
30	1000	0.1	RMS	928.252	-61.01	-25	Pass	9701
1000	2555	1	RMS	2554	-48.72	-25	Pass	1556
2555	2635	1	RMS	2600.4	9.66	60	Pass	401
2635	3000	1	RMS	2881.375	-48.23	-25	Pass	401
3000	6500	1	RMS	5189	-59.56	-25	Pass	3501
6500	26500	1	RMS	6516	-44.85	-25	Pass	20003




23.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-25	Pass	2986
30	1000	0.1	RMS	741.7	-61.1	-25	Pass	9701
1000	2555	1	RMS	2526	-49.91	-25	Pass	1556
2555	2635	1	RMS	2588	20.47	60	Pass	401
2635	3000	1	RMS	2868.6	-48.19	-25	Pass	401
3000	6500	1	RMS	5176	-50.98	-25	Pass	3501
6500	26500	1	RMS	25200	-45.12	-25	Pass	20003




23.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.51	-69.55	-25	Pass	2986
30	1000	0.1	RMS	891.228	-60.96	-25	Pass	9701
1000	2555	1	RMS	2496	-49.82	-25	Pass	1556
2555	2635	1	RMS	2602	20.57	60	Pass	401
2635	3000	1	RMS	2868.6	-48.24	-25	Pass	401
3000	6500	1	RMS	5204	-52.23	-25	Pass	3501
6500	26500	1	RMS	6506	-45.09	-25	Pass	20003




23.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.52	-69.95	-25	Pass	2986
30	1000	0.1	RMS	967.078	-60.76	-25	Pass	9701
1000	2555	1	RMS	2542	-49.91	-25	Pass	1556
2555	2635	1	RMS	2618	9.75	60	Pass	401
2635	3000	1	RMS	2635	-37.58	-25	Pass	401
3000	6500	1	RMS	5224	-60.63	-25	Pass	3501
6500	26500	1	RMS	6513	-44.94	-25	Pass	20003




23.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.1	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.28	-25	Pass	2986
30	1000	0.1	RMS	972.782	-61.11	-25	Pass	9701
1000	2555	1	RMS	2516	-49.8	-25	Pass	1556
2555	2635	1	RMS	2605.4	20.58	60	Pass	401
2635	3000	1	RMS	2635	-47.11	-25	Pass	401
3000	6500	1	RMS	5211	-51.62	-25	Pass	3501
6500	26500	1	RMS	25199	-44.54	-25	Pass	20003




23.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.08	-25	Pass	2986
30	1000	0.1	RMS	755.4	-60.69	-25	Pass	9701
1000	2555	1	RMS	2531	-49.76	-25	Pass	1556
2555	2635	1	RMS	2619.6	20.56	60	Pass	401
2635	3000	1	RMS	2635	-47.34	-25	Pass	401
3000	6500	1	RMS	5239	-52.04	-25	Pass	3501
6500	26500	1	RMS	6504	-44.99	-25	Pass	20003




23.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.56	-25	Pass	2986
30	1000	0.1	RMS	987.192	-61.03	-25	Pass	9701
1000	2550	1	RMS	2550	-38.7	-25	Pass	1551
2550	2640	1	RMS	2584.875	8.47	60	Pass	401
2640	3000	1	RMS	2881.2	-48.25	-25	Pass	401
3000	6500	1	RMS	5159	-59.81	-25	Pass	3501
6500	26500	1	RMS	6515	-44.61	-25	Pass	20003




23.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-25	Pass	2986
30	1000	0.1	RMS	901.635	-60.58	-25	Pass	9701
1000	2550	1	RMS	2550	-49.35	-25	Pass	1551
2550	2640	1	RMS	2570.475	20.29	60	Pass	401
2640	3000	1	RMS	2881.2	-48.29	-25	Pass	401
3000	6500	1	RMS	5141	-49.78	-25	Pass	3501
6500	26500	1	RMS	6517	-45.3	-25	Pass	20003




23.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.84	-25	Pass	2986
30	1000	0.1	RMS	882.122	-60.79	-25	Pass	9701
1000	2550	1	RMS	2550	-49.68	-25	Pass	1551
2550	2640	1	RMS	2589.375	20.35	60	Pass	401
2640	3000	1	RMS	2871.3	-48.22	-25	Pass	401
3000	6500	1	RMS	5179	-50.96	-25	Pass	3501
6500	26500	1	RMS	6507	-44.82	-25	Pass	20003




23.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.02	-25	Pass	2986
30	1000	0.1	RMS	889.026	-60.59	-25	Pass	9701
1000	2550	1	RMS	2550	-47.77	-25	Pass	1551
2550	2640	1	RMS	2601.3	8.45	60	Pass	401
2640	3000	1	RMS	2640	-47.22	-25	Pass	401
3000	6500	1	RMS	5190	-60.22	-25	Pass	3501
6500	26500	1	RMS	6515	-44.85	-25	Pass	20003




23.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.27	-25	Pass	2986
30	1000	0.1	RMS	896.331	-61	-25	Pass	9701
1000	2550	1	RMS	2522	-49.88	-25	Pass	1551
2550	2640	1	RMS	2585.55	20.39	60	Pass	401
2640	3000	1	RMS	2883.9	-48.23	-25	Pass	401
3000	6500	1	RMS	5171	-50.81	-25	Pass	3501
6500	26500	1	RMS	25547	-45.08	-25	Pass	20003




23.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.29	-25	Pass	2986
30	1000	0.1	RMS	900.834	-60.54	-25	Pass	9701
1000	2550	1	RMS	2516	-49.88	-25	Pass	1551
2550	2640	1	RMS	2604.45	20.5	60	Pass	401
2640	3000	1	RMS	2866.8	-48.24	-25	Pass	401
3000	6500	1	RMS	5209	-51.51	-25	Pass	3501
6500	26500	1	RMS	6507	-44.85	-25	Pass	20003




23.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.33	-25	Pass	2986
30	1000	0.1	RMS	877.419	-60.87	-25	Pass	9701
1000	2550	1	RMS	2533	-49.84	-25	Pass	1551
2550	2640	1	RMS	2614.8	8.46	60	Pass	401
2640	3000	1	RMS	2640	-39.3	-25	Pass	401
3000	6500	1	RMS	5219	-60.95	-25	Pass	3501
6500	26500	1	RMS	25216	-45.14	-25	Pass	20003




23.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.34	-68.52	-25	Pass	2986
30	1000	0.1	RMS	733.4	-60.73	-25	Pass	9701
1000	2550	1	RMS	2512	-49.87	-25	Pass	1551
2550	2640	1	RMS	2600.625	20.38	60	Pass	401
2640	3000	1	RMS	2885.7	-48.23	-25	Pass	401
3000	6500	1	RMS	5201	-52.25	-25	Pass	3501
6500	26500	1	RMS	6505	-44.92	-25	Pass	20003



23.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.71	-25	Pass	2986
30	1000	0.1	RMS	995.697	-61.13	-25	Pass	9701
1000	2550	1	RMS	2544	-49.56	-25	Pass	1551
2550	2640	1	RMS	2619.525	20.46	60	Pass	401
2640	3000	1	RMS	2883	-48.21	-25	Pass	401
3000	6500	1	RMS	5239	-52.37	-25	Pass	3501
6500	26500	1	RMS	25200	-44.81	-25	Pass	20003



24. n41


24.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-25	Pass	2986
30	1000	0.1	RMS	904.337	-63.41	-25	Pass	9701
1000	2486	1	RMS	2486	-34.74	-25	Pass	1487
2486	2700	1	RMS	2497.77	13.12	60	Pass	401
2700	3000	1	RMS	2868	-48.3	-25	Pass	401
3000	6500	1	RMS	5001	-50.26	-25	Pass	3501
6500	26000	1	RMS	6508	-45.42	-25	Pass	19503




24.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.91	-25	Pass	2986
30	1000	0.1	RMS	986.891	-63.5	-25	Pass	9701
1000	2486	1	RMS	2486	-46.84	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.67	60	Pass	401
2700	3000	1	RMS	2884.5	-48.29	-25	Pass	401
3000	6500	1	RMS	4993	-39.45	-25	Pass	3501
6500	26000	1	RMS	6510	-45.49	-25	Pass	19503




24.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-25	Pass	2986
30	1000	0.1	RMS	909.74	-63.51	-25	Pass	9701
1000	2486	1	RMS	2486	-46.6	-25	Pass	1487
2486	2700	1	RMS	2505.26	21.74	60	Pass	401
2700	3000	1	RMS	2882.25	-48.29	-25	Pass	401
3000	6500	1	RMS	5011	-43.66	-25	Pass	3501
6500	26000	1	RMS	6504	-45.64	-25	Pass	19503




24.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.83	-25	Pass	2986
30	1000	0.1	RMS	910.341	-63.44	-25	Pass	9701
1000	2486	1	RMS	2485	-50.3	-25	Pass	1487
2486	2700	1	RMS	2596.21	13.09	60	Pass	401
2700	3000	1	RMS	2871	-48.31	-25	Pass	401
3000	6500	1	RMS	5186	-59.59	-25	Pass	3501
6500	26000	1	RMS	6509	-45.43	-25	Pass	19503




24.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.21	-25	Pass	2986
30	1000	0.1	RMS	893.529	-63.43	-25	Pass	9701
1000	2486	1	RMS	2486	-50.31	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.66	60	Pass	401
2700	3000	1	RMS	2883.75	-48.28	-25	Pass	401
3000	6500	1	RMS	5177	-52.71	-25	Pass	3501
6500	26000	1	RMS	6510	-45.57	-25	Pass	19503



24.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.1	-25	Pass	2986
30	1000	0.1	RMS	894.83	-63.5	-25	Pass	9701
1000	2486	1	RMS	2484	-50.31	-25	Pass	1487
2486	2700	1	RMS	2597.28	21.7	60	Pass	401
2700	3000	1	RMS	2871	-48.29	-25	Pass	401
3000	6500	1	RMS	5195	-53.24	-25	Pass	3501
6500	26000	1	RMS	6507	-45.56	-25	Pass	19503



24.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-25	Pass	2986
30	1000	0.1	RMS	990.594	-63.44	-25	Pass	9701
1000	2486	1	RMS	2486	-50.29	-25	Pass	1487
2486	2700	1	RMS	2681.81	12.85	60	Pass	401
2700	3000	1	RMS	2700	-35.55	-25	Pass	401
3000	6500	1	RMS	5370	-62.53	-25	Pass	3501
6500	26000	1	RMS	6512	-45.6	-25	Pass	19503

