


27. n78 (3450-3550)


27.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3435	3445	1	RMS	3444.95	-40.61	-13	Pass	401
3445	3449	0.62	RMS	3448.5	-30.54	-13	Pass	401
3449	3449.9	0.2	RMS	3449.9	-45.2	-13	Pass	6
3450	3460	1	RMS	3450.425	21.22	30	Pass	401




27.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-31.25	-13	Pass	401
3445	3449	0.62	RMS	3448.99	-29.18	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-27.8	-13	Pass	401
3450	3460	1	RMS	3458.2	12.39	30	Pass	401




27.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	1	RMS	3549.525	20.87	30	Pass	401
3550.1	3551	0.2	RMS	3550.1	-46.13	-13	Pass	6
3551	3555	0.62	RMS	3551.44	-32.1	-13	Pass	401
3555	3565	1	RMS	3555.05	-41.15	-13	Pass	401




27.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	1	RMS	3542	12.17	30	Pass	401
3550	3551	0.2	RMS	3550.005	-28.22	-13	Pass	401
3551	3555	0.62	RMS	3551.11	-30.27	-13	Pass	401
3555	3565	1	RMS	3555	-32.05	-13	Pass	401




27.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3440	-40.69	-13	Pass	401
3445	3449	0.62	RMS	3448.89	-29	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-21.44	-13	Pass	401
3450	3500	1	RMS	3450.75	20.73	30	Pass	401




27.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3444.875	-33.56	-13	Pass	401
3445	3449	0.62	RMS	3448.81	-34.98	-13	Pass	401
3449	3450	0.2	RMS	3449.97	-37.95	-13	Pass	401
3450	3500	1	RMS	3476.375	5.49	30	Pass	401




27.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3549.25	20.73	30	Pass	401
3550	3551	0.2	RMS	3550.003	-23.07	-13	Pass	401
3551	3555	0.62	RMS	3551.09	-29.74	-13	Pass	401
3555	3605	1	RMS	3559.875	-40.65	-13	Pass	401




27.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3529.75	5.32	30	Pass	401
3550	3551	0.2	RMS	3550.008	-39.32	-13	Pass	401
3551	3555	0.62	RMS	3551.02	-36.51	-13	Pass	401
3555	3605	1	RMS	3555.125	-35.27	-13	Pass	401




27.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3429.25	-40.94	-13	Pass	401
3445	3449	0.62	RMS	3448.99	-30.75	-13	Pass	401
3449	3450	0.2	RMS	3450	-19.97	-13	Pass	401
3450	3550	1	RMS	3451	20.26	30	Pass	401




27.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3440.25	-35.72	-13	Pass	401
3445	3449	0.62	RMS	3446.73	-37.33	-13	Pass	401
3449	3450	0.2	RMS	3450	-39.47	-13	Pass	401
3450	3550	1	RMS	3470.25	2.24	30	Pass	401




27.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.01	30	Pass	401
3550	3551	0.2	RMS	3550.008	-22.91	-13	Pass	401
3551	3555	0.62	RMS	3551	-32.79	-13	Pass	401
3555	3655	1	RMS	3570.5	-41.2	-13	Pass	401



27.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3529.5	2.19	30	Pass	401
3550	3551	0.2	RMS	3550.013	-40.51	-13	Pass	401
3551	3555	0.62	RMS	3552.7	-39.09	-13	Pass	401
3555	3655	1	RMS	3556	-37.6	-13	Pass	401



28. n78 (3700-3800)


28.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3695	1	RMS	3694.85	-40.65	-13	Pass	401
3695	3699	0.62	RMS	3698.62	-32.25	-13	Pass	401
3699	3699.8	0.4	RMS	3699.8	-19.85	-13	Pass	4
3700	3710	1	RMS	3700.425	21.2	30	Pass	401




28.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3695	1	RMS	3694.825	-31.11	-13	Pass	401
3695	3699	0.62	RMS	3698.85	-29.14	-13	Pass	401
3699	3699.8	0.4	RMS	3699.8	-29.73	-13	Pass	4
3700	3710	1	RMS	3708.05	12.37	30	Pass	401




28.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3790	3800	1	RMS	3799.6	20.71	30	Pass	401
3800.2	3801	0.4	RMS	3800.2	-22.42	-13	Pass	4
3801	3805	0.62	RMS	3801.39	-32.1	-13	Pass	401
3805	3815	1	RMS	3805.25	-40.86	-13	Pass	401




28.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3790	3800	1	RMS	3798.4	11.88	30	Pass	401
3800.2	3801	0.4	RMS	3800.2	-28.77	-13	Pass	4
3801	3805	0.62	RMS	3801.06	-27.77	-13	Pass	401
3805	3815	1	RMS	3805	-30.28	-13	Pass	401




28.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3690.25	-40.18	-13	Pass	401
3695	3699	0.62	RMS	3698.89	-29.72	-13	Pass	401
3699	3700	0.39	RMS	3700	-16.11	-13	Pass	401
3700	3750	1	RMS	3700.75	21.16	30	Pass	401




28.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-34.01	-13	Pass	401
3695	3699	0.62	RMS	3698.83	-35.13	-13	Pass	401
3699	3700	0.39	RMS	3699.993	-34.44	-13	Pass	401
3700	3750	1	RMS	3702.5	5.33	30	Pass	401




28.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3750	3800	1	RMS	3799.125	20.64	30	Pass	401
3800	3801	0.39	RMS	3800.008	-17.42	-13	Pass	401
3801	3805	0.62	RMS	3801.05	-29.43	-13	Pass	401
3805	3855	1	RMS	3810.125	-40.43	-13	Pass	401




28.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3750	3800	1	RMS	3769.375	4.93	30	Pass	401
3800	3801	0.39	RMS	3800.015	-34.68	-13	Pass	401
3801	3805	0.62	RMS	3801.7	-35.05	-13	Pass	401
3805	3855	1	RMS	3805.25	-34.02	-13	Pass	401




28.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3679.5	-40.55	-13	Pass	401
3695	3699	0.62	RMS	3699	-31.39	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-17.32	-13	Pass	401
3700	3800	1	RMS	3701	20.21	30	Pass	401




28.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-35.03	-13	Pass	401
3695	3699	0.62	RMS	3698.19	-36.51	-13	Pass	401
3699	3700	0.39	RMS	3699.99	-35.95	-13	Pass	401
3700	3800	1	RMS	3715.75	2.35	30	Pass	401



28.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	19.78	30	Pass	401
3800	3801	0.39	RMS	3800.018	-18.52	-13	Pass	401
3801	3805	0.62	RMS	3801.01	-31.83	-13	Pass	401
3805	3905	1	RMS	3820.5	-40.61	-13	Pass	401



28.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3716.25	2.27	30	Pass	401
3800	3801	0.39	RMS	3800.005	-37.78	-13	Pass	401
3801	3805	0.62	RMS	3801.04	-38.62	-13	Pass	401
3805	3905	1	RMS	3806.25	-37.14	-13	Pass	401



--BLANK BELOW--