


BAND:NSA DC_5A_n38A,Channel:LOW
range,BW:10M+20M


RSE(5G NSA FCC_NSA_5A_n41A(High) & 5A_n38A & 38A_n5A_814-849&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
825.982	-62.68	5.26	-25.0	37.68	333.00	Horizontal	Vertical	N/A
874.337	-52.59	4.02	-25.0	27.59	347.00	Horizontal	Vertical	N/A
2556.800	-31.08	8.04	-25.0	6.08	161.00	Horizontal	Vertical	N/A
4573.000	-49.32	6.91	-25.0	24.32	204.00	Horizontal	Vertical	Pass
6588.000	-42.60	13.56	-25.0	17.60	272.00	Horizontal	Vertical	Pass
10319.188	-40.44	10.27	-25.0	15.44	208.00	Horizontal	Vertical	Pass

BAND:NSA DC_5A_n38A,Channel:LOW
range,BW:10M+20M


RSE(5G NSA FCC_NSA_5A_n41A(High) & 5A_n38A & 38A_n5A_814-849&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
825.933	-61.73	5.26	-25.0	36.73	175.00	Vertical	Vertical	N/A
873.900	-55.34	4.04	-25.0	30.34	188.00	Vertical	Vertical	N/A
2560.000	-33.00	8.24	-25.0	8.00	205.00	Vertical	Vertical	N/A
4375.250	-48.29	6.79	-25.0	23.29	0.00	Vertical	Vertical	Pass
6569.250	-41.52	12.91	-25.0	16.52	360.00	Vertical	Vertical	Pass
12725.775	-40.32	14.75	-25.0	15.32	0.00	Vertical	Vertical	Pass

BAND:NSA DC_5A_n38A,Channel:LOW
range,BW:10M+20M

RSE(5G NSA FCC_NSA_5A_n41A(High) & 5A_n38A & 38A_n5A_814-849&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
825.982	-61.30	5.26	-25.0	36.30	202.00	Vertical	Horizontal	N/A
869.583	-55.51	4.17	-25.0	30.51	229.00	Vertical	Horizontal	N/A
2560.400	-38.62	8.24	-25.0	13.62	1.00	Vertical	Horizontal	N/A
4350.250	-48.88	7.39	-25.0	23.88	194.00	Vertical	Horizontal	Pass
7245.500	-41.22	15.04	-25.0	16.22	262.00	Vertical	Horizontal	Pass
13385.513	-39.80	16.87	-25.0	14.80	151.00	Vertical	Horizontal	Pass

5.16 DC_66A_n38A

BAND:NSA DC_66A_n38A,Channel:HIGH

range,BW:20M+20M


RSE(5G NSA FCC_NSA_66A_n41A(High) & 66A_n38A & 38A_n66A_1710-1785&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1762.500	-46.30	2.04	-25.0	21.30	163.00	Horizontal	Horizontal	N/A
2170.600	-36.01	3.60	-25.0	11.01	235.00	Horizontal	Horizontal	N/A
2626.900	-27.89	8.13	-25.0	2.89	177.00	Horizontal	Horizontal	N/A
4444.250	-48.44	7.15	-25.0	23.44	166.00	Horizontal	Horizontal	Pass
7575.250	-40.23	14.07	-25.0	15.23	283.00	Horizontal	Horizontal	Pass
10439.363	-40.21	9.82	-25.0	15.21	174.00	Horizontal	Horizontal	Pass

BAND:NSA DC_66A_n38A,Channel:HIGH
range,BW:20M+20M


RSE(5G NSA FOC)_NSA_66A_n41A(High) & 66A_n38A & 38A_n66A_1710-1785&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1762.500	-47.09	2.04	-25.0	22.09	143.00	Horizontal	Vertical	N/A
2170.600	-39.15	3.60	-25.0	14.15	95.00	Horizontal	Vertical	N/A
2626.800	-31.78	8.13	-25.0	6.78	361.00	Horizontal	Vertical	N/A
3886.000	-50.23	5.92	-25.0	25.23	100.00	Horizontal	Vertical	Pass
7181.500	-40.20	14.11	-25.0	15.20	158.00	Horizontal	Vertical	Pass
10430.338	-38.74	9.78	-25.0	13.74	200.00	Horizontal	Vertical	Pass

BAND:NSA DC_66A_n38A,Channel:HIGH
range,BW:20M+20M


RSE(5G NSA FOC_NSA_66A_n41A(High) & 66A_n38A & 38A_n66A_1710-1785&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1762.700	-48.24	2.04	-25.0	23.24	178.00	Vertical	Vertical	N/A
2171.000	-40.68	3.61	-25.0	15.68	361.00	Vertical	Vertical	N/A
2631.200	-35.16	7.56	-25.0	10.16	312.00	Vertical	Vertical	N/A
4132.000	-50.21	6.60	-25.0	25.21	237.00	Vertical	Vertical	Pass
7190.000	-41.07	14.06	-25.0	16.07	244.00	Vertical	Vertical	Pass
10439.363	-41.04	9.82	-25.0	16.04	151.00	Vertical	Vertical	Pass

BAND:NSA DC_66A_n38A,Channel:HIGH
range,BW:20M+20M


RSE[5G NSA FOC_NSA_66A_n41A(High) & 66A_n38A & 38A_n66A_1710-1785&2620-2690_30MHz-27GHz]



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1741.400	-50.54	2.14	-25.0	25.54	185.00	Vertical	Horizontal	N/A
2171.000	-48.39	3.61	-25.0	23.39	317.00	Vertical	Horizontal	N/A
2631.300	-38.06	7.55	-25.0	13.06	362.00	Vertical	Horizontal	N/A
4227.250	-49.62	6.11	-25.0	24.62	133.00	Vertical	Horizontal	Pass
7147.250	-41.46	14.32	-25.0	16.46	225.00	Vertical	Horizontal	Pass
10439.125	-40.10	9.82	-25.0	15.10	26.00	Vertical	Horizontal	Pass

5.17 DC_4A_n41A

BAND:NSA DC_4A_n41A,Channel:HIGH
range,BW:5M+10M




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1751.200	-49.59	1.91	-25.0	24.59	176.00	Horizontal	Horizontal	N/A
2153.500	-36.57	3.77	-25.0	11.57	220.00	Horizontal	Horizontal	N/A
2695.900	-33.36	8.44	-25.0	8.36	119.00	Horizontal	Horizontal	N/A
4131.750	-50.42	6.61	-25.0	25.42	273.00	Horizontal	Horizontal	Pass
7242.500	-41.20	15.00	-25.0	16.20	118.00	Horizontal	Horizontal	Pass
13362.938	-40.08	16.66	-25.0	15.08	179.00	Horizontal	Horizontal	Pass

BAND:NSA DC_4A_n41A,Channel:HIGH


range,BW:5M+10M

RSE[5G NSA FCC] NSA 5A_n41A(High) & 5A_n38A & 38A_n5A_814-849&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1751.400	-49.70	1.91	-25.0	24.70	155.00	Horizontal	Vertical	N/A
2153.100	-35.06	3.77	-25.0	10.06	212.00	Horizontal	Vertical	N/A
2697.800	-30.73	8.45	-25.0	5.73	23.00	Horizontal	Vertical	N/A
4326.250	-48.45	7.06	-25.0	23.45	29.00	Horizontal	Vertical	Pass
7234.500	-40.69	14.79	-25.0	15.69	273.00	Horizontal	Vertical	Pass
10745.975	-37.05	10.82	-25.0	12.05	183.00	Horizontal	Vertical	Pass

RSE[5G NSA FCC] NSA 5A_n41A(High) & 5A_n38A & 38A_n5A_814-849&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1752.900	-50.35	1.90	-25.0	25.35	219.00	Vertical	Vertical	N/A
2153.600	-37.11	3.77	-25.0	12.11	302.00	Vertical	Vertical	N/A
2696.000	-33.84	8.44	-25.0	8.84	68.00	Vertical	Vertical	N/A
5067.250	-46.86	9.89	-25.0	21.86	0.00	Vertical	Vertical	Pass
7249.000	-41.01	14.92	-25.0	16.01	117.00	Vertical	Vertical	Pass
10745.026	-38.16	10.83	-25.0	13.16	169.00	Vertical	Vertical	Pass

BAND:NSA DC_4A_n41A,Channel:HIGH

range,BW:5M+10M

RSE[5G NSA FCC] NSA 5A_n41A(High) & 5A_n38A & 38A_n5A_814-849&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1751.700	-51.21	1.91	-25.0	26.21	233.00	Vertical	Horizontal	N/A
2153.600	-38.45	3.77	-25.0	13.45	302.00	Vertical	Horizontal	N/A
2694.700	-45.43	8.43	-25.0	20.43	207.00	Vertical	Horizontal	N/A
4667.250	-47.99	7.94	-25.0	22.99	63.00	Vertical	Horizontal	Pass
7521.250	-40.84	13.97	-25.0	15.84	109.00	Vertical	Horizontal	Pass
13338.526	-39.95	16.09	-25.0	14.95	228.00	Vertical	Horizontal	Pass

5.18 DC_5A_n41A

BAND:NSA DC_5A_n41A,Channel:LOW
range,BW:5M+10M

RSE(5G NSA FCC)_NSA 5A_n41A(Low) & 5A_n7A &7A_n5A_814-849&2496-2570_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.430	-59.02	5.20	-25.0	34.02	249.00	Horizontal	Horizontal	N/A
871.524	-53.49	4.21	-25.0	28.49	125.00	Horizontal	Horizontal	N/A
2491.900	-32.31	8.09	-25.0	7.31	107.00	Horizontal	Horizontal	N/A
4995.000	-36.91	9.07	-25.0	11.91	319.00	Horizontal	Horizontal	Pass
7248.750	-39.89	14.93	-25.0	14.89	360.00	Horizontal	Horizontal	Pass
9989.537	-36.41	11.09	-25.0	11.41	103.00	Horizontal	Horizontal	Pass

BAND:NSA DC_5A_n41A,Channel:LOW

range,BW:5M+10M

RSE[5G NSA FCC] NSA 5A_n41A(Low) & 5A_n7A & 7A_n5A.814-849&2496-2570.30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.381	-62.71	5.19	-25.0	37.71	-1.00	Horizontal	Vertical	N/A
871.669	-52.99	4.18	-25.0	27.99	116.00	Horizontal	Vertical	N/A
1309.600	-51.73	0.64	-25.0	26.73	181.00	Horizontal	Vertical	Pass
2497.900	-37.95	8.10	-25.0	12.95	155.00	Horizontal	Vertical	N/A
4995.000	-38.15	9.07	-25.0	13.15	241.00	Horizontal	Vertical	Pass
9989.537	-30.57	11.09	-25.0	5.57	205.00	Horizontal	Vertical	Pass

BAND:NSA DC_5A_n41A,Channel:LOW

range,BW:5M+10M


RSE[5G NSA FCC] NSA 5A_n41A(Low) & 5A_n7A & 7A_n5A.814-849&2496-2570.30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.381	-57.30	5.19	-25.0	32.30	118.00	Vertical	Vertical	N/A
869.341	-53.78	4.19	-25.0	28.78	27.00	Vertical	Vertical	N/A
2489.700	-36.50	8.09	-25.0	11.50	336.00	Vertical	Vertical	N/A
4995.000	-41.88	9.07	-25.0	16.88	28.00	Vertical	Vertical	Pass
7878.500	-39.78	14.96	-25.0	14.78	0.00	Vertical	Vertical	Pass
9989.775	-34.05	11.09	-25.0	9.05	212.00	Vertical	Vertical	Pass

BAND:NSA DC_5A_n41A,Channel:LOW
range,BW:5M+10M

RSE[5G NSA FCC] NSA 5A_n41A(Low) & 5A_n7A & 7A_n5A.814-849&2496-2570.30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.333	-61.86	5.19	-25.0	36.86	280.00	Vertical	Horizontal	N/A
871.087	-48.18	4.23	-25.0	23.18	360.00	Vertical	Horizontal	N/A
2487.800	-43.10	8.09	-25.0	18.10	130.00	Vertical	Horizontal	N/A
4994.750	-43.86	9.09	-25.0	18.86	274.00	Vertical	Horizontal	Pass
7371.750	-40.22	14.13	-25.0	15.22	151.00	Vertical	Horizontal	Pass
9989.300	-31.52	11.10	-25.0	6.52	195.00	Vertical	Horizontal	Pass

5.19 DC_41A_n41A


BAND:NSA DC_41A_n41A,Channel:MIDDLE
range,BW:20M+100M

RSE(5G NSA FCC)_NSA 66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.878	-71.07	-18.48	-25.0	46.07	183.00	Horizontal	Horizontal	Pass
1449.400	-52.81	-0.68	-25.0	27.81	233.00	Horizontal	Horizontal	Pass
2581.700	7.92	7.44	-25.0	-32.92	360.00	Horizontal	Horizontal	N/A
5154.500	-45.87	9.16	-25.0	20.87	322.00	Horizontal	Horizontal	Pass
7233.250	-40.71	14.76	-25.0	15.71	0.00	Horizontal	Horizontal	Pass
13400.738	-39.35	16.99	-25.0	14.35	162.00	Horizontal	Horizontal	Pass

BAND:NSA DC_41A_n41A,Channel:MIDDLE
range,BW:20M+100M



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
182.048	-68.72	-17.16	-25.0	43.72	132.00	Horizontal	Vertical	Pass
2590.900	4.75	6.65	-25.0	-29.75	330.00	Horizontal	Vertical	N/A
4973.000	-47.51	9.14	-25.0	22.51	360.00	Horizontal	Vertical	Pass
7191.000	-40.66	14.01	-25.0	15.66	0.00	Horizontal	Vertical	Pass
10321.325	-32.00	10.19	-25.0	7.00	348.00	Horizontal	Vertical	Pass
13408.088	-39.92	16.83	-25.0	14.92	1.00	Horizontal	Vertical	Pass


BAND:NSA DC_41A_n41A,Channel:MIDDLE
range,BW:20M+100M



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
181.999	-66.63	-17.17	-25.0	41.63	80.00	Vertical	Vertical	Pass
2601.500	-2.75	6.63	-25.0	-22.25	263.00	Vertical	Vertical	N/A
5063.250	-46.89	9.89	-25.0	21.89	0.00	Vertical	Vertical	Pass
7474.500	-41.01	14.64	-25.0	16.01	324.00	Vertical	Vertical	Pass
10272.874	-39.41	9.87	-25.0	14.41	185.00	Vertical	Vertical	Pass
13400.475	-39.22	17.00	-25.0	14.22	318.00	Vertical	Vertical	Pass

BAND:NSA DC_41A_n41A,Channel:MIDDLE
range,BW:20M+100M


RSE[GG NSA FCC]_NSA 66A_n41A(Mid) _1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.992	-70.00	-20.09	-25.0	45.00	135.00	Vertical	Horizontal	Pass
1281.100	-53.04	-0.41	-25.0	28.04	149.00	Vertical	Horizontal	Pass
2596.100	0.09	7.83	-25.0	-25.09	0.00	Vertical	Horizontal	N/A
6000.000	-44.41	11.29	-25.0	19.41	360.00	Vertical	Horizontal	Pass
10377.375	-39.08	9.41	-25.0	14.08	197.00	Vertical	Horizontal	Pass
13793.175	-40.54	16.55	-25.0	15.54	360.00	Vertical	Horizontal	Pass


5.20 DC_66A_n41A

BAND:NSA DC_66A_n41A,Channel:HIGH
range,BW:5M+10M




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
182.290	-69.44	-17.14	-25.0	44.44	26.00	Horizontal	Horizontal	Pass
1780.400	-43.20	1.81	-25.0	18.20	149.00	Horizontal	Horizontal	N/A
2177.400	-39.75	3.77	-25.0	14.75	225.00	Horizontal	Horizontal	N/A
2700.600	-36.94	7.52	-25.0	11.94	130.00	Horizontal	Horizontal	N/A
5378.000	-44.45	8.96	-25.0	19.45	249.00	Horizontal	Horizontal	Pass
10755.474	-36.59	10.89	-25.0	11.59	360.00	Horizontal	Horizontal	Pass

BAND:NSA DC_66A_n41A,Channel:HIGH
range,BW:5M+10M



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
182.096	-68.61	-17.16	-25.0	43.61	0.00	Horizontal	Vertical	Pass
1780.400	-38.12	1.81	-25.0	13.12	2.00	Horizontal	Vertical	N/A
2178.200	-41.83	3.77	-25.0	16.83	46.00	Horizontal	Vertical	N/A
2696.600	-35.69	8.44	-25.0	10.69	153.00	Horizontal	Vertical	N/A
6881.000	-41.00	12.38	-25.0	16.00	172.00	Horizontal	Vertical	Pass
10756.425	-32.68	10.92	-25.0	7.68	137.00	Horizontal	Vertical	Pass


BAND:NSA DC_66A_n41A,Channel:HIGH
range,BW:5M+10M



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
182.387	-66.51	-17.13	-25.0	41.51	101.00	Vertical	Vertical	Pass
1780.400	-41.55	1.81	-25.0	16.55	222.00	Vertical	Vertical	N/A
2178.100	-41.93	3.78	-25.0	16.93	328.00	Vertical	Vertical	N/A
6883.250	-41.22	12.49	-25.0	16.22	360.00	Vertical	Vertical	Pass
10755.951	-28.14	10.91	-25.0	3.14	279.00	Vertical	Vertical	N/A
10755.951*	-31.51	10.91	-25.0	6.51	279.00	Vertical	Vertical	Pass
13802.625	-40.20	16.95	-25.0	15.20	360.00	Vertical	Vertical	Pass

Note: The initial sweep time from 8GHz to 13GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

BAND:NSA DC_66A_n41A,Channel:HIGH
range,BW:5M+10M



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
72.001	-69.48	-19.85	-25.0	44.48	121.00	Vertical	Horizontal	Pass
1780.400	-45.07	1.81	-25.0	20.07	26.00	Vertical	Horizontal	N/A
2178.100	-40.11	3.78	-25.0	15.11	360.00	Vertical	Horizontal	N/A
7232.250	-40.06	14.72	-25.0	15.06	61.00	Vertical	Horizontal	Pass
10755.474	-30.87	10.89	-25.0	5.87	46.00	Vertical	Horizontal	N/A
10755.474*	-32.13	10.89	-25.0	7.13	46.00	Vertical	Horizontal	Pass
13806.300	-40.24	16.86	-25.0	15.24	85.00	Vertical	Horizontal	Pass


Note: The initial sweep time from 8GHz to 13GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

5.21 DC_2A_n66A

BAND:NSA DC_2A_n66A,Channel:LOW

range,BW:5M+5M


RSE(5G NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1699.400	-30.30	1.64	-13.0	17.30	1.00	Horizontal	Horizontal	N/A
1804.700	-46.15	0.08	-13.0	33.15	150.00	Horizontal	Horizontal	Pass
1933.200	-34.66	2.42	-13.0	21.66	248.00	Horizontal	Horizontal	N/A
2113.800	-41.94	2.90	-13.0	28.94	209.00	Horizontal	Horizontal	N/A
5132.250	-44.95	8.81	-13.0	31.95	261.00	Horizontal	Horizontal	Pass
13384.988	-39.98	16.87	-13.0	26.98	3.00	Horizontal	Horizontal	Pass

BAND:NSA DC_2A_n66A,Channel:LOW
range,BW:5M+5M


RSE(5G NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&(1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1700.800	-27.35	1.64	-13.0	14.35	0.00	Horizontal	Vertical	N/A
1933.100	-33.69	2.43	-13.0	20.69	231.00	Horizontal	Vertical	N/A
2112.700	-40.83	2.99	-13.0	27.83	93.00	Horizontal	Vertical	N/A
5132.000	-42.03	8.80	-13.0	29.03	81.00	Horizontal	Vertical	Pass
7188.250	-40.11	14.04	-13.0	27.11	93.00	Horizontal	Vertical	Pass
13383.412	-38.93	16.85	-13.0	25.93	324.00	Horizontal	Vertical	Pass

BAND:NSA DC_2A_n66A,Channel:LOW
range,BW:5M+5M


RSE(GG NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1222.400	-53.54	-1.60	-13.0	40.54	73.00	Vertical	Vertical	Pass
1702.700	-33.18	1.61	-13.0	20.18	359.00	Vertical	Vertical	N/A
1932.800	-48.65	2.47	-13.0	35.65	131.00	Vertical	Vertical	N/A
5132.000	-42.93	8.80	-13.0	29.93	101.00	Vertical	Vertical	Pass
7264.250	-41.05	14.38	-13.0	28.05	9.00	Vertical	Vertical	Pass
11985.724	-40.07	13.87	-13.0	27.07	0.00	Vertical	Vertical	Pass

BAND:NSA DC_2A_n66A,Channel:LOW
range,BW:5M+5M

RSE(GG NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1423.900	-52.38	-1.04	-13.0	39.38	231.00	Vertical	Horizontal	Pass
1701.700	-38.82	1.63	-13.0	25.82	73.00	Vertical	Horizontal	N/A
1932.900	-46.13	2.46	-13.0	33.13	142.00	Vertical	Horizontal	N/A
4668.750	-48.32	7.88	-13.0	35.32	360.00	Vertical	Horizontal	Pass
6700.000	-41.33	13.09	-13.0	28.33	228.00	Vertical	Horizontal	Pass
13359.000	-39.39	16.62	-13.0	26.39	360.00	Vertical	Horizontal	Pass

5.22 DC_5A_n66A

BAND:NSA DC_5A_n66A,Channel:LOW
range,BW:5M+5M


RSE(GG NSA FCC)_NSA_5A_n66A & 66A_n5A_B14-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.333	-56.80	5.19	-13.0	43.80	117.00	Horizontal	Horizontal	N/A
871.330	-52.04	4.25	-13.0	39.04	51.00	Horizontal	Horizontal	N/A
1698.500	-28.73	2.14	-13.0	15.73	30.00	Horizontal	Horizontal	N/A
2112.700	-40.41	3.56	-13.0	27.41	237.00	Horizontal	Horizontal	N/A
4905.750	-46.92	8.25	-13.0	33.92	341.00	Horizontal	Horizontal	Pass
11959.599	-39.26	13.97	-13.0	26.26	360.00	Horizontal	Horizontal	Pass

BAND:NSA DC_5A_n66A,Channel:LOW
range,BW:5M+5M


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_B14-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.430	-54.56	5.20	-13.0	41.56	357.00	Horizontal	Vertical	N/A
871.475	-53.38	4.22	-13.0	40.38	17.00	Horizontal	Vertical	N/A
1700.700	-25.95	2.41	-13.0	12.95	2.00	Horizontal	Vertical	N/A
2112.200	-39.21	3.57	-13.0	26.21	102.00	Horizontal	Vertical	N/A
5132.000	-39.85	8.80	-13.0	26.85	34.00	Horizontal	Vertical	Pass
13410.187	-39.40	16.79	-13.0	26.40	226.00	Horizontal	Vertical	Pass

BAND:NSA DC_5A_n66A,Channel:LOW
range,BW:5M+5M


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_B14-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.333	-59.33	5.19	-13.0	46.33	360.00	Vertical	Vertical	N/A
871.815	-59.60	4.15	-13.0	46.60	216.00	Vertical	Vertical	N/A
1696.300	-38.17	1.69	-13.0	25.17	213.00	Vertical	Vertical	N/A
5132.000	-43.87	8.80	-13.0	30.87	58.00	Vertical	Vertical	Pass
7465.750	-41.00	14.48	-13.0	28.00	23.00	Vertical	Vertical	Pass
13357.950	-39.86	16.61	-13.0	26.86	360.00	Vertical	Vertical	Pass

BAND:NSA DC_5A_n66A,Channel:LOW
range,BW:5M+5M

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_B14-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.333	-56.18	5.19	-13.0	43.18	282.00	Vertical	Horizontal	N/A
870.457	-53.77	4.17	-13.0	40.77	314.00	Vertical	Horizontal	N/A
1698.800	-39.85	2.25	-13.0	26.85	246.00	Vertical	Horizontal	N/A
4461.750	-49.11	7.30	-13.0	36.11	242.00	Vertical	Horizontal	Pass
6592.500	-42.55	13.64	-13.0	29.55	127.00	Vertical	Horizontal	Pass
13406.250	-39.82	16.87	-13.0	26.82	174.00	Vertical	Horizontal	Pass

5.23 DC_7A_n66A

BAND:NSA DC_7A_n66A,Channel:HIGH

range,BW:5M+5M


RSE(5G NSA FCC_NSA 66A_n41A(Low) & 66A_n7A & 7A_n66A_1710-1785&2496-2570_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1792.200	-27.85	0.85	-25.0	2.85	94.00	Horizontal	Horizontal	N/A
2177.500	-40.42	3.60	-25.0	15.42	223.00	Horizontal	Horizontal	N/A
2570.400	-37.81	7.41	-25.0	12.81	184.00	Horizontal	Horizontal	N/A
2689.500	-41.25	6.44	-25.0	16.25	212.00	Horizontal	Horizontal	N/A
3559.500	-47.89	5.08	-25.0	22.89	334.00	Horizontal	Horizontal	Pass
5140.000	-44.35	9.01	-25.0	19.35	311.00	Horizontal	Horizontal	Pass

BAND:NSA DC_7A_n66A,Channel:HIGH
range,BW:5M+5M


RSE(SG NSA FCC_NSA 66A_n41A(Low) & 66A_n7A & 7A_n66A_1710-1785&2496-2570_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1798.600	-29.25	-0.00	-25.0	4.25	360.00	Horizontal	Vertical	N/A
2178.700	-39.89	3.62	-25.0	14.89	236.00	Horizontal	Vertical	N/A
2570.400	-45.55	7.41	-25.0	20.55	0.00	Horizontal	Vertical	N/A
2688.500	-39.63	6.39	-25.0	14.63	216.00	Horizontal	Vertical	N/A
5140.000	-43.14	9.01	-25.0	18.14	207.00	Horizontal	Vertical	Pass
5339.000	-42.56	8.25	-25.0	17.56	183.00	Horizontal	Vertical	Pass
10279.287	-38.06	10.13	-25.0	13.06	226.00	Horizontal	Vertical	Pass

BAND:NSA DC_7A_n66A,Channel:HIGH
range,BW:5M+5M


RSE(SG NSA FCC_NSA 66A_n41A(Low) & 66A_n7A & 7A_n66A_1710-1785&2496-2570_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1802.200	-36.48	-0.27	-25.0	11.48	46.00	Vertical	Vertical	Pass
2570.600	-42.45	7.41	-25.0	17.45	197.00	Vertical	Vertical	N/A
4222.500	-49.31	6.22	-25.0	24.31	360.00	Vertical	Vertical	Pass
5848.250	-44.47	10.85	-25.0	19.47	139.00	Vertical	Vertical	Pass
7237.250	-40.37	14.91	-25.0	15.37	360.00	Vertical	Vertical	Pass
12510.363	-39.77	14.55	-25.0	14.77	0.00	Vertical	Vertical	Pass

BAND:NSA DC_7A_n66A,Channel:HIGH
range,BW:5M+5M

RSE(SG NSA FCC_NSA 66A_n41A(Low) & 66A_n7A & 7A_n66A_1710-1785&2496-2570_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1795.500	-46.34	0.28	-25.0	21.34	93.00	Vertical	Horizontal	N/A
2570.600	-44.51	7.41	-25.0	19.51	144.00	Vertical	Horizontal	N/A
3559.500	-48.21	5.08	-25.0	23.21	250.00	Vertical	Horizontal	Pass
5140.000	-45.10	9.01	-25.0	20.10	134.00	Vertical	Horizontal	Pass
7482.500	-39.98	14.36	-25.0	14.98	250.00	Vertical	Horizontal	Pass
13386.037	-39.85	16.88	-25.0	14.85	360.00	Vertical	Horizontal	Pass

5.24 DC_66A_n66A

BAND:NSA DC_66A_n66A,Channel:LOW
range,BW:5M+5M


RSE(GG NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1699.800	-25.48	2.42	-13.0	12.48	330.00	Horizontal	Horizontal	N/A
2113.500	-33.49	3.50	-13.0	20.49	232.00	Horizontal	Horizontal	N/A
5132.500	-42.01	8.82	-13.0	29.01	117.00	Horizontal	Horizontal	Pass
7238.250	-38.73	14.97	-13.0	25.73	241.00	Horizontal	Horizontal	Pass
9439.013	-41.65	11.68	-13.0	28.65	91.00	Horizontal	Horizontal	Pass
13357.688	-40.43	16.61	-13.0	27.43	360.00	Horizontal	Horizontal	Pass

BAND:NSA DC_66A_n66A,Channel:LOW
range,BW:5M+5M


RSE(5G NSA FCC)_NSA 2A_n66A & 66A_n2A_1710-1785&(1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1701.600	-23.17	2.40	-13.0	10.17	0.00	Horizontal	Vertical	N/A
2112.200	-33.83	3.57	-13.0	20.83	233.00	Horizontal	Vertical	N/A
5131.750	-40.62	8.80	-13.0	27.62	115.00	Horizontal	Vertical	Pass
7237.000	-40.21	14.88	-13.0	27.21	355.00	Horizontal	Vertical	Pass
10066.725	-42.27	12.74	-13.0	29.27	260.00	Horizontal	Vertical	Pass
11985.724	-40.65	13.87	-13.0	27.65	210.00	Horizontal	Vertical	Pass

BAND:NSA DC_66A_n66A,Channel:LOW
range,BW:5M+5M


RSE(5G NSA FCC)_NSA 2A_n66A & 66A_n2A_1710-1785&(1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1701.900	-34.13	2.39	-13.0	21.13	221.00	Vertical	Vertical	N/A
2112.800	-49.04	3.56	-13.0	36.04	338.00	Vertical	Vertical	N/A
5132.000	-43.15	8.80	-13.0	30.15	184.00	Vertical	Vertical	Pass
7481.750	-40.72	14.39	-13.0	27.72	332.00	Vertical	Vertical	Pass
10068.150	-42.27	12.69	-13.0	29.27	141.00	Vertical	Vertical	Pass
13376.588	-39.98	16.79	-13.0	26.98	360.00	Vertical	Vertical	Pass

BAND:NSA DC_66A_n66A,Channel:LOW
range,BW:5M+5M

RSE(5G NSA FCC)_NSA 2A_n66A & 66A_n2A_1710-1785&(1850-1920_30MHz-22GHz)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1697.400	-42.61	1.84	-13.0	29.61	247.00	Vertical	Horizontal	N/A
2113.600	-47.21	3.50	-13.0	34.21	138.00	Vertical	Horizontal	N/A
5131.750	-45.07	8.80	-13.0	32.07	184.00	Vertical	Horizontal	Pass
7236.250	-40.67	14.86	-13.0	27.67	93.00	Vertical	Horizontal	Pass
11935.849	-40.39	13.99	-13.0	27.39	216.00	Vertical	Horizontal	Pass
13376.326	-39.83	16.79	-13.0	26.83	360.00	Vertical	Horizontal	Pass

5.25 DC_5A_n77A(3450-3550)

BAND:NSA DC_5A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA_5A_n77A(Mid) & 26A_N77A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-58.37	5.85	-13.0	45.37	215.00	Horizontal	Horizontal	N/A
891.845	-50.37	4.48	-13.0	37.37	344.00	Horizontal	Horizontal	N/A
2755.400	-44.74	0.02	-13.0	31.74	1.00	Horizontal	Horizontal	Pass
3544.250	-42.10	12.11	-13.0	29.10	27.00	Horizontal	Horizontal	N/A
7234.750	-32.42	23.53	-13.0	19.42	212.00	Horizontal	Horizontal	Pass
13342.200	-40.46	16.23	-13.0	27.46	152.00	Horizontal	Horizontal	Pass

BAND:NSA DC_5A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-57.83	5.85	-13.0	44.83	332.00	Horizontal	Vertical	N/A
891.554	-49.74	4.48	-13.0	36.74	143.00	Horizontal	Vertical	N/A
3545.750	-44.63	12.11	-13.0	31.63	193.00	Horizontal	Vertical	N/A
7246.500	-31.50	24.00	-13.0	18.50	269.00	Horizontal	Vertical	Pass
11955.562	-40.21	13.99	-13.0	27.21	243.00	Horizontal	Vertical	Pass
20012.401	-44.04	12.95	-13.0	31.04	125.00	Horizontal	Vertical	Pass

BAND:NSA DC_5A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-57.28	5.85	-13.0	44.28	260.00	Vertical	Vertical	N/A
891.214	-53.80	4.48	-13.0	40.80	177.00	Vertical	Vertical	N/A
3231.250	-44.53	11.83	-13.0	31.53	48.00	Vertical	Vertical	Pass
7960.000	-30.66	24.95	-13.0	17.66	1.00	Vertical	Vertical	Pass
13387.612	-39.80	16.89	-13.0	26.80	3.00	Vertical	Vertical	Pass
17798.926	-43.87	13.13	-13.0	30.87	68.00	Vertical	Vertical	Pass

BAND:NSA DC_5A_n77A,Channel:HIGH
range,BW:5M+10M

RSE(GG NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) .814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-57.15	5.85	-13.0	44.15	360.00	Vertical	Horizontal	N/A
891.700	-51.08	4.48	-13.0	38.08	212.00	Vertical	Horizontal	N/A
3343.750	-44.39	10.91	-13.0	31.39	204.00	Vertical	Horizontal	Pass
7958.250	-31.01	24.87	-13.0	18.01	61.00	Vertical	Horizontal	Pass
13361.362	-39.39	16.65	-13.0	26.39	309.00	Vertical	Horizontal	Pass
17799.975	-42.89	13.20	-13.0	29.89	3.00	Vertical	Horizontal	Pass

5.26 DC_5A_n77A(3700-3980)

BAND:NSA DC_5A_n77A,Channel:HIGH
range,BW:20M+100M


RSE(SG NSA FCC)_NSA_5A_n77A(Mid) & 26A_N77A(Mid) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-56.69	5.85	-13.0	43.69	129.00	Horizontal	Horizontal	N/A
889.420	-50.77	4.50	-13.0	37.77	360.00	Horizontal	Horizontal	N/A
3862.000	-43.61	13.74	-13.0	30.61	207.00	Horizontal	Horizontal	Pass
7246.750	-32.35	24.18	-13.0	19.35	158.00	Horizontal	Horizontal	Pass
13365.037	-39.95	16.68	-13.0	26.95	192.00	Horizontal	Horizontal	Pass
17788.162	-44.08	12.47	-13.0	31.08	3.00	Horizontal	Horizontal	Pass

BAND:NSA DC_5A_n77A,Channel:HIGH
 range,BW:20M+100M


RSE(GG NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-57.38	5.85	-13.0	44.38	179.00	Horizontal	Vertical	N/A
889.372	-50.99	4.50	-13.0	37.99	198.00	Horizontal	Vertical	N/A
3825.500	-42.93	13.52	-13.0	29.93	179.00	Horizontal	Vertical	Pass
7246.750	-32.30	24.18	-13.0	19.30	151.00	Horizontal	Vertical	Pass
13370.812	-40.22	16.74	-13.0	27.22	360.00	Horizontal	Vertical	Pass
17948.813	-42.88	14.06	-13.0	29.88	196.00	Horizontal	Vertical	Pass

BAND:NSA DC_5A_n77A,Channel:HIGH
 range,BW:20M+100M


RSE(GG NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-57.43	5.85	-13.0	44.43	360.00	Vertical	Vertical	N/A
891.554	-54.71	4.48	-13.0	41.71	185.00	Vertical	Vertical	N/A
4498.000	-41.82	13.91	-13.0	28.82	297.00	Vertical	Vertical	Pass
7562.250	-31.73	22.37	-13.0	18.73	23.00	Vertical	Vertical	Pass
12617.713	-40.28	14.21	-13.0	27.28	247.00	Vertical	Vertical	Pass
17850.374	-43.93	11.85	-13.0	30.93	182.00	Vertical	Vertical	Pass

BAND:NSA DC_5A_n77A,Channel:HIGH
 range,BW:20M+100M

RSE(GG NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) .814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.998	-56.90	5.85	-13.0	43.90	2.00	Vertical	Horizontal	N/A
889.468	-53.89	4.50	-13.0	40.89	158.00	Vertical	Horizontal	N/A
2162.200	-54.44	-2.24	-13.0	41.44	334.00	Vertical	Horizontal	Pass
7246.000	-32.60	24.08	-13.0	19.60	9.00	Vertical	Horizontal	Pass
13400.738	-40.35	16.99	-13.0	27.35	264.00	Vertical	Horizontal	Pass
20386.349	-43.21	12.97	-13.0	30.21	1.00	Vertical	Horizontal	Pass

5.27 DC_7A_n77A(3450-3550)

BAND:NSA DC_7A_n77A,Channel:HIGH

range,BW:5M+10M


RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2570.500	-35.21	8.24	-25.0	10.21	177.00	Horizontal	Horizontal	N/A
2688.200	-40.16	8.15	-25.0	15.16	181.00	Horizontal	Horizontal	N/A
3549.000	-39.66	12.09	-25.0	14.66	360.00	Horizontal	Horizontal	N/A
7211.750	-31.43	22.95	-25.0	6.43	0.00	Horizontal	Horizontal	Pass
13395.225	-39.38	16.97	-25.0	14.38	90.00	Horizontal	Horizontal	Pass
17822.550	-42.64	12.59	-25.0	17.64	219.00	Horizontal	Horizontal	Pass

BAND:NSA DC_7A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1235.000	-53.25	-1.02	-25.0	28.25	177.00	Horizontal	Vertical	Pass
2570.400	-39.76	8.24	-25.0	14.76	201.00	Horizontal	Vertical	N/A
3507.500	-43.14	12.30	-25.0	18.14	143.00	Horizontal	Vertical	Pass
7960.000	-31.64	24.95	-25.0	6.64	71.00	Horizontal	Vertical	Pass
13795.537	-39.40	16.71	-25.0	14.40	339.00	Horizontal	Vertical	Pass
20366.551	-43.07	12.97	-25.0	18.07	89.00	Horizontal	Vertical	Pass

BAND:NSA DC_7A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1626.100	-52.27	-0.46	-25.0	27.27	173.00	Vertical	Vertical	Pass
2570.500	-42.42	8.24	-25.0	17.42	30.00	Vertical	Vertical	N/A
2688.200	-41.72	8.15	-25.0	16.72	212.00	Vertical	Vertical	N/A
7937.750	-31.01	24.34	-25.0	6.01	243.00	Vertical	Vertical	Pass
10279.287	-38.33	10.13	-25.0	13.33	121.00	Vertical	Vertical	Pass
13351.912	-39.46	16.56	-25.0	14.46	256.00	Vertical	Vertical	Pass

BAND:NSA DC_7A_n77A,Channel:HIGH
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1364.900	-53.01	-0.67	-25.0	28.01	124.00	Vertical	Horizontal	Pass
2570.600	-41.54	8.24	-25.0	16.54	147.00	Vertical	Horizontal	N/A
5005.750	-40.08	15.60	-25.0	15.08	5.00	Vertical	Horizontal	Pass
7951.750	-30.90	24.32	-25.0	5.90	54.00	Vertical	Horizontal	Pass
13374.750	-38.75	16.77	-25.0	13.75	20.00	Vertical	Horizontal	Pass
17820.449	-42.56	12.64	-25.0	17.56	268.00	Vertical	Horizontal	Pass

5.28 DC_7A_n77A(3700-3980)

BAND:NSA DC_7A_n77A,Channel:HIGH
range,BW:20M+100M


RSE(SG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3500_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1302.800	-53.19	0.32	-25.0	28.19	3.00	Horizontal	Horizontal	Pass
2176.100	-48.05	4.61	-25.0	23.05	345.00	Horizontal	Horizontal	Pass
2680.600	-40.32	8.22	-25.0	15.32	224.00	Horizontal	Horizontal	N/A
7247.000	-31.75	24.21	-25.0	6.75	102.00	Horizontal	Horizontal	Pass
11994.276	-40.20	13.84	-25.0	15.20	260.00	Horizontal	Horizontal	Pass
17803.387	-43.96	13.11	-25.0	18.96	131.00	Horizontal	Horizontal	Pass

BAND:NSA DC_7A_n77A,Channel:HIGH
 range,BW:20M+100M


RSE(GG NSA FCC)_NSA_7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1293.400	-53.22	-0.10	-25.0	28.22	261.00	Horizontal	Vertical	Pass
2026.600	-48.76	3.31	-25.0	23.76	212.00	Horizontal	Vertical	Pass
2681.000	-38.15	8.19	-25.0	13.15	222.00	Horizontal	Vertical	N/A
7249.250	-32.09	24.23	-25.0	7.09	222.00	Horizontal	Vertical	Pass
10208.513	-38.31	10.83	-25.0	13.31	236.00	Horizontal	Vertical	Pass
13392.862	-39.43	16.94	-25.0	14.43	311.00	Horizontal	Vertical	Pass

BAND:NSA DC_7A_n77A,Channel:HIGH
range,BW:20M+100M


RSE(GG NSA FCC)_NSA_7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1413.000	-52.44	-0.19	-25.0	27.44	56.00	Vertical	Vertical	Pass
2557.100	-43.77	8.28	-25.0	18.77	230.00	Vertical	Vertical	N/A
2995.800	-42.52	12.98	-25.0	17.52	56.00	Vertical	Vertical	Pass
7245.500	-32.88	24.02	-25.0	7.88	272.00	Vertical	Vertical	Pass
11932.526	-40.24	13.99	-25.0	15.24	360.00	Vertical	Vertical	Pass
17795.512	-44.15	12.92	-25.0	19.15	159.00	Vertical	Vertical	Pass

BAND:NSA DC_7A_n77A,Channel:HIGH
range,BW:20M+100M

RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1446.900	-52.21	0.04	-25.0	27.21	67.00	Vertical	Horizontal	Pass
2177.300	-47.84	4.57	-25.0	22.84	148.00	Vertical	Horizontal	Pass
2968.500	-42.10	12.56	-25.0	17.10	259.00	Vertical	Horizontal	Pass
7254.500	-31.86	23.89	-25.0	6.86	298.00	Vertical	Horizontal	Pass
13395.488	-39.74	16.97	-25.0	14.74	3.00	Vertical	Horizontal	Pass
17951.437	-43.11	14.05	-25.0	18.11	112.00	Vertical	Horizontal	Pass

5.29 DC_41A_n77A(3450-3550)

BAND:NSA DC_41A_n77A,Channel:HIGH

range,BW:5M+10M


RSE(5G NSA FCC)_NSA_7A_n78A &41A(Low)_n78A_2495-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1314.700	-52.96	0.30	-25.0	27.96	206.00	Horizontal	Horizontal	Pass
2189.000	-48.43	4.55	-25.0	23.43	318.00	Horizontal	Horizontal	Pass
3546.250	-42.71	12.10	-25.0	17.71	3.00	Horizontal	Horizontal	N/A
7624.750	-31.05	23.44	-25.0	6.05	179.00	Horizontal	Horizontal	Pass
13352.438	-40.03	16.56	-25.0	15.03	218.00	Horizontal	Horizontal	Pass
17935.950	-42.17	13.75	-25.0	17.17	160.00	Horizontal	Horizontal	Pass

BAND:NSA DC_41A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1296.000	-52.48	-0.03	-25.0	27.48	89.00	Horizontal	Vertical	Pass
2153.000	-48.67	4.66	-25.0	23.67	142.00	Horizontal	Vertical	Pass
2998.300	-41.72	12.56	-25.0	16.72	1.00	Horizontal	Vertical	Pass
7590.000	-31.42	22.22	-25.0	6.42	97.00	Horizontal	Vertical	Pass
12504.188	-39.03	14.65	-25.0	14.03	273.00	Horizontal	Vertical	Pass
17912.062	-42.93	13.18	-25.0	17.93	118.00	Horizontal	Vertical	Pass

BAND:NSA DC_41A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1258.100	-53.02	-0.34	-25.0	28.02	308.00	Vertical	Vertical	Pass
2978.900	-42.14	12.55	-25.0	17.14	292.00	Vertical	Vertical	Pass
7965.000	-31.00	24.71	-25.0	6.00	211.00	Vertical	Vertical	Pass
9446.612	-42.03	11.68	-25.0	17.03	360.00	Vertical	Vertical	Pass
13393.912	-38.39	16.95	-25.0	13.39	3.00	Vertical	Vertical	Pass
17956.426	-42.30	13.93	-25.0	17.30	232.00	Vertical	Vertical	Pass

BAND:NSA DC_41A_n77A,Channel:HIGH
range,BW:5M+10M

RSE(SG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1336.200	-52.79	-0.36	-25.0	27.79	166.00	Vertical	Horizontal	Pass
2179.900	-48.36	4.69	-25.0	23.36	120.00	Vertical	Horizontal	Pass
2996.500	-42.49	12.48	-25.0	17.49	190.00	Vertical	Horizontal	Pass
7366.000	-31.70	23.33	-25.0	6.70	273.00	Vertical	Horizontal	Pass
13329.599	-39.66	15.74	-25.0	14.66	102.00	Vertical	Horizontal	Pass
18062.100	-42.73	12.85	-25.0	17.73	218.00	Vertical	Horizontal	Pass

5.30 DC_41A_n77A(3700-3980)

BAND:NSA DC_41A_n77A,Channel:HIGH

range,BW:20M+100M


RSE(5G NSA FCC)_NSA_7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1302.600	-52.83	0.51	-25.0	27.83	29.00	Horizontal	Horizontal	Pass
2073.900	-48.53	3.70	-25.0	23.53	13.00	Horizontal	Horizontal	Pass
2991.600	-41.94	12.49	-25.0	16.94	0.00	Horizontal	Horizontal	Pass
7241.000	-31.73	23.46	-25.0	6.73	211.00	Horizontal	Horizontal	Pass
12536.724	-39.98	14.13	-25.0	14.98	140.00	Horizontal	Horizontal	Pass
19641.149	-42.27	12.93	-25.0	17.27	246.00	Horizontal	Horizontal	Pass

BAND:NSA DC_41A_n77A,Channel:HIGH
range,BW:20M+100M


RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1309.200	-52.91	0.27	-25.0	27.91	1.00	Horizontal	Vertical	Pass
2204.800	-48.06	4.87	-25.0	23.06	277.00	Horizontal	Vertical	Pass
2965.500	-42.59	12.02	-25.0	17.59	24.00	Horizontal	Vertical	Pass
7246.000	-31.68	24.08	-25.0	6.68	58.00	Horizontal	Vertical	Pass
12524.849	-39.13	14.32	-25.0	14.13	267.00	Horizontal	Vertical	Pass
19676.699	-42.57	12.94	-25.0	17.57	1.00	Horizontal	Vertical	Pass

BAND:NSA DC_41A_n77A,Channel:HIGH
range,BW:20M+100M


RSE(SG NSA FCC_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1417.300	-51.94	-0.22	-25.0	26.94	159.00	Vertical	Vertical	Pass
2953.000	-42.67	11.90	-25.0	17.67	2.00	Vertical	Vertical	Pass
4164.750	-40.81	13.83	-25.0	15.81	254.00	Vertical	Vertical	Pass
7231.750	-31.61	22.63	-25.0	6.61	1.00	Vertical	Vertical	Pass
12475.688	-39.34	14.50	-25.0	14.34	130.00	Vertical	Vertical	Pass
17934.113	-42.41	13.71	-25.0	17.41	123.00	Vertical	Vertical	Pass

BAND:NSA DC_41A_n77A,Channel:HIGH
range,BW:20M+100M

RSE(SG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1328.000	-52.42	-0.21	-25.0	27.42	0.00	Vertical	Horizontal	Pass
2182.800	-48.30	4.73	-25.0	23.30	129.00	Vertical	Horizontal	Pass
3000.000	-42.12	12.65	-25.0	17.12	208.00	Vertical	Horizontal	Pass
7088.250	-32.43	21.70	-25.0	7.43	165.00	Vertical	Horizontal	Pass
13333.012	-40.18	15.87	-25.0	15.18	162.00	Vertical	Horizontal	Pass
17954.849	-42.73	13.97	-25.0	17.73	279.00	Vertical	Horizontal	Pass

5.31 DC_66A_n77A(3450-3550)

BAND:NSA DC_66A_n77A,Channel:HIGH

range,BW:5M+10M


RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2495-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1276.500	-50.87	-0.11	-25.0	25.87	204.00	Horizontal	Horizontal	Pass
2178.300	-34.20	4.53	-25.0	9.20	220.00	Horizontal	Horizontal	N/A
3549.250	-38.16	12.09	-25.0	13.16	1.00	Horizontal	Horizontal	N/A
7961.250	-31.20	24.97	-25.0	6.20	91.00	Horizontal	Horizontal	Pass
12488.513	-40.53	14.62	-25.0	15.53	40.00	Horizontal	Horizontal	Pass
17813.101	-43.23	12.84	-25.0	18.23	188.00	Horizontal	Horizontal	Pass

BAND:NSA DC_66A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1713.000	-50.66	2.25	-25.0	25.66	191.00	Horizontal	Vertical	Pass
2178.200	-33.09	4.53	-25.0	8.09	216.00	Horizontal	Vertical	N/A
3549.750	-41.78	12.09	-25.0	16.78	336.00	Horizontal	Vertical	N/A
7955.500	-31.31	24.64	-25.0	6.31	89.00	Horizontal	Vertical	Pass
13371.338	-39.69	16.74	-25.0	14.69	116.00	Horizontal	Vertical	Pass
17935.950	-43.41	13.75	-25.0	18.41	267.00	Horizontal	Vertical	Pass

BAND:NSA DC_66A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1767.400	-50.61	1.77	-25.0	25.61	216.00	Vertical	Vertical	Pass
2936.400	-42.71	11.83	-25.0	17.71	82.00	Vertical	Vertical	Pass
3549.500	-42.09	12.09	-25.0	17.09	89.00	Vertical	Vertical	N/A
6706.500	-32.77	21.21	-25.0	7.77	108.00	Vertical	Vertical	Pass
12706.775	-40.39	14.78	-25.0	15.39	294.00	Vertical	Vertical	Pass
17787.376	-43.47	12.42	-25.0	18.47	291.00	Vertical	Vertical	Pass

BAND:NSA DC_66A_n77A,Channel:HIGH
range,BW:5M+10M

RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1295.300	-51.97	-0.02	-25.0	26.97	265.00	Vertical	Horizontal	Pass
2980.500	-42.46	12.32	-25.0	17.46	317.00	Vertical	Horizontal	Pass
7466.500	-31.59	23.11	-25.0	6.59	279.00	Vertical	Horizontal	Pass
11999.974	-40.04	13.82	-25.0	15.04	185.00	Vertical	Horizontal	Pass
13373.963	-39.48	16.77	-25.0	14.48	109.00	Vertical	Horizontal	Pass
17954.062	-42.39	13.99	-25.0	17.39	264.00	Vertical	Horizontal	Pass

5.32 DC_66A_n77A(3700-3980)

BAND:NSA DC_66A_n77A,Channel:HIGH

range,BW:5M+10M


RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2495-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1312.800	-53.14	0.79	-25.0	28.14	6.00	Horizontal	Horizontal	Pass
1729.900	-49.36	2.05	-25.0	24.36	226.00	Horizontal	Horizontal	Pass
2178.500	-36.13	4.10	-25.0	11.13	237.00	Horizontal	Horizontal	N/A
7965.000	-31.88	24.17	-25.0	6.88	274.00	Horizontal	Horizontal	Pass
13353.750	-39.73	16.58	-25.0	14.73	175.00	Horizontal	Horizontal	Pass
20366.100	-43.78	12.97	-25.0	18.78	322.00	Horizontal	Horizontal	Pass

BAND:NSA DC_66A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1710.800	-50.37	2.28	-25.0	25.37	224.00	Horizontal	Vertical	Pass
2178.600	-36.24	4.10	-25.0	11.24	224.00	Horizontal	Vertical	N/A
2896.800	-44.19	9.82	-25.0	19.19	359.00	Horizontal	Vertical	Pass
7540.500	-32.13	22.14	-25.0	7.13	112.00	Horizontal	Vertical	Pass
12513.688	-40.31	14.50	-25.0	15.31	12.00	Horizontal	Vertical	Pass
20415.599	-43.30	12.97	-25.0	18.30	356.00	Horizontal	Vertical	Pass

BAND:NSA DC_66A_n77A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1302.500	-52.76	0.44	-25.0	27.76	108.00	Vertical	Vertical	Pass
2177.600	-47.65	4.12	-25.0	22.65	0.00	Vertical	Vertical	N/A
2867.400	-44.17	8.84	-25.0	19.17	345.00	Vertical	Vertical	Pass
7233.250	-32.02	22.77	-25.0	7.02	320.00	Vertical	Vertical	Pass
13336.424	-40.23	16.01	-25.0	15.23	312.00	Vertical	Vertical	Pass
20429.099	-43.37	12.97	-25.0	18.37	1.00	Vertical	Vertical	Pass

BAND:NSA DC_66A_n77A,Channel:HIGH
range,BW:5M+10M

RSE(GG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1320.600	-51.99	0.06	-25.0	26.99	147.00	Vertical	Horizontal	Pass
2156.400	-47.24	4.26	-25.0	22.24	40.00	Vertical	Horizontal	N/A
2985.600	-44.59	10.21	-25.0	19.59	264.00	Vertical	Horizontal	Pass
7990.000	-32.06	23.44	-25.0	7.06	250.00	Vertical	Horizontal	Pass
13359.787	-38.97	16.63	-25.0	13.97	11.00	Vertical	Horizontal	Pass
17800.239	-43.46	13.19	-25.0	18.46	11.00	Vertical	Horizontal	Pass

5.33 DC_2A_n78A(3450-3550)

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M


RSE(GG NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1874.600	-45.56	2.33	-13.0	32.56	339.00	Horizontal	Horizontal	N/A
1960.500	-37.36	0.92	-13.0	24.36	254.00	Horizontal	Horizontal	N/A
3523.500	-41.25	12.22	-13.0	28.25	360.00	Horizontal	Horizontal	Pass
7951.750	-31.60	24.32	-13.0	18.60	311.00	Horizontal	Horizontal	Pass
12670.675	-39.72	14.49	-13.0	26.72	324.00	Horizontal	Horizontal	Pass
17802.863	-42.68	13.12	-13.0	29.68	271.00	Horizontal	Horizontal	Pass

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1874.300	-48.14	2.33	-13.0	35.14	177.00	Horizontal	Vertical	N/A
1960.900	-40.46	0.95	-13.0	27.46	248.00	Horizontal	Vertical	N/A
3523.250	-42.76	12.22	-13.0	29.76	176.00	Horizontal	Vertical	N/A
7232.250	-31.61	23.32	-13.0	18.61	100.00	Horizontal	Vertical	Pass
11989.287	-39.99	13.86	-13.0	26.99	0.00	Horizontal	Vertical	Pass
17951.177	-43.25	14.06	-13.0	30.25	155.00	Horizontal	Vertical	Pass

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M


RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1874.500	-49.47	2.33	-13.0	36.47	200.00	Vertical	Vertical	N/A
1961.100	-49.07	0.97	-13.0	36.07	102.00	Vertical	Vertical	N/A
3590.750	-44.50	12.31	-13.0	31.50	0.00	Vertical	Vertical	Pass
7952.000	-31.42	24.32	-13.0	18.42	360.00	Vertical	Vertical	Pass
13797.112	-39.52	16.82	-13.0	26.52	28.00	Vertical	Vertical	Pass
17801.026	-42.69	13.17	-13.0	29.69	189.00	Vertical	Vertical	Pass

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M

RSE(5G NSA FCC_NSA_2A_n78A(MiD)_1850-1920&3400-3600_30MHz-27GHz)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1880.700	-49.92	2.44	-13.0	36.92	299.00	Vertical	Horizontal	N/A
1961.300	-49.16	0.98	-13.0	36.16	99.00	Vertical	Horizontal	N/A
3336.250	-43.22	11.84	-13.0	30.22	17.00	Vertical	Horizontal	Pass
7957.250	-30.81	24.79	-13.0	17.81	265.00	Vertical	Horizontal	Pass
13385.775	-39.79	16.88	-13.0	26.79	254.00	Vertical	Horizontal	Pass
17950.124	-43.10	14.09	-13.0	30.10	302.00	Vertical	Horizontal	Pass

5.34 DC_2A_n78A(3700-3800)

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3450-3650_30MHz-27GHz:



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1236.300	-54.21	-1.98	-25.0	29.21	183.00	Horizontal	Horizontal	Pass
1960.800	-36.24	0.95	-25.0	11.24	223.00	Horizontal	Horizontal	N/A
3812.750	-43.25	13.79	-25.0	18.25	12.00	Horizontal	Horizontal	Pass
7523.250	-32.24	22.16	-25.0	7.24	296.00	Horizontal	Horizontal	Pass
9447.326	-42.71	11.68	-25.0	17.71	290.00	Horizontal	Horizontal	Pass
12483.287	-40.43	14.57	-25.0	15.43	23.00	Horizontal	Horizontal	Pass

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3450-3650_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1315.000	-53.83	-1.14	-25.0	28.83	1.00	Horizontal	Vertical	Pass
1960.700	-35.61	0.94	-25.0	10.61	83.00	Horizontal	Vertical	N/A
3832.500	-42.83	13.91	-25.0	17.83	327.00	Horizontal	Vertical	Pass
7187.000	-32.16	22.26	-25.0	7.16	317.00	Horizontal	Vertical	Pass
9450.651	-42.73	11.66	-25.0	17.73	1.00	Horizontal	Vertical	Pass
13362.938	-40.84	16.66	-25.0	15.84	276.00	Horizontal	Vertical	Pass

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3450-3650_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1874.500	-49.36	2.33	-25.0	24.36	300.00	Vertical	Vertical	N/A
1952.700	-49.38	1.37	-25.0	24.38	89.00	Vertical	Vertical	N/A
3786.750	-42.79	13.68	-25.0	17.79	117.00	Vertical	Vertical	Pass
7966.250	-31.88	24.19	-25.0	6.88	12.00	Vertical	Vertical	Pass
13392.075	-39.90	16.94	-25.0	14.90	0.00	Vertical	Vertical	Pass
17909.963	-43.62	13.13	-25.0	18.62	36.00	Vertical	Vertical	Pass

BAND:NSA DC_2A_n78A,Channel:MIDDLE
range,BW:20M+100M

RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3450-3650_30MHz-27GHz)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1289.100	-54.12	-1.05	-25.0	29.12	217.00	Vertical	Horizontal	Pass
1961.000	-47.87	0.96	-25.0	22.87	217.00	Vertical	Horizontal	N/A
4131.750	-42.10	13.11	-25.0	17.10	117.00	Vertical	Horizontal	Pass
7997.250	-32.51	23.88	-25.0	7.51	296.00	Vertical	Horizontal	Pass
9450.412	-42.07	11.67	-25.0	17.07	205.00	Vertical	Horizontal	Pass
11976.700	-39.83	13.91	-25.0	14.83	262.00	Vertical	Horizontal	Pass

5.35 DC_4A_n78A(3450-3550)

BAND:NSA DC_4A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3500_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1281.200	-53.20	-0.15	-25.0	28.20	20.00	Horizontal	Horizontal	Pass
1744.000	-49.78	1.91	-25.0	24.78	1.00	Horizontal	Horizontal	N/A
2145.500	-32.26	4.59	-25.0	7.26	216.00	Horizontal	Horizontal	N/A
3522.500	-41.60	12.22	-25.0	16.60	0.00	Horizontal	Horizontal	N/A
7479.000	-32.15	22.60	-25.0	7.15	279.00	Horizontal	Horizontal	Pass
13359.787	-40.38	16.63	-25.0	15.38	237.00	Horizontal	Horizontal	Pass

BAND:NSA DC_4A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1317.800	-52.60	0.11	-25.0	27.60	306.00	Horizontal	Vertical	Pass
1713.800	-50.38	2.24	-25.0	25.38	23.00	Horizontal	Vertical	N/A
2145.900	-33.06	4.62	-25.0	8.06	220.00	Horizontal	Vertical	N/A
7482.000	-32.21	22.63	-25.0	7.21	1.00	Horizontal	Vertical	Pass
13402.050	-40.27	16.96	-25.0	15.27	190.00	Horizontal	Vertical	Pass
20383.650	-44.02	12.97	-25.0	19.02	345.00	Horizontal	Vertical	Pass

BAND:NSA DC_4A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1197.500	-53.17	-0.35	-25.0	28.17	88.00	Vertical	Vertical	Pass
1717.700	-50.41	2.20	-25.0	25.41	123.00	Vertical	Vertical	N/A
2145.600	-42.05	4.60	-25.0	17.05	123.00	Vertical	Vertical	N/A
2956.100	-43.01	11.88	-25.0	18.01	360.00	Vertical	Vertical	Pass
7506.000	-32.37	22.13	-25.0	7.37	193.00	Vertical	Vertical	Pass
11993.800	-40.15	13.84	-25.0	15.15	31.00	Vertical	Vertical	Pass

BAND:NSA DC_4A_n78A,Channel:HIGH
 range,BW:20M+100M

RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1309.400	-52.92	0.44	-25.0	27.92	183.00	Vertical	Horizontal	Pass
2145.700	-43.06	4.60	-25.0	18.06	293.00	Vertical	Horizontal	N/A
2995.300	-43.02	12.40	-25.0	18.02	121.00	Vertical	Horizontal	Pass
7261.750	-32.57	23.88	-25.0	7.57	173.00	Vertical	Horizontal	Pass
9928.025	-42.49	11.60	-25.0	17.49	0.00	Vertical	Horizontal	Pass
13373.438	-40.55	16.76	-25.0	15.55	18.00	Vertical	Horizontal	Pass

5.36 DC_4A_n78A(3700-3800)

BAND:NSA DC_4A_n78A,Channel:LOW
range,BW:5M+10M


RSE(SG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.700	-43.07	2.26	-25.0	18.07	360.00	Horizontal	Horizontal	N/A
2113.400	-37.45	3.77	-25.0	12.45	221.00	Horizontal	Horizontal	N/A
3704.000	-44.09	13.16	-25.0	19.09	83.00	Horizontal	Horizontal	N/A
7598.250	-31.20	22.39	-25.0	6.20	60.00	Horizontal	Horizontal	Pass
13369.763	-38.96	16.73	-25.0	13.96	116.00	Horizontal	Horizontal	Pass
17797.614	-42.43	13.05	-25.0	17.43	67.00	Horizontal	Horizontal	Pass

BAND:NSA DC_4A_n78A,Channel:LOW
range,BW:5M+10M


RSE(5G NSA FCC_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.600	-37.68	2.26	-25.0	12.68	151.00	Horizontal	Vertical	N/A
2114.200	-34.72	3.84	-25.0	9.72	221.00	Horizontal	Vertical	N/A
3736.500	-42.81	13.47	-25.0	17.81	5.00	Horizontal	Vertical	Pass
7534.750	-31.68	22.73	-25.0	6.68	173.00	Horizontal	Vertical	Pass
13363.724	-39.40	16.67	-25.0	14.40	360.00	Horizontal	Vertical	Pass
19260.449	-42.93	12.91	-25.0	17.93	360.00	Horizontal	Vertical	Pass

BAND:NSA DC_4A_n78A,Channel:LOW
range,BW:5M+10M


RSE(5G NSA FCC_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.800	-46.13	2.26	-25.0	21.13	200.00	Vertical	Vertical	N/A
2112.300	-48.99	3.72	-25.0	23.99	338.00	Vertical	Vertical	N/A
3831.750	-42.65	13.90	-25.0	17.65	150.00	Vertical	Vertical	Pass
7781.250	-32.17	23.04	-25.0	7.17	329.00	Vertical	Vertical	Pass
11912.337	-39.66	13.96	-25.0	14.66	360.00	Vertical	Vertical	Pass
17937.000	-42.58	13.78	-25.0	17.58	17.00	Vertical	Vertical	Pass

BAND:NSA DC_4A_n78A,Channel:LOW
range,BW:5M+10M

RSE(5G NSA FCC_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.300	-46.74	2.27	-25.0	21.74	360.00	Vertical	Horizontal	N/A
2113.000	-47.15	3.74	-25.0	22.15	300.00	Vertical	Horizontal	N/A
5695.500	-37.11	16.51	-25.0	12.11	151.00	Vertical	Horizontal	Pass
7955.250	-31.63	23.79	-25.0	6.63	218.00	Vertical	Horizontal	Pass
13370.025	-39.80	16.73	-25.0	14.80	235.00	Vertical	Horizontal	Pass
17951.177	-42.19	14.06	-25.0	17.19	0.00	Vertical	Horizontal	Pass

5.37 DC_5A_n78A(3450-3550)

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(CG NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.680	-53.20	5.55	-13.0	40.20	177.00	Horizontal	Horizontal	N/A
892.281	-53.02	4.51	-13.0	40.02	243.00	Horizontal	Horizontal	N/A
2116.300	-55.51	-2.94	-13.0	42.51	0.00	Horizontal	Horizontal	Pass
3549.250	-39.98	12.09	-13.0	26.98	0.00	Horizontal	Horizontal	N/A
7232.750	-31.59	23.37	-13.0	18.59	85.00	Horizontal	Horizontal	Pass
13400.475	-39.96	17.00	-13.0	26.96	272.00	Horizontal	Horizontal	Pass

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA_5A_n78A(MiD) & 2GA_N78A(MiD) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.729	-55.97	5.55	-13.0	42.97	243.00	Horizontal	Vertical	N/A
892.621	-52.86	4.53	-13.0	39.86	203.00	Horizontal	Vertical	N/A
1698.100	-56.24	-4.87	-13.0	43.24	286.00	Horizontal	Vertical	Pass
4342.750	-42.09	14.24	-13.0	29.09	353.00	Horizontal	Vertical	Pass
7244.500	-31.85	23.86	-13.0	18.85	360.00	Horizontal	Vertical	Pass
13371.338	-39.25	16.74	-13.0	26.25	273.00	Horizontal	Vertical	Pass

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_5A_n78A(MiD) & 2G_N78A(MiD) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.729	-46.69	5.55	-13.0	33.69	57.00	Vertical	Vertical	N/A
889.274	-51.54	4.49	-13.0	38.54	183.00	Vertical	Vertical	N/A
1698.200	-53.48	-4.87	-13.0	40.48	355.00	Vertical	Vertical	Pass
2546.700	-52.36	-0.45	-13.0	39.36	118.00	Vertical	Vertical	Pass
5705.250	-37.88	17.32	-13.0	24.88	331.00	Vertical	Vertical	Pass
13347.974	-39.22	16.46	-13.0	26.22	3.00	Vertical	Vertical	Pass

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_5A_n78A(MiJ) & 2GA_N78A(MiJ) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.680	-54.12	5.55	-13.0	41.12	37.00	Vertical	Horizontal	N/A
889.372	-53.19	4.50	-13.0	40.19	268.00	Vertical	Horizontal	N/A
1698.300	-56.50	-4.87	-13.0	43.50	265.00	Vertical	Horizontal	Pass
4791.000	-41.76	14.00	-13.0	28.76	360.00	Vertical	Horizontal	Pass
7568.250	-31.83	22.71	-13.0	18.83	360.00	Vertical	Horizontal	Pass
13370.550	-39.07	16.73	-13.0	26.07	192.00	Vertical	Horizontal	Pass

5.38 DC_5A_n78A(3700-3800)

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.729	-55.00	5.55	-13.0	42.00	41.00	Horizontal	Horizontal	N/A
891.505	-52.48	4.48	-13.0	39.48	304.00	Horizontal	Horizontal	N/A
1698.200	-55.53	-4.87	-13.0	42.53	21.00	Horizontal	Horizontal	Pass
3799.750	-38.06	13.71	-13.0	25.06	360.00	Horizontal	Horizontal	N/A
7248.000	-31.59	24.22	-13.0	18.59	345.00	Horizontal	Horizontal	Pass
13344.562	-39.23	16.33	-13.0	26.23	141.00	Horizontal	Horizontal	Pass

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M

RSE(GG NSA FCC)_NSA_5A_n78A(MiJ) & 2GA_N78A(MiJ) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.729	-57.12	5.55	-13.0	44.12	245.00	Horizontal	Vertical	N/A
889.274	-53.03	4.49	-13.0	40.03	265.00	Horizontal	Vertical	N/A
1698.400	-56.24	-4.87	-13.0	43.24	303.00	Horizontal	Vertical	Pass
3799.250	-38.43	13.71	-13.0	25.43	219.00	Horizontal	Vertical	N/A
7243.500	-31.86	23.97	-13.0	18.86	13.00	Horizontal	Vertical	Pass
13362.150	-39.55	16.65	-13.0	26.55	360.00	Horizontal	Vertical	Pass

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA_5A_n78A(MiJ) & 2GA_N78A(MiJ) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.729	-50.46	5.55	-13.0	37.46	46.00	Vertical	Vertical	N/A
892.621	-50.68	4.53	-13.0	37.68	125.00	Vertical	Vertical	N/A
1698.100	-55.99	-4.87	-13.0	42.99	140.00	Vertical	Vertical	Pass
3799.250	-40.68	13.71	-13.0	27.68	197.00	Vertical	Vertical	N/A
7247.250	-31.87	24.25	-13.0	18.87	331.00	Vertical	Vertical	Pass
13381.049	-39.96	16.83	-13.0	26.96	87.00	Vertical	Vertical	Pass

BAND:NSA DC_5A_n78A,Channel:HIGH
range,BW:5M+10M

RSE(GG NSA FCC)_NSA_5A_n78A(MiJ) & 2GA_N78A(MiJ) .814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
853.530	-55.92	5.38	-13.0	42.92	41.00	Vertical	Horizontal	N/A
891.457	-52.73	4.48	-13.0	39.73	192.00	Vertical	Horizontal	N/A
1698.000	-56.26	-4.87	-13.0	43.26	94.00	Vertical	Horizontal	Pass
5068.000	-40.26	16.24	-13.0	27.26	319.00	Vertical	Horizontal	Pass
7243.750	-32.39	23.98	-13.0	19.39	47.00	Vertical	Horizontal	Pass
13376.326	-38.82	16.79	-13.0	25.82	360.00	Vertical	Horizontal	Pass

5.39 DC_7A_n78A(3450-3550)

BAND:NSA DC_7A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2566.300	-36.26	6.51	-13.0	23.26	174.00	Horizontal	Horizontal	N/A
2689.700	-41.06	5.85	-13.0	28.06	185.00	Horizontal	Horizontal	N/A
3546.750	-43.10	12.10	-13.0	30.10	360.00	Horizontal	Horizontal	N/A
4526.500	-41.12	14.80	-13.0	28.12	346.00	Horizontal	Horizontal	Pass
7232.500	-32.56	23.35	-13.0	19.56	61.00	Horizontal	Horizontal	Pass
13348.500	-38.45	16.48	-13.0	25.45	242.00	Horizontal	Horizontal	Pass

BAND:NSA DC_7A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(GG NSA FCC)_NSA_5A_n78A(MiJ) & 26A_N78A(MiJ) .814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1433.000	-54.01	-1.48	-13.0	41.01	177.00	Horizontal	Vertical	Pass
2566.200	-43.31	6.51	-13.0	30.31	218.00	Horizontal	Vertical	N/A
2689.600	-42.37	5.86	-13.0	29.37	117.00	Horizontal	Vertical	N/A
4963.750	-40.57	16.36	-13.0	27.57	297.00	Horizontal	Vertical	Pass
7852.000	-31.07	23.32	-13.0	18.07	195.00	Horizontal	Vertical	Pass
10265.037	-39.87	9.54	-13.0	26.87	214.00	Horizontal	Vertical	Pass

BAND:NSA DC_7A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC_NSA_5A_n78A(MiD) & 2G_N78A(MiD) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1527.200	-53.06	-1.32	-13.0	40.06	1.00	Vertical	Vertical	Pass
2566.200	-37.40	6.51	-13.0	24.40	237.00	Vertical	Vertical	N/A
4559.000	-42.35	13.21	-13.0	29.35	306.00	Vertical	Vertical	Pass
6281.500	-35.86	19.29	-13.0	22.86	22.00	Vertical	Vertical	Pass
7961.750	-30.99	24.90	-13.0	17.99	344.00	Vertical	Vertical	Pass
12494.687	-39.89	14.67	-13.0	26.89	270.00	Vertical	Vertical	Pass

BAND:NSA DC_7A_n78A,Channel:HIGH
range,BW:5M+10M

RSE(GG NSA FCC)_NSA_5A_n78A(MiD) & 2GA_N78A(MiD) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1513.100	-54.27	-1.39	-13.0	41.27	76.00	Vertical	Horizontal	Pass
2566.400	-45.53	6.51	-13.0	32.53	227.00	Vertical	Horizontal	N/A
3508.250	-44.72	12.29	-13.0	31.72	153.00	Vertical	Horizontal	Pass
5924.500	-37.57	17.97	-13.0	24.57	312.00	Vertical	Horizontal	Pass
7995.250	-31.21	23.28	-13.0	18.21	120.00	Vertical	Horizontal	Pass
12500.625	-39.67	14.71	-13.0	26.67	85.00	Vertical	Horizontal	Pass

5.40 DC_7A_n78A(3700-3800)

BAND:NSA DC_7A_n78A,Channel:LOW
range,BW:5M+10M


RSE(SG NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1457.500	-52.39	-0.08	-25.0	27.39	77.00	Horizontal	Horizontal	Pass
2623.500	-36.72	8.00	-25.0	11.72	122.00	Horizontal	Horizontal	N/A
3667.500	-43.09	13.04	-25.0	18.09	9.00	Horizontal	Horizontal	Pass
7955.000	-31.05	23.80	-25.0	6.05	274.00	Horizontal	Horizontal	Pass
12479.250	-40.07	14.53	-25.0	15.07	307.00	Horizontal	Horizontal	Pass
19938.599	-41.85	12.95	-25.0	16.85	23.00	Horizontal	Horizontal	Pass

BAND:NSA DC_7A_n78A,Channel:LOW
range,BW:5M+10M

RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1388.900	-52.71	-0.56	-25.0	27.71	165.00	Horizontal	Vertical	Pass
2623.200	-37.25	7.96	-25.0	12.25	228.00	Horizontal	Vertical	N/A
2997.200	-41.45	12.87	-25.0	16.45	1.00	Horizontal	Vertical	Pass
5076.750	-38.74	16.24	-25.0	13.74	49.00	Horizontal	Vertical	Pass
13401.000	-39.19	16.99	-25.0	14.19	315.00	Horizontal	Vertical	Pass
17935.688	-42.11	13.75	-25.0	17.11	3.00	Horizontal	Vertical	Pass

BAND:NSA DC_7A_n78A,Channel:LOW
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1305.400	-52.97	0.38	-25.0	27.97	267.00	Vertical	Vertical	Pass
2021.300	-48.75	4.14	-25.0	23.75	281.00	Vertical	Vertical	Pass
2931.500	-42.18	11.71	-25.0	17.18	155.00	Vertical	Vertical	Pass
7953.750	-31.38	23.76	-25.0	6.38	12.00	Vertical	Vertical	Pass
12485.188	-40.00	14.59	-25.0	15.00	360.00	Vertical	Vertical	Pass
19765.350	-42.50	12.94	-25.0	17.50	360.00	Vertical	Vertical	Pass

BAND:NSA DC_7A_n78A,Channel:LOW
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1300.300	-52.83	0.15	-25.0	27.83	1.00	Vertical	Horizontal	Pass
2950.700	-42.40	11.66	-25.0	17.40	351.00	Vertical	Horizontal	Pass
3814.250	-42.38	13.80	-25.0	17.38	297.00	Vertical	Horizontal	Pass
7243.750	-31.66	23.98	-25.0	6.66	32.00	Vertical	Horizontal	Pass
11945.825	-40.36	14.00	-25.0	15.36	214.00	Vertical	Horizontal	Pass
17908.650	-42.46	13.10	-25.0	17.46	70.00	Vertical	Horizontal	Pass

5.41 DC_38A_n78A(3450-3550)

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3500_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1306.000	-52.63	0.52	-25.0	27.63	1.00	Horizontal	Horizontal	Pass
2611.700	-44.72	9.10	-25.0	19.72	205.00	Horizontal	Horizontal	Pass
2971.900	-42.14	12.61	-25.0	17.14	1.00	Horizontal	Horizontal	Pass
7234.000	-31.72	23.48	-25.0	6.72	321.00	Horizontal	Horizontal	Pass
12494.451	-39.62	14.67	-25.0	14.62	269.00	Horizontal	Horizontal	Pass
19665.449	-42.05	12.93	-25.0	17.05	121.00	Horizontal	Horizontal	Pass

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1454.600	-52.68	-0.17	-25.0	27.68	77.00	Horizontal	Vertical	Pass
2144.700	-48.31	4.74	-25.0	23.31	301.00	Horizontal	Vertical	Pass
2983.600	-42.45	12.47	-25.0	17.45	66.00	Horizontal	Vertical	Pass
7944.000	-31.22	24.27	-25.0	6.22	83.00	Horizontal	Vertical	Pass
12007.576	-40.17	13.58	-25.0	15.17	298.00	Horizontal	Vertical	Pass
17974.536	-43.12	13.48	-25.0	18.12	208.00	Horizontal	Vertical	Pass

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1429.400	-52.18	-0.17	-25.0	27.18	104.00	Vertical	Vertical	Pass
2142.800	-47.84	4.87	-25.0	22.84	73.00	Vertical	Vertical	Pass
2988.900	-41.87	12.59	-25.0	16.87	304.00	Vertical	Vertical	Pass
7238.750	-31.78	23.60	-25.0	6.78	180.00	Vertical	Vertical	Pass
12592.062	-39.55	14.14	-25.0	14.55	271.00	Vertical	Vertical	Pass
18032.849	-42.53	12.85	-25.0	17.53	1.00	Vertical	Vertical	Pass

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1311.000	-52.78	0.23	-25.0	27.78	1.00	Vertical	Horizontal	Pass
2982.300	-41.76	12.44	-25.0	16.76	292.00	Vertical	Horizontal	Pass
3418.250	-43.20	12.39	-25.0	18.20	237.00	Vertical	Horizontal	Pass
7961.500	-31.05	24.93	-25.0	6.05	187.00	Vertical	Horizontal	Pass
13386.037	-39.46	16.88	-25.0	14.46	30.00	Vertical	Horizontal	Pass
19770.300	-42.58	12.94	-25.0	17.58	272.00	Vertical	Horizontal	Pass

5.42 DC_38A_n78A(3700-3800)

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(GG NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1317.900	-52.77	0.20	-25.0	27.77	40.00	Horizontal	Horizontal	Pass
2600.500	-44.75	8.92	-25.0	19.75	40.00	Horizontal	Horizontal	N/A
2990.100	-41.47	12.68	-25.0	16.47	100.00	Horizontal	Horizontal	Pass
7244.250	-31.47	24.05	-25.0	6.47	65.00	Horizontal	Horizontal	Pass
12489.700	-40.02	14.63	-25.0	15.02	77.00	Horizontal	Horizontal	Pass
17970.600	-42.92	13.58	-25.0	17.92	198.00	Horizontal	Horizontal	Pass

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1388.000	-52.68	-0.60	-25.0	27.68	3.00	Horizontal	Vertical	Pass
2184.300	-47.77	4.64	-25.0	22.77	188.00	Horizontal	Vertical	Pass
2922.300	-42.53	11.80	-25.0	17.53	266.00	Horizontal	Vertical	Pass
7248.000	-31.32	24.22	-25.0	6.32	260.00	Horizontal	Vertical	Pass
13400.738	-39.56	16.99	-25.0	14.56	2.00	Horizontal	Vertical	Pass
17951.699	-41.55	14.05	-25.0	16.55	120.00	Horizontal	Vertical	Pass

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1310.300	-52.33	0.26	-25.0	27.33	2.00	Vertical	Vertical	Pass
2157.900	-47.69	4.52	-25.0	22.69	28.00	Vertical	Vertical	Pass
2994.000	-42.39	12.83	-25.0	17.39	195.00	Vertical	Vertical	Pass
7198.750	-31.94	22.39	-25.0	6.94	1.00	Vertical	Vertical	Pass
12503.238	-39.02	14.67	-25.0	14.02	210.00	Vertical	Vertical	Pass
17801.550	-42.19	13.16	-25.0	17.19	114.00	Vertical	Vertical	Pass

BAND:NSA DC_38A_n78A,Channel:HIGH
range,BW:20M+100M

RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1301.100	-52.47	0.30	-25.0	27.47	337.00	Vertical	Horizontal	Pass
2611.100	-44.82	9.09	-25.0	19.82	34.00	Vertical	Horizontal	N/A
2991.800	-42.19	12.82	-25.0	17.19	76.00	Vertical	Horizontal	Pass
7973.250	-31.10	24.02	-25.0	6.10	59.00	Vertical	Horizontal	Pass
13388.401	-39.04	16.90	-25.0	14.04	216.00	Vertical	Horizontal	Pass
17945.661	-42.71	13.99	-25.0	17.71	3.00	Vertical	Horizontal	Pass

5.43 DC_41A_n78A(3450-3550)

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3500_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1315.900	-52.60	0.20	-25.0	27.60	237.00	Horizontal	Horizontal	Pass
2208.600	-48.45	4.66	-25.0	23.45	181.00	Horizontal	Horizontal	Pass
2990.100	-42.28	12.51	-25.0	17.28	212.00	Horizontal	Horizontal	Pass
3547.250	-42.30	12.10	-25.0	17.30	354.00	Horizontal	Horizontal	N/A
7253.000	-31.07	23.90	-25.0	6.07	111.00	Horizontal	Horizontal	Pass
12494.451	-38.00	14.67	-25.0	13.00	64.00	Horizontal	Horizontal	Pass

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1309.600	-52.45	0.25	-25.0	27.45	141.00	Horizontal	Vertical	Pass
2193.400	-48.26	4.65	-25.0	23.26	296.00	Horizontal	Vertical	Pass
2984.000	-42.10	12.43	-25.0	17.10	-2.00	Horizontal	Vertical	Pass
7209.000	-31.08	22.91	-25.0	6.08	344.00	Horizontal	Vertical	Pass
12503.238	-39.59	14.67	-25.0	14.59	124.00	Horizontal	Vertical	Pass
17797.614	-42.38	13.05	-25.0	17.38	276.00	Horizontal	Vertical	Pass

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1330.800	-53.04	-0.34	-25.0	28.04	57.00	Vertical	Vertical	Pass
2169.700	-48.14	4.63	-25.0	23.14	10.00	Vertical	Vertical	Pass
2996.900	-42.03	12.51	-25.0	17.03	239.00	Vertical	Vertical	Pass
7243.000	-31.88	23.80	-25.0	6.88	275.00	Vertical	Vertical	Pass
13346.925	-39.00	16.42	-25.0	14.00	26.00	Vertical	Vertical	Pass
17799.449	-42.38	13.17	-25.0	17.38	202.00	Vertical	Vertical	Pass

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1301.400	-52.87	0.50	-25.0	27.87	346.00	Vertical	Horizontal	Pass
2186.500	-48.21	4.56	-25.0	23.21	19.00	Vertical	Horizontal	Pass
2967.700	-42.47	12.16	-25.0	17.47	181.00	Vertical	Horizontal	Pass
7262.250	-31.21	23.89	-25.0	6.21	200.00	Vertical	Horizontal	Pass
11916.613	-40.15	13.96	-25.0	15.15	1.00	Vertical	Horizontal	Pass
17951.177	-42.54	14.06	-25.0	17.54	360.00	Vertical	Horizontal	Pass

5.44 DC_41A_n78A(3700-3800)

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1478.100	-52.38	-0.15	-25.0	27.38	1.00	Horizontal	Horizontal	Pass
2161.900	-48.28	4.60	-25.0	23.28	191.00	Horizontal	Horizontal	Pass
2998.200	-42.79	12.57	-25.0	17.79	265.00	Horizontal	Horizontal	Pass
3838.750	-40.87	13.45	-25.0	15.87	215.00	Horizontal	Horizontal	Pass
7969.750	-31.10	24.23	-25.0	6.10	1.00	Horizontal	Horizontal	Pass
11942.737	-39.39	14.00	-25.0	14.39	292.00	Horizontal	Horizontal	Pass

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1316.200	-53.02	0.18	-25.0	28.02	355.00	Horizontal	Vertical	Pass
2997.900	-42.15	12.58	-25.0	17.15	1.00	Horizontal	Vertical	Pass
3713.250	-42.18	13.25	-25.0	17.18	148.00	Horizontal	Vertical	N/A
7247.000	-31.82	24.25	-25.0	6.82	40.00	Horizontal	Vertical	Pass
13380.263	-38.92	16.82	-25.0	13.92	102.00	Horizontal	Vertical	Pass
17950.124	-42.65	14.09	-25.0	17.65	279.00	Horizontal	Vertical	Pass

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:20M+100M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1310.600	-52.99	0.22	-25.0	27.99	0.00	Vertical	Vertical	Pass
2616.700	-44.84	8.47	-25.0	19.84	231.00	Vertical	Vertical	Pass
3759.500	-41.93	13.62	-25.0	16.93	159.00	Vertical	Vertical	N/A
7897.750	-31.57	23.41	-25.0	6.57	75.00	Vertical	Vertical	Pass
13331.174	-39.09	15.80	-25.0	14.09	258.00	Vertical	Vertical	Pass
17921.249	-42.66	13.40	-25.0	17.66	82.00	Vertical	Vertical	Pass

BAND:NSA DC_41A_n78A,Channel:HIGH
range,BW:20M+100M

RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3600_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1191.100	-52.55	-0.85	-25.0	27.55	222.00	Vertical	Horizontal	Pass
2168.500	-48.12	4.64	-25.0	23.12	176.00	Vertical	Horizontal	Pass
2614.500	-44.57	8.47	-25.0	19.57	112.00	Vertical	Horizontal	Pass
3758.250	-42.52	13.62	-25.0	17.52	316.00	Vertical	Horizontal	N/A
4510.750	-41.04	14.65	-25.0	16.04	346.00	Vertical	Horizontal	Pass
7951.500	-31.19	23.80	-25.0	6.19	212.00	Vertical	Horizontal	Pass

5.45 DC_66A_n78A(3450-3550)

BAND:NSA DC_66A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA 66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1391.100	-52.96	-1.30	-25.0	27.96	199.00	Horizontal	Horizontal	Pass
1765.500	-50.38	2.03	-25.0	25.38	131.00	Horizontal	Horizontal	Pass
2178.500	-33.57	3.54	-25.0	8.57	208.00	Horizontal	Horizontal	N/A
3544.250	-42.97	12.11	-25.0	17.97	1.00	Horizontal	Horizontal	N/A
7626.500	-31.12	23.42	-25.0	6.12	9.00	Horizontal	Horizontal	Pass
13368.450	-39.15	16.71	-25.0	14.15	3.00	Horizontal	Horizontal	Pass

BAND:NSA DC_66A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1710.000	-49.72	2.42	-25.0	24.72	208.00	Horizontal	Vertical	Pass
2178.100	-31.75	3.54	-25.0	6.75	100.00	Horizontal	Vertical	N/A
3359.250	-43.47	11.88	-25.0	18.47	50.00	Horizontal	Vertical	Pass
7369.250	-32.00	23.58	-25.0	7.00	174.00	Horizontal	Vertical	Pass
13347.713	-39.18	16.45	-25.0	14.18	340.00	Horizontal	Vertical	Pass
19822.948	-42.59	12.94	-25.0	17.59	84.00	Horizontal	Vertical	Pass

BAND:NSA DC_66A_n78A,Channel:HIGH
range,BW:5M+10M


RSE(5G NSA FOC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1197.000	-53.58	-1.15	-25.0	28.58	2.00	Vertical	Vertical	Pass
1733.400	-50.49	2.21	-25.0	25.49	223.00	Vertical	Vertical	Pass
2178.000	-43.14	3.54	-25.0	18.14	249.00	Vertical	Vertical	N/A
3547.500	-42.30	12.10	-25.0	17.30	67.00	Vertical	Vertical	N/A
7235.250	-31.03	23.53	-25.0	6.03	127.00	Vertical	Vertical	Pass
12720.550	-39.23	14.76	-25.0	14.23	219.00	Vertical	Vertical	Pass

BAND:NSA DC_66A_n78A,Channel:HIGH
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1723.300	-50.93	2.30	-25.0	25.93	95.00	Vertical	Horizontal	Pass
2178.400	-45.33	3.54	-25.0	20.33	133.00	Vertical	Horizontal	N/A
2918.100	-44.56	9.72	-25.0	19.56	34.00	Vertical	Horizontal	Pass
7370.750	-32.12	23.60	-25.0	7.12	1.00	Vertical	Horizontal	Pass
13427.512	-39.81	16.40	-25.0	14.81	317.00	Vertical	Horizontal	Pass
17784.750	-42.41	12.25	-25.0	17.41	136.00	Vertical	Horizontal	Pass

5.46 DC_66A_n78A(3700-3800)

BAND:NSA DC_66A_n78A,Channel:LOW
range,BW:5M+10M


RSE(5G NSA FCC)_NSA 66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1282.800	-52.81	0.07	-25.0	27.81	162.00	Horizontal	Horizontal	Pass
1701.700	-50.82	2.40	-25.0	25.82	328.00	Horizontal	Horizontal	Pass
2113.300	-30.90	3.52	-25.0	5.90	234.00	Horizontal	Horizontal	N/A
3701.500	-40.83	13.14	-25.0	15.83	231.00	Horizontal	Horizontal	N/A
7248.250	-31.61	24.25	-25.0	6.61	1.00	Horizontal	Horizontal	Pass
12684.925	-39.94	14.63	-25.0	14.94	10.00	Horizontal	Horizontal	Pass

BAND:NSA DC_66A_n78A,Channel:LOW
range,BW:5M+10M


RSE(5G NSA FCC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1713.200	-51.00	2.25	-25.0	26.00	53.00	Horizontal	Vertical	Pass
2113.300	-32.09	3.52	-25.0	7.09	242.00	Horizontal	Vertical	N/A
3701.750	-39.08	13.14	-25.0	14.08	204.00	Horizontal	Vertical	N/A
7957.750	-31.63	23.79	-25.0	6.63	60.00	Horizontal	Vertical	Pass
12510.363	-39.34	14.55	-25.0	14.34	216.00	Horizontal	Vertical	Pass
17783.964	-42.95	12.21	-25.0	17.95	181.00	Horizontal	Vertical	Pass

BAND:NSA DC_66A_n78A,Channel:LOW
range,BW:5M+10M


RSE(5G NSA FCC_NSA 66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1249.600	-53.29	-0.43	-25.0	28.29	119.00	Vertical	Vertical	Pass
2113.600	-47.15	3.50	-25.0	22.15	149.00	Vertical	Vertical	N/A
2918.700	-43.86	9.89	-25.0	18.86	159.00	Vertical	Vertical	Pass
7237.750	-31.00	23.40	-25.0	6.00	81.00	Vertical	Vertical	Pass
13391.813	-38.94	16.93	-25.0	13.94	88.00	Vertical	Vertical	Pass
17804.964	-42.08	13.06	-25.0	17.08	153.00	Vertical	Vertical	Pass

BAND:NSA DC_66A_n78A,Channel:LOW
range,BW:5M+10M

RSE(5G NSA FCC)_NSA_66A_n41A(Mid)_1710-1785&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1700.600	-50.33	2.41	-25.0	25.33	0.00	Vertical	Horizontal	Pass
2113.100	-45.11	3.53	-25.0	20.11	151.00	Vertical	Horizontal	N/A
3712.750	-42.84	13.25	-25.0	17.84	297.00	Vertical	Horizontal	N/A
7244.500	-31.47	24.09	-25.0	6.47	231.00	Vertical	Horizontal	Pass
13384.200	-39.69	16.86	-25.0	14.69	3.00	Vertical	Horizontal	Pass
17951.963	-41.00	14.04	-25.0	16.00	143.00	Vertical	Horizontal	Pass

--BLANK BELOW--