




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	3.818	30	Pass
NVNT	BLE	2442	Ant13	4.718	30	Pass
NVNT	BLE	2480	Ant13	4.39	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant13	0.702	0.5	Pass
NVNT	BLE	2442	Ant13	0.704	0.5	Pass
NVNT	BLE	2480	Ant13	0.699	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant13	1.044	
NVNT	BLE	2442	Ant13	1.045	
NVNT	BLE	2480	Ant13	1.045	

Project No.: JYTSZR2404034















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	-11.188	8	Pass
NVNT	BLE	2442	Ant13	-10.246	8	Pass
NVNT	BLE	2480	Ant13	-10.595	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-57.09	-20	Pass
NVNT	BLE	2480	Ant13	-59.51	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-53.49	-20	Pass
NVNT	BLE	2442	Ant13	-54.29	-20	Pass
NVNT	BLE	2480	Ant13	-53.27	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant13 Ref

1.674 dBm

-54.07 dBm -54.88 dBm

-55.70 dBm

-50.39 dBm

N N

3 N 4 N 5 N

4.924 GHz 7.221 GHz 9.818 GHz

23.976 GHz

? Apr 25, 2024 10:12:29 PM



