



#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	5.394	30	Pass
NVNT	BLE	2442	Ant14	6.083	30	Pass
NVNT	BLE	2480	Ant14	5.598	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant14	0.702	0.5	Pass
NVNT	BLE	2442	Ant14	0.701	0.5	Pass
NVNT	BLE	2480	Ant14	0.695	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant14	1.044	
NVNT	BLE	2442	Ant14	1.044	
NVNT	BLE	2480	Ant14	1.044	

Project No.: JYTSZR2404034















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	-9.628	8	Pass
NVNT	BLE	2442	Ant14	-8.931	8	Pass
NVNT	BLE	2480	Ant14	-9.386	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-61.45	-20	Pass
NVNT	BLE	2480	Ant14	-61.31	-20	Pass














# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-54.84	-20	Pass
NVNT	BLE	2442	Ant14	-55.32	-20	Pass
NVNT	BLE	2480	Ant14	-54.39	-20	Pass









Trace Scale Function **Function Width** Function Value Mode 5.127 dBm -53.53 dBm -55.46 dBm 4.824 GHz 7.246 GHz 9.618 GHz N N 3 4 5 6 N -54.55 dBm 23.926 GHz -50.05 dBm 

Tx. Spurious NVNT BLE 2480MHz Ant14 Ref

5 Marker Table



