




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant14	5.42	30	Pass
NVNT	BLE	2442	Ant14	6.079	30	Pass
NVNT	BLE	2478	Ant14	5.72	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant14	1.146	0.5	Pass
NVNT	BLE	2442	Ant14	1.163	0.5	Pass
NVNT	BLE	2478	Ant14	1.169	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant14	2.069	
NVNT	BLE	2442	Ant14	2.067	
NVNT	BLE	2478	Ant14	2.067	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant14	-11.726	8	Pass
NVNT	BLE	2442	Ant14	-11.056	8	Pass
NVNT	BLE	2478	Ant14	-11.433	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant14	-61.22	-20	Pass
NVNT	BLE	2478	Ant14	-60.78	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant14	-53.04	-20	Pass
NVNT	BLE	2442	Ant14	-54.01	-20	Pass
NVNT	BLE	2478	Ant14	-53.56	-20	Pass









Tx. Spurious NVNT BLE 2478MHz Ant14 Ref

#Video BW 300 kHz

0.5133 dBm

-52.89 dBm -55.02 dBm -55.35 dBm

-48.91 dBm

Function

Function Width

Start 30 MHz #Res BW 100 kHz

Mode

N N N

Trace

Scale

5 Marker Table

Stop 26.50 GHz Sweep ~2.57 s (1001 pts)

Function Value

2.439 GHz

4.980 GHz 7.177 GHz 9.903 GHz

26.235 GHz

? Apr 26, 2024 3:47:58 AM



