

## Frequency Stability

Band	PCC Freq	SCC Freq	Modulation	PCC_Deviation(Hz)	PCC_Deviation(ppm)	PCC_Deviation(Hz)	PCC_Deviation(ppm)	Limit (ppm)	Verdict	Environment
CA_5B	831.6	841.5	QPSK	42.29	0.05114	-0.53	-0.00021	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	16QAM	36.56	0.04422	-12.45	-0.00496	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	64QAM	0.32	0.00039	11.51	0.00459	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	256QAM	-16.95	-0.02051	11.25	0.00449	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	QPSK	-25.34	-0.03057	-26.74	-0.01066	±2.5	PASS	20°C/4.5V
CA_5B	831.6	841.5	16QAM	6.56	0.00791	17.19	0.00685	±2.5	PASS	20°C/4.5V
CA_5B	831.6	841.5	64QAM	-27.15	-0.03275	-17.47	-0.00697	±2.5	PASS	20°C/4.5V
CA_5B	831.6	841.5	256QAM	0.38	0.00045	2.79	0.00111	±2.5	PASS	20°C/4.5V
CA_5B	831.6	841.5	QPSK	1.2	0.00144	38.0	0.01514	±2.5	PASS	50°C/3.91V
CA_5B	831.6	841.5	16QAM	496.62	0.59906	-52.07	-0.02075	±2.5	PASS	50°C/3.91V
CA_5B	831.6	841.5	64QAM	22.51	0.02715	-9.44	-0.00376	±2.5	PASS	50°C/3.91V
CA_5B	831.6	841.5	256QAM	-512.35	-0.61803	12.66	0.00504	±2.5	PASS	50°C/3.91V
CA_5B	831.6	841.5	QPSK	-466.12	-0.56038	-9.02	-0.0036	±2.5	PASS	40°C/3.91V
CA_5B	831.6	841.5	16QAM	-3.54	-0.00425	-12.8	-0.0051	±2.5	PASS	40°C/3.91V
CA_5B	831.6	841.5	64QAM	102.17	0.12283	7.99	0.00318	±2.5	PASS	40°C/3.91V
CA_5B	831.6	841.5	256QAM	0.24	0.00029	33.64	0.0134	±2.5	PASS	40°C/3.91V
CA_5B	831.6	841.5	QPSK	-74.73	-0.08961	13.14	0.0052	±2.5	PASS	30°C/3.91V
CA_5B	831.6	841.5	16QAM	35.52	0.04259	17.07	0.00676	±2.5	PASS	30°C/3.91V
CA_5B	831.6	841.5	64QAM	-520.92	-0.6246	-51.64	-0.02045	±2.5	PASS	30°C/3.91V
CA_5B	831.6	841.5	256QAM	-489.74	-0.58722	-11.59	-0.00459	±2.5	PASS	30°C/3.91V
CA_5B	831.6	841.5	QPSK	-409.23	-0.49209	-4.05	-0.0016	±2.5	PASS	20°C/3.91V
CA_5B	831.6	841.5	16QAM	29.84	0.03588	6.03	0.00238	±2.5	PASS	20°C/3.91V
CA_5B	831.6	841.5	64QAM	22.82	0.02744	-13.38	-0.00529	±2.5	PASS	20°C/3.91V
CA_5B	831.6	841.5	256QAM	-485.1	-0.58334	19.88	0.00786	±2.5	PASS	20°C/3.91V
CA_5B	831.6	841.5	QPSK	-61.65	-0.07367	-5.63	-0.00223	±2.5	PASS	10°C/3.91V
CA_5B	831.6	841.5	16QAM	-98.48	-0.11769	-23.29	-0.00921	±2.5	PASS	10°C/3.91V
CA_5B	831.6	841.5	64QAM	514.18	0.61446	39.34	0.01557	±2.5	PASS	10°C/3.91V
CA_5B	831.6	841.5	256QAM	75.98	0.0908	12.29	0.00486	±2.5	PASS	10°C/3.91V
CA_5B	831.6	841.5	QPSK	36.19	0.04313	19.32	0.00765	±2.5	PASS	0°C/3.91V
CA_5B	831.6	841.5	16QAM	-45.07	-0.05372	17.2	0.00681	±2.5	PASS	0°C/3.91V
CA_5B	831.6	841.5	64QAM	-1.8	-0.00215	6.65	0.00263	±2.5	PASS	0°C/3.91V
CA_5B	831.6	841.5	256QAM	-429.44	-0.51185	9.66	0.00383	±2.5	PASS	0°C/3.91V
CA_5B	831.6	841.5	QPSK	-453.79	-0.54405	10.25	0.00405	±2.5	PASS	-10°C/3.91V
CA_5B	831.6	841.5	16QAM	479.39	0.57474	-22.04	-0.00872	±2.5	PASS	-10°C/3.91V
CA_5B	831.6	841.5	64QAM	-9.94	-0.01191	8.36	0.00331	±2.5	PASS	-10°C/3.91V
CA_5B	831.6	841.5	256QAM	-1.18	-0.00142	1.64	0.00065	±2.5	PASS	-10°C/3.91V

CA_5B	831.6	841.5	QPSK	2.31	0.00092	16.0	0.00634	±2.5	PASS	-20°C/3.91V
CA_5B	831.6	841.5	16QAM	-22.39	-0.00894	-14.83	-0.00587	±2.5	PASS	-20°C/3.91V
CA_5B	831.6	841.5	64QAM	-20.64	-0.00824	-11.34	-0.00449	±2.5	PASS	-20°C/3.91V
CA_5B	831.6	841.5	256QAM	-33.28	-0.01328	-18.6	-0.00737	±2.5	PASS	-20°C/3.91V
CA_5B	831.6	841.5	QPSK	10.03	0.004	-25.09	-0.00986	±2.5	PASS	-30°C/3.91V
CA_5B	831.6	841.5	16QAM	-13.5	-0.00538	-0.8	-0.00031	±2.5	PASS	-30°C/3.91V
CA_5B	831.6	841.5	64QAM	25.52	0.01017	-40.25	-0.01581	±2.5	PASS	-30°C/3.91V
CA_5B	831.6	841.5	256QAM	32.53	0.01296	-31.13	-0.01223	±2.5	PASS	-30°C/3.91V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_7C	2500/2570	QPSK	2500.171	2500	2569.971	2570	PASS	20°C/3.45V
CA_7C	2500/2570	16QAM	2500.036	2500	2569.982	2570	PASS	20°C/3.45V
CA_7C	2500/2570	64QAM	2500.057	2500	2569.803	2570	PASS	20°C/3.45V
CA_7C	2500/2570	256QAM	2500.027	2500	2569.911	2570	PASS	20°C/3.45V
CA_7C	2500/2570	QPSK	2500.105	2500	2569.897	2570	PASS	20°C/4.5V
CA_7C	2500/2570	16QAM	2500.026	2500	2569.938	2570	PASS	20°C/4.5V
CA_7C	2500/2570	64QAM	2500.038	2500	2569.984	2570	PASS	20°C/4.5V
CA_7C	2500/2570	256QAM	2500.196	2500	2569.830	2570	PASS	20°C/4.5V
CA_7C	2500/2570	QPSK	2500.088	2500	2569.834	2570	PASS	50°C/3.91V
CA_7C	2500/2570	16QAM	2500.112	2500	2569.948	2570	PASS	50°C/3.91V
CA_7C	2500/2570	64QAM	2500.022	2500	2569.908	2570	PASS	50°C/3.91V
CA_7C	2500/2570	256QAM	2500.071	2500	2569.820	2570	PASS	50°C/3.91V
CA_7C	2500/2570	QPSK	2500.138	2500	2569.828	2570	PASS	40°C/3.91V
CA_7C	2500/2570	16QAM	2500.187	2500	2569.862	2570	PASS	40°C/3.91V
CA_7C	2500/2570	64QAM	2500.112	2500	2569.861	2570	PASS	40°C/3.91V
CA_7C	2500/2570	256QAM	2500.012	2500	2569.889	2570	PASS	40°C/3.91V
CA_7C	2500/2570	QPSK	2500.183	2500	2569.974	2570	PASS	30°C/3.91V
CA_7C	2500/2570	16QAM	2500.035	2500	2569.897	2570	PASS	30°C/3.91V
CA_7C	2500/2570	64QAM	2500.103	2500	2569.979	2570	PASS	30°C/3.91V
CA_7C	2500/2570	256QAM	2500.139	2500	2569.864	2570	PASS	30°C/3.91V
CA_7C	2500/2570	QPSK	2500.157	2500	2569.930	2570	PASS	20°C/3.91V
CA_7C	2500/2570	16QAM	2500.116	2500	2569.948	2570	PASS	20°C/3.91V
CA_7C	2500/2570	64QAM	2500.115	2500	2569.908	2570	PASS	20°C/3.91V
CA_7C	2500/2570	256QAM	2500.177	2500	2569.855	2570	PASS	20°C/3.91V
CA_7C	2500/2570	QPSK	2500.020	2500	2569.847	2570	PASS	10°C/3.91V
CA_7C	2500/2570	16QAM	2500.174	2500	2569.890	2570	PASS	10°C/3.91V
CA_7C	2500/2570	64QAM	2500.133	2500	2569.868	2570	PASS	10°C/3.91V
CA_7C	2500/2570	256QAM	2500.030	2500	2569.877	2570	PASS	10°C/3.91V

CA_7C	2500/2570	QPSK	2500.009	2500	2569.808	2570	PASS	0°C/3.91V
CA_7C	2500/2570	16QAM	2500.127	2500	2569.955	2570	PASS	0°C/3.91V
CA_7C	2500/2570	64QAM	2500.104	2500	2569.900	2570	PASS	0°C/3.91V
CA_7C	2500/2570	256QAM	2500.060	2500	2569.940	2570	PASS	0°C/3.91V
CA_7C	2500/2570	QPSK	2500.116	2500	2569.832	2570	PASS	-10°C/3.91V
CA_7C	2500/2570	16QAM	2500.193	2500	2569.848	2570	PASS	-10°C/3.91V
CA_7C	2500/2570	64QAM	2500.167	2500	2569.976	2570	PASS	-10°C/3.91V
CA_7C	2500/2570	256QAM	2500.032	2500	2569.897	2570	PASS	-10°C/3.91V
CA_7C	2500/2570	QPSK	2500.130	2500	2569.973	2570	PASS	-20°C/3.91V
CA_7C	2500/2570	16QAM	2500.113	2500	2569.905	2570	PASS	-20°C/3.91V
CA_7C	2500/2570	64QAM	2500.122	2500	2569.800	2570	PASS	-20°C/3.91V
CA_7C	2500/2570	256QAM	2500.010	2500	2569.964	2570	PASS	-20°C/3.91V
CA_7C	2500/2570	QPSK	2500.169	2500	2569.909	2570	PASS	-30°C/3.91V
CA_7C	2500/2570	16QAM	2500.044	2500	2569.880	2570	PASS	-30°C/3.91V
CA_7C	2500/2570	64QAM	2500.198	2500	2569.801	2570	PASS	-30°C/3.91V
CA_7C	2500/2570	256QAM	2500.194	2500	2569.807	2570	PASS	-30°C/3.91V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_38C	2570/2620	QPSK	2570.177	2570	2619.839	2620	PASS	20°C/3.45V
CA_38C	2570/2620	16QAM	2570.088	2570	2619.852	2620	PASS	20°C/3.45V
CA_38C	2570/2620	64QAM	2570.115	2570	2619.938	2620	PASS	20°C/3.45V
CA_38C	2570/2620	256QAM	2570.065	2570	2619.971	2620	PASS	20°C/3.45V
CA_38C	2570/2620	QPSK	2570.143	2570	2619.951	2620	PASS	20°C/4.5V
CA_38C	2570/2620	16QAM	2570.046	2570	2619.897	2620	PASS	20°C/4.5V
CA_38C	2570/2620	64QAM	2570.019	2570	2619.989	2620	PASS	20°C/4.5V
CA_38C	2570/2620	256QAM	2570.052	2570	2619.863	2620	PASS	20°C/4.5V
CA_38C	2570/2620	QPSK	2570.001	2570	2619.925	2620	PASS	50°C/3.91V
CA_38C	2570/2620	16QAM	2570.122	2570	2619.969	2620	PASS	50°C/3.91V
CA_38C	2570/2620	64QAM	2570.052	2570	2619.898	2620	PASS	50°C/3.91V
CA_38C	2570/2620	256QAM	2570.142	2570	2619.961	2620	PASS	50°C/3.91V
CA_38C	2570/2620	QPSK	2570.055	2570	2619.983	2620	PASS	40°C/3.91V
CA_38C	2570/2620	16QAM	2570.161	2570	2619.866	2620	PASS	40°C/3.91V
CA_38C	2570/2620	64QAM	2570.084	2570	2619.917	2620	PASS	40°C/3.91V
CA_38C	2570/2620	256QAM	2570.033	2570	2619.840	2620	PASS	40°C/3.91V
CA_38C	2570/2620	QPSK	2570.067	2570	2619.979	2620	PASS	30°C/3.91V
CA_38C	2570/2620	16QAM	2570.138	2570	2619.869	2620	PASS	30°C/3.91V
CA_38C	2570/2620	64QAM	2570.038	2570	2619.940	2620	PASS	30°C/3.91V
CA_38C	2570/2620	256QAM	2570.149	2570	2619.900	2620	PASS	30°C/3.91V

CA_38C	2570/2620	QPSK	2570.158	2570	2619.899	2620	PASS	20°C/3.91V
CA_38C	2570/2620	16QAM	2570.196	2570	2619.836	2620	PASS	20°C/3.91V
CA_38C	2570/2620	64QAM	2570.120	2570	2619.872	2620	PASS	20°C/3.91V
CA_38C	2570/2620	256QAM	2570.065	2570	2619.802	2620	PASS	20°C/3.91V
CA_38C	2570/2620	QPSK	2570.160	2570	2619.957	2620	PASS	10°C/3.91V
CA_38C	2570/2620	16QAM	2570.025	2570	2619.967	2620	PASS	10°C/3.91V
CA_38C	2570/2620	64QAM	2570.197	2570	2619.908	2620	PASS	10°C/3.91V
CA_38C	2570/2620	256QAM	2570.010	2570	2619.948	2620	PASS	10°C/3.91V
CA_38C	2570/2620	QPSK	2570.195	2570	2619.923	2620	PASS	0°C/3.91V
CA_38C	2570/2620	16QAM	2570.145	2570	2619.825	2620	PASS	0°C/3.91V
CA_38C	2570/2620	64QAM	2570.040	2570	2619.867	2620	PASS	0°C/3.91V
CA_38C	2570/2620	256QAM	2570.073	2570	2619.979	2620	PASS	0°C/3.91V
CA_38C	2570/2620	QPSK	2570.066	2570	2619.839	2620	PASS	-10°C/3.91V
CA_38C	2570/2620	16QAM	2570.061	2570	2619.853	2620	PASS	-10°C/3.91V
CA_38C	2570/2620	64QAM	2570.086	2570	2619.890	2620	PASS	-10°C/3.91V
CA_38C	2570/2620	256QAM	2570.197	2570	2619.916	2620	PASS	-10°C/3.91V
CA_38C	2570/2620	QPSK	2570.077	2570	2619.806	2620	PASS	-20°C/3.91V
CA_38C	2570/2620	16QAM	2570.183	2570	2619.993	2620	PASS	-20°C/3.91V
CA_38C	2570/2620	64QAM	2570.061	2570	2619.872	2620	PASS	-20°C/3.91V
CA_38C	2570/2620	256QAM	2570.004	2570	2619.863	2620	PASS	-20°C/3.91V
CA_38C	2570/2620	QPSK	2570.165	2570	2619.954	2620	PASS	-30°C/3.91V
CA_38C	2570/2620	16QAM	2570.159	2570	2619.924	2620	PASS	-30°C/3.91V
CA_38C	2570/2620	64QAM	2570.116	2570	2619.934	2620	PASS	-30°C/3.91V
CA_38C	2570/2620	256QAM	2570.001	2570	2619.923	2620	PASS	-30°C/3.91V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_41C	2496/2690	QPSK	2496.114	2496	2689.916	2690	PASS	20°C/3.45V
CA_41C	2496/2690	16QAM	2496.006	2496	2689.815	2690	PASS	20°C/3.45V
CA_41C	2496/2690	64QAM	2496.046	2496	2689.878	2690	PASS	20°C/3.45V
CA_41C	2496/2690	256QAM	2496.100	2496	2689.966	2690	PASS	20°C/3.45V
CA_41C	2496/2690	QPSK	2496.005	2496	2689.972	2690	PASS	20°C/4.5V
CA_41C	2496/2690	16QAM	2496.188	2496	2689.937	2690	PASS	20°C/4.5V
CA_41C	2496/2690	64QAM	2496.190	2496	2689.933	2690	PASS	20°C/4.5V
CA_41C	2496/2690	256QAM	2496.153	2496	2689.821	2690	PASS	20°C/4.5V
CA_41C	2496/2690	QPSK	2496.104	2496	2689.931	2690	PASS	50°C/3.91V
CA_41C	2496/2690	16QAM	2496.124	2496	2689.878	2690	PASS	50°C/3.91V
CA_41C	2496/2690	64QAM	2496.101	2496	2689.946	2690	PASS	50°C/3.91V
CA_41C	2496/2690	256QAM	2496.165	2496	2689.940	2690	PASS	50°C/3.91V

CA_41C	2496/2690	QPSK	2496.115	2496	2689.851	2690	PASS	40°C/3.91V
CA_41C	2496/2690	16QAM	2496.188	2496	2689.938	2690	PASS	40°C/3.91V
CA_41C	2496/2690	64QAM	2496.085	2496	2689.973	2690	PASS	40°C/3.91V
CA_41C	2496/2690	256QAM	2496.147	2496	2689.814	2690	PASS	40°C/3.91V
CA_41C	2496/2690	QPSK	2496.071	2496	2689.904	2690	PASS	30°C/3.91V
CA_41C	2496/2690	16QAM	2496.152	2496	2689.878	2690	PASS	30°C/3.91V
CA_41C	2496/2690	64QAM	2496.193	2496	2689.844	2690	PASS	30°C/3.91V
CA_41C	2496/2690	256QAM	2496.188	2496	2689.876	2690	PASS	30°C/3.91V
CA_41C	2496/2690	QPSK	2496.047	2496	2689.856	2690	PASS	20°C/3.91V
CA_41C	2496/2690	16QAM	2496.062	2496	2689.999	2690	PASS	20°C/3.91V
CA_41C	2496/2690	64QAM	2496.160	2496	2689.834	2690	PASS	20°C/3.91V
CA_41C	2496/2690	256QAM	2496.028	2496	2689.993	2690	PASS	20°C/3.91V
CA_41C	2496/2690	QPSK	2496.047	2496	2689.921	2690	PASS	10°C/3.91V
CA_41C	2496/2690	16QAM	2496.034	2496	2689.802	2690	PASS	10°C/3.91V
CA_41C	2496/2690	64QAM	2496.113	2496	2689.901	2690	PASS	10°C/3.91V
CA_41C	2496/2690	256QAM	2496.080	2496	2689.912	2690	PASS	10°C/3.91V
CA_41C	2496/2690	QPSK	2496.160	2496	2689.899	2690	PASS	0°C/3.91V
CA_41C	2496/2690	16QAM	2496.033	2496	2689.970	2690	PASS	0°C/3.91V
CA_41C	2496/2690	64QAM	2496.133	2496	2689.989	2690	PASS	0°C/3.91V
CA_41C	2496/2690	256QAM	2496.043	2496	2689.952	2690	PASS	0°C/3.91V
CA_41C	2496/2690	QPSK	2496.044	2496	2689.895	2690	PASS	-10°C/3.91V
CA_41C	2496/2690	16QAM	2496.093	2496	2689.869	2690	PASS	-10°C/3.91V
CA_41C	2496/2690	64QAM	2496.185	2496	2689.980	2690	PASS	-10°C/3.91V
CA_41C	2496/2690	256QAM	2496.129	2496	2689.861	2690	PASS	-10°C/3.91V
CA_41C	2496/2690	QPSK	2496.181	2496	2689.896	2690	PASS	-20°C/3.91V
CA_41C	2496/2690	16QAM	2496.134	2496	2689.930	2690	PASS	-20°C/3.91V
CA_41C	2496/2690	64QAM	2496.139	2496	2689.975	2690	PASS	-20°C/3.91V
CA_41C	2496/2690	256QAM	2496.029	2496	2689.948	2690	PASS	-20°C/3.91V
CA_41C	2496/2690	QPSK	2496.001	2496	2689.912	2690	PASS	-30°C/3.91V
CA_41C	2496/2690	16QAM	2496.147	2496	2689.957	2690	PASS	-30°C/3.91V
CA_41C	2496/2690	64QAM	2496.186	2496	2689.858	2690	PASS	-30°C/3.91V
CA_41C	2496/2690	256QAM	2496.125	2496	2689.852	2690	PASS	-30°C/3.91V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_66C	1710/1780	QPSK	1710.005	1710	1779.900	1780	PASS	20°C/3.45V
CA_66C	1710/1780	16QAM	1710.006	1710	1779.947	1780	PASS	20°C/3.45V
CA_66C	1710/1780	64QAM	1710.102	1710	1779.889	1780	PASS	20°C/3.45V
CA_66C	1710/1780	256QAM	1710.100	1710	1779.861	1780	PASS	20°C/3.45V
CA_66C	1710/1780	QPSK	1710.154	1710	1779.841	1780	PASS	20°C/4.5V
CA_66C	1710/1780	16QAM	1710.133	1710	1779.966	1780	PASS	20°C/4.5V
CA_66C	1710/1780	64QAM	1710.178	1710	1779.827	1780	PASS	20°C/4.5V
CA_66C	1710/1780	256QAM	1710.110	1710	1779.888	1780	PASS	20°C/4.5V
CA_66C	1710/1780	QPSK	1710.183	1710	1779.947	1780	PASS	50°C/3.91V
CA_66C	1710/1780	16QAM	1710.160	1710	1779.918	1780	PASS	50°C/3.91V
CA_66C	1710/1780	64QAM	1710.124	1710	1779.964	1780	PASS	50°C/3.91V
CA_66C	1710/1780	256QAM	1710.199	1710	1779.805	1780	PASS	50°C/3.91V
CA_66C	1710/1780	QPSK	1710.131	1710	1779.985	1780	PASS	40°C/3.91V
CA_66C	1710/1780	16QAM	1710.015	1710	1779.825	1780	PASS	40°C/3.91V
CA_66C	1710/1780	64QAM	1710.033	1710	1779.823	1780	PASS	40°C/3.91V
CA_66C	1710/1780	256QAM	1710.067	1710	1779.922	1780	PASS	40°C/3.91V
CA_66C	1710/1780	QPSK	1710.092	1710	1779.882	1780	PASS	30°C/3.91V
CA_66C	1710/1780	16QAM	1710.113	1710	1779.957	1780	PASS	30°C/3.91V
CA_66C	1710/1780	64QAM	1710.089	1710	1779.814	1780	PASS	30°C/3.91V
CA_66C	1710/1780	256QAM	1710.135	1710	1779.957	1780	PASS	30°C/3.91V
CA_66C	1710/1780	QPSK	1710.092	1710	1779.845	1780	PASS	20°C/3.91V
CA_66C	1710/1780	16QAM	1710.181	1710	1779.807	1780	PASS	20°C/3.91V
CA_66C	1710/1780	64QAM	1710.056	1710	1779.852	1780	PASS	20°C/3.91V
CA_66C	1710/1780	256QAM	1710.182	1710	1779.850	1780	PASS	20°C/3.91V
CA_66C	1710/1780	QPSK	1710.135	1710	1779.950	1780	PASS	10°C/3.91V
CA_66C	1710/1780	16QAM	1710.043	1710	1779.937	1780	PASS	10°C/3.91V
CA_66C	1710/1780	64QAM	1710.163	1710	1779.978	1780	PASS	10°C/3.91V
CA_66C	1710/1780	256QAM	1710.006	1710	1779.926	1780	PASS	10°C/3.91V
CA_66C	1710/1780	QPSK	1710.069	1710	1779.832	1780	PASS	0°C/3.91V
CA_66C	1710/1780	16QAM	1710.124	1710	1779.956	1780	PASS	0°C/3.91V
CA_66C	1710/1780	64QAM	1710.185	1710	1779.885	1780	PASS	0°C/3.91V
CA_66C	1710/1780	256QAM	1710.113	1710	1779.911	1780	PASS	0°C/3.91V
CA_66C	1710/1780	QPSK	1710.038	1710	1779.964	1780	PASS	-10°C/3.91V
CA_66C	1710/1780	16QAM	1710.048	1710	1779.832	1780	PASS	-10°C/3.91V
CA_66C	1710/1780	64QAM	1710.083	1710	1779.953	1780	PASS	-10°C/3.91V
CA_66C	1710/1780	256QAM	1710.116	1710	1779.934	1780	PASS	-10°C/3.91V
CA_66C	1710/1780	QPSK	1710.048	1710	1779.863	1780	PASS	-20°C/3.91V

CA_66C	1710/1780	16QAM	1710.151	1710	1779.880	1780	PASS	-20°C/3.91V
CA_66C	1710/1780	64QAM	1710.109	1710	1779.987	1780	PASS	-20°C/3.91V
CA_66C	1710/1780	256QAM	1710.032	1710	1779.931	1780	PASS	-20°C/3.91V
CA_66C	1710/1780	QPSK	1710.042	1710	1779.918	1780	PASS	-30°C/3.91V
CA_66C	1710/1780	16QAM	1710.072	1710	1779.837	1780	PASS	-30°C/3.91V
CA_66C	1710/1780	64QAM	1710.114	1710	1779.920	1780	PASS	-30°C/3.91V
CA_66C	1710/1780	256QAM	1710.006	1710	1779.826	1780	PASS	-30°C/3.91V