

FCC Part 27

RF power output

DC_5A_n38A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 23.76(21.25 20.18) | 18.937 | 0.078 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 22.6(21.31 16.69) | 16.912 | 0.049 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 23.55(21.27 19.66) | 18.596 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.9(21.34 20.39) | 19.109 | 0.081 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 23.78(21.26 20.21) | 18.961 | 0.079 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 23.79(21.32 20.17) | 18.952 | 0.079 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 23.18(21.27 18.7) | 17.991 | 0.063 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 23.77(21.31 20.13) | 18.922 | 0.078 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.66(21.18 20.05) | 18.826 | 0.076 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 23.76(21.32 20.09) | 18.898 | 0.078 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.71(21.2 20.14) | 18.894 | 0.078 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 257 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 23.78(21.35 20.11) | 18.922 | 0.078 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 23.86(21.45 20.16) | 18.988 | 0.079 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 22.68(21.46 16.56) | 16.927 | 0.049 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 23.64(21.44 19.63) | 18.636 | 0.073 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 23.91(21.55 20.13) | 19.001 | 0.079 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 23.91(21.47 20.24) | 19.048 | 0.08 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 23.34(21.43 18.84) | 18.139 | 0.065 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 23.96(21.59 20.2) | 19.061 | 0.081 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 23.88(21.48 20.15) | 18.991 | 0.079 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 23.85(21.46 20.12) | 18.964 | 0.079 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6 | 24.06(21.62 20.39) | 19.198 | 0.083 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6 | 22.88(21.63 16.88) | 17.169 | 0.052 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6 | 23.87(21.59 19.99) | 18.922 | 0.078 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23 | 24.23(21.77 20.58) | 19.375 | 0.087 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6 | 24.06(21.6 20.43) | 19.219 | 0.084 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 24.06(21.63 20.39) | 19.202 | 0.083 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 23.49(21.59 18.98) | 18.287 | 0.067 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 24.04(21.62 20.35) | 19.171 | 0.083 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23 | 24.06(21.59 20.43) | 19.216 | 0.083 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6 | 24.06(21.61 20.4) | 19.202 | 0.083 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23 | 24.06(21.59 20.43) | 19.216 | 0.083 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 261 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 24.05(21.62 20.37) | 19.185 | 0.083 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 23.77(21.23 20.24) | 18.972 | 0.079 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 22.53(21.24 16.64) | 16.851 | 0.048 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 23.57(21.22 19.78) | 18.658 | 0.073 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.11(21.34 20.85) | 19.431 | 0.088 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 23.76(21.22 20.22) | 18.955 | 0.079 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 23.83(21.38 20.18) | 18.979 | 0.079 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 23.15(21.23 18.67) | 17.957 | 0.062 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 23.84(21.39 20.18) | 18.982 | 0.079 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.82(21.46 20.04) | 18.911 | 0.078 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 23.68(21.19 20.08) | 18.85 | 0.077 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.78(21.31 20.15) | 18.936 | 0.078 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 257 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 23.78(21.33 20.13) | 18.929 | 0.078 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 23.93(21.47 20.29) | 19.082 | 0.081 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 22.7(21.47 16.63) | 16.966 | 0.05 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 23.7(21.47 19.73) | 18.711 | 0.074 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 23.89(21.46 20.2) | 19.018 | 0.08 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 23.88(21.45 20.21) | 19.022 | 0.08 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 23.28(21.48 18.6) | 18.016 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 23.86(21.44 20.17) | 18.991 | 0.079 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 23.86(21.48 20.11) | 18.964 | 0.079 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 23.86(21.47 20.13) | 18.974 | 0.079 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9 | 23.59(21.63 19.19) | 18.43 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9 | 22.6(21.6 15.73) | 16.637 | 0.046 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9 | 23.41(21.62 18.7) | 18.133 | 0.065 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37 | 23.7(21.68 19.41) | 18.585 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9 | 23.54(21.59 19.13) | 18.378 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9 | 24.04(21.61 20.37) | 19.182 | 0.083 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9 | 23.09(21.62 17.68) | 17.566 | 0.057 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9 | 23.56(21.6 19.15) | 18.394 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37 | 24.1(21.68 20.4) | 19.225 | 0.084 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9 | 24.03(21.59 20.37) | 19.175 | 0.083 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37 | 24.11(21.61 20.52) | 19.283 | 0.085 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 261 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9 | 24.03(21.6 20.36) | 19.172 | 0.083 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 23.38(21.32 19.14) | 18.281 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 22.33(21.33 15.47) | 16.371 | 0.043 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 23.15(21.32 18.5) | 17.892 | 0.062 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.43(21.39 19.18) | 18.332 | 0.068 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 23.4(21.34 19.16) | 18.301 | 0.068 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.33(21.35 18.96) | 18.181 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.82(21.35 17.41) | 17.296 | 0.054 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.31(21.25 19.07) | 18.211 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.24(21.28 18.85) | 18.086 | 0.064 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.36(21.38 18.99) | 18.211 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.29(21.26 19.01) | 18.177 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 258 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.23(21.17 19) | 18.137 | 0.065 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 23.52(21.56 19.12) | 18.36 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 22.4(21.43 15.43) | 16.414 | 0.044 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 23.22(21.43 18.5) | 17.937 | 0.062 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 23.47(21.47 19.13) | 18.331 | 0.068 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.46(21.56 18.95) | 18.257 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.9(21.43 17.48) | 17.371 | 0.055 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.41(21.41 19.09) | 18.284 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.47(21.54 19.01) | 18.285 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.39(21.43 19) | 18.236 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12 | 23.59(21.6 19.23) | 18.443 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12 | 22.57(21.61 15.52) | 16.557 | 0.045 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12 | 23.39(21.61 18.67) | 18.111 | 0.065 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50 | 23.67(21.5 19.61) | 18.644 | 0.073 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12 | 23.61(21.61 19.29) | 18.484 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 23.6(21.6 19.27) | 18.467 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 23.09(21.59 17.74) | 17.584 | 0.057 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 23.6(21.58 19.3) | 18.478 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50 | 23.65(21.68 19.27) | 18.498 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 23.54(21.58 19.14) | 18.38 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50 | 23.71(21.68 19.44) | 18.603 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 261 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 23.58(21.59 19.22) | 18.433 | 0.07 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16 | 23.32(21.35 18.94) | 18.168 | 0.066 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16 | 22.26(21.26 15.4) | 16.301 | 0.043 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16 | 23.11(21.24 18.55) | 17.889 | 0.062 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.57(21.32 19.63) | 18.593 | 0.072 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16 | 23.27(21.24 18.98) | 18.151 | 0.065 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16 | 23.34(21.38 18.93) | 18.174 | 0.066 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16 | 22.77(21.25 17.47) | 17.281 | 0.053 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16 | 23.36(21.39 18.98) | 18.208 | 0.066 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.4(21.31 19.23) | 18.333 | 0.068 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB32@16 | 23.33(21.34 18.98) | 18.189 | 0.066 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.31(21.12 19.29) | 18.303 | 0.068 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_829MHz 258 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16 | 23.37(21.38 19.01) | 18.223 | 0.066 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16 | 23.44(21.47 19.05) | 18.282 | 0.067 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16 | 22.45(21.49 15.43) | 16.449 | 0.044 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16 | 23.29(21.47 18.64) | 18.036 | 0.064 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16 | 23.4(21.44 19.01) | 18.246 | 0.067 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16 | 23.43(21.45 19.07) | 18.287 | 0.067 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16 | 22.94(21.46 17.53) | 17.412 | 0.055 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16 | 23.38(21.44 18.96) | 18.216 | 0.066 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB32@16 | 23.43(21.47 19.02) | 18.264 | 0.067 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16 | 23.43(21.46 19.04) | 18.272 | 0.067 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB33@16 | 23.59(21.62 19.22) | 18.444 | 0.07 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB33@16 | 22.6(21.62 15.65) | 16.616 | 0.046 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB33@16 | 23.43(21.62 18.76) | 18.168 | 0.066 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@64 | 23.85(21.64 19.86) | 18.855 | 0.077 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB33@16 | 23.55(21.59 19.16) | 18.396 | 0.069 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB32@16 | 23.56(21.6 19.16) | 18.4 | 0.069 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB32@16 | 23.1(21.6 17.76) | 17.599 | 0.058 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB32@16 | 23.57(21.57 19.25) | 18.444 | 0.07 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@64 | 23.68(21.56 19.55) | 18.628 | 0.073 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB32@16 | 23.58(21.61 19.21) | 18.434 | 0.07 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@64 | 23.79(21.75 19.52) | 18.679 | 0.074 | 2.00 | Pass |
| 10MHz 25MHz_30kHz_844MHz 260 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB32@16 | 23.62(21.64 19.26) | 18.477 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.42(21.39 19.13) | 18.301 | 0.068 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.28(21.23 15.62) | 16.377 | 0.043 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.24(21.37 18.68) | 18.019 | 0.063 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.32(21.12 19.32) | 18.322 | 0.068 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.34(21.23 19.2) | 18.285 | 0.067 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.34(21.27 19.14) | 18.262 | 0.067 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.79(21.23 17.6) | 17.342 | 0.054 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.37(21.31 19.13) | 18.271 | 0.067 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.33(21.29 19.08) | 18.232 | 0.067 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.31(21.24 19.1) | 18.226 | 0.066 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.27(21.14 19.16) | 18.227 | 0.066 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 258 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.38(21.29 19.19) | 18.301 | 0.068 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.37(21.45 18.91) | 18.189 | 0.066 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.44(21.47 15.44) | 16.441 | 0.044 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.18(21.44 18.37) | 17.866 | 0.061 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.53(21.47 19.29) | 18.431 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.48(21.46 19.19) | 18.365 | 0.069 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.99(21.46 17.73) | 17.518 | 0.056 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.52(21.46 19.28) | 18.421 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.49(21.46 19.22) | 18.383 | 0.069 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.5(21.47 19.23) | 18.393 | 0.069 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 23.6(21.61 19.26) | 18.465 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 22.59(21.61 15.65) | 16.61 | 0.046 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 23.42(21.61 18.75) | 18.158 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77 | 23.81(21.69 19.67) | 18.751 | 0.075 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 23.58(21.62 19.17) | 18.414 | 0.069 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 23.56(21.6 19.15) | 18.394 | 0.069 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 23.05(21.56 17.67) | 17.533 | 0.057 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 23.58(21.61 19.19) | 18.422 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@77 | 23.59(21.61 19.22) | 18.441 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18 | 23.51(21.55 19.12) | 18.356 | 0.068 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77 | 23.74(21.75 19.39) | 18.599 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 260 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 23.58(21.64 19.15) | 18.409 | 0.069 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.33(21.27 19.11) | 18.243 | 0.067 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.3(21.28 15.53) | 16.368 | 0.043 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.15(21.27 18.61) | 17.937 | 0.062 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.35(21.23 19.22) | 18.298 | 0.068 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.31(21.27 19.06) | 18.212 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.31(21.24 19.09) | 18.219 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.79(21.25 17.54) | 17.319 | 0.054 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.3(21.27 19.02) | 18.187 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.29(21.25 19.02) | 18.179 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.41(21.4 19.11) | 18.292 | 0.067 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.34(21.28 19.11) | 18.247 | 0.067 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 259 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.31(21.26 19.06) | 18.208 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.49(21.46 19.2) | 18.371 | 0.069 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.48(21.48 15.59) | 16.509 | 0.045 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.31(21.48 18.68) | 18.064 | 0.064 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.47(21.47 19.14) | 18.337 | 0.068 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.47(21.47 19.15) | 18.344 | 0.068 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.96(21.48 17.56) | 17.437 | 0.055 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.49(21.48 19.17) | 18.36 | 0.069 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.46(21.47 19.12) | 18.325 | 0.068 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 95MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.47(21.49 19.11) | 18.327 | 0.068 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 23.32(21.6 18.46) | 17.986 | 0.063 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 22.47(21.58 15.13) | 16.385 | 0.044 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 23.26(21.62 18.24) | 17.87 | 0.061 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 23.69(21.51 19.64) | 18.667 | 0.074 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 23.6(21.6 19.27) | 18.467 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 23.6(21.6 19.26) | 18.461 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 23.12(21.62 17.76) | 17.609 | 0.058 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 23.61(21.57 19.35) | 18.506 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 23.61(21.53 19.41) | 18.528 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 23.58(21.62 19.19) | 18.426 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 23.68(21.6 19.49) | 18.605 | 0.073 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 260 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 23.59(21.6 19.25) | 18.455 | 0.07 | 2.00 | Pass |

Note:

P_Total(P_LTE | P_NR);

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_NSA = EIRP_LTE + EIRP_NR;

ERP_NSA = ERP_LTE + ERP_NR

DC_5A_n38A:

n38:

1.Ant Gain =-2.1 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.8dB;**

5A:

1.Ant Gain =-6.8 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.5dB;**

DC_5A_n7A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13 | 23.55(21.3 19.61) | 18.573 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13 | 22.39(21.29 15.89) | 16.529 | 0.045 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13 | 23.33(21.3 19.06) | 18.223 | 0.066 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.47(21.32 19.39) | 18.439 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 23.55(21.29 19.63) | 18.583 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.5(21.29 19.51) | 18.505 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.98(21.32 18) | 17.604 | 0.058 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.53(21.32 19.53) | 18.528 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.43(21.25 19.4) | 18.42 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.51(21.32 19.49) | 18.503 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.48(21.35 19.37) | 18.437 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.51(21.3 19.52) | 18.515 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13 | 23.51(21.48 19.23) | 18.397 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13 | 22.5(21.5 15.63) | 16.537 | 0.045 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13 | 23.36(21.53 18.71) | 18.102 | 0.065 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 23.53(21.49 19.28) | 18.432 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.52(21.52 19.2) | 18.394 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 23.02(21.49 17.73) | 17.532 | 0.057 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.52(21.47 19.28) | 18.424 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.49(21.46 19.2) | 18.371 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.49(21.48 19.19) | 18.372 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13 | 23.48(21.58 18.98) | 18.283 | 0.067 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13 | 22.51(21.58 15.34) | 16.467 | 0.044 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13 | 23.28(21.56 18.44) | 17.957 | 0.062 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51 | 23.45(21.61 18.82) | 18.199 | 0.066 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13 | 23.5(21.61 18.98) | 18.295 | 0.068 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 23.49(21.61 18.96) | 18.283 | 0.067 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 22.99(21.58 17.42) | 17.412 | 0.055 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 23.51(21.58 19.05) | 18.325 | 0.068 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51 | 23.43(21.58 18.82) | 18.187 | 0.066 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 23.47(21.6 18.9) | 18.243 | 0.067 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51 | 23.51(21.71 18.81) | 18.235 | 0.067 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 23.46(21.58 18.92) | 18.247 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.54(21.31 19.57) | 18.551 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.42(21.29 16.04) | 16.596 | 0.046 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.37(21.33 19.11) | 18.266 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.39(21.15 19.44) | 18.41 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.56(21.35 19.58) | 18.571 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.55(21.33 19.57) | 18.558 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.99(21.31 18.05) | 17.628 | 0.058 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.57(21.34 19.61) | 18.587 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.41(21.2 19.43) | 18.421 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.54(21.33 19.56) | 18.551 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.48(21.33 19.39) | 18.442 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.56(21.35 19.57) | 18.565 | 0.072 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.54(21.49 19.3) | 18.444 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.53(21.5 15.76) | 16.592 | 0.046 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.36(21.47 18.85) | 18.161 | 0.065 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.54(21.51 19.27) | 18.433 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.54(21.5 19.29) | 18.442 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 23.03(21.48 17.81) | 17.571 | 0.057 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.55(21.5 19.31) | 18.454 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.5(21.45 19.26) | 18.404 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.53(21.47 19.29) | 18.431 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 23.45(21.57 18.9) | 18.231 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 22.53(21.61 15.36) | 16.493 | 0.045 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 23.31(21.56 18.52) | 18.003 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78 | 23.39(21.62 18.64) | 18.098 | 0.065 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 23.45(21.56 18.93) | 18.245 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 23.46(21.57 18.93) | 18.249 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 23.02(21.59 17.49) | 17.453 | 0.056 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 23.49(21.58 18.99) | 18.289 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78 | 23.39(21.51 18.86) | 18.183 | 0.066 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18 | 23.45(21.58 18.89) | 18.229 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78 | 23.58(21.83 18.78) | 18.268 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 23.45(21.57 18.92) | 18.243 | 0.067 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.51(21.31 19.5) | 18.506 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.44(21.3 16.06) | 16.611 | 0.046 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.32(21.29 19.03) | 18.201 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.51(21.36 19.42) | 18.472 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.54(21.3 19.6) | 18.567 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.56(21.33 19.59) | 18.571 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.97(21.31 17.98) | 17.588 | 0.057 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.5(21.3 19.5) | 18.502 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.42(21.19 19.46) | 18.437 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.55(21.34 19.55) | 18.548 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.35(21.12 19.4) | 18.374 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.54(21.33 19.54) | 18.538 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.52(21.48 19.26) | 18.416 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.49(21.48 15.66) | 16.538 | 0.045 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.36(21.5 18.79) | 18.137 | 0.065 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.55(21.51 19.29) | 18.446 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.58(21.5 19.38) | 18.498 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 23.04(21.51 17.75) | 17.552 | 0.057 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.54(21.5 19.27) | 18.429 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.5(21.44 19.26) | 18.401 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.55(21.53 19.26) | 18.435 | 0.07 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 23.45(21.55 18.95) | 18.253 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 22.53(21.6 15.37) | 16.491 | 0.045 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 23.34(21.61 18.5) | 18.013 | 0.063 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 23.43(21.59 18.8) | 18.179 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 23.46(21.55 18.96) | 18.259 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 23.49(21.57 19.02) | 18.303 | 0.068 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 23(21.59 17.42) | 17.417 | 0.055 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 23.45(21.56 18.94) | 18.251 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 23.5(21.67 18.87) | 18.254 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 23.46(21.57 18.94) | 18.255 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 23.38(21.46 18.9) | 18.187 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 23.49(21.58 18.99) | 18.289 | 0.067 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6 | 23.55(21.33 19.58) | 18.564 | 0.072 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6 | 22.43(21.31 16.01) | 16.594 | 0.046 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6 | 23.38(21.32 19.14) | 18.281 | 0.067 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.5(21.37 19.38) | 18.45 | 0.07 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6 | 23.51(21.3 19.52) | 18.515 | 0.071 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 23.55(21.31 19.61) | 18.577 | 0.072 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 23.53(21.33 19.53) | 18.532 | 0.071 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.37(21.18 19.36) | 18.369 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 23.5(21.32 19.47) | 18.49 | 0.071 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.38(21.2 19.33) | 18.357 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 23.52(21.33 19.49) | 18.506 | 0.071 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6 | 23.52(21.49 19.24) | 18.407 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6 | 22.52(21.51 15.7) | 16.572 | 0.045 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6 | 23.34(21.47 18.79) | 18.125 | 0.065 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6 | 23.5(21.49 19.19) | 18.376 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 23.53(21.5 19.25) | 18.417 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 23(21.48 17.71) | 17.517 | 0.056 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 23.51(21.49 19.21) | 18.388 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 23.5(21.51 19.16) | 18.365 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 23.49(21.49 19.17) | 18.364 | 0.069 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6 | 23.45(21.55 18.94) | 18.247 | 0.067 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6 | 22.51(21.58 15.37) | 16.479 | 0.044 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6 | 23.33(21.59 18.52) | 18.016 | 0.063 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24 | 23.51(21.73 18.79) | 18.231 | 0.067 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6 | 23.47(21.62 18.87) | 18.233 | 0.067 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 23.48(21.56 19.02) | 18.299 | 0.068 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 23.01(21.59 17.47) | 17.443 | 0.055 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 23.44(21.56 18.91) | 18.233 | 0.067 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24 | 23.4(21.55 18.79) | 18.157 | 0.065 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6 | 23.44(21.57 18.89) | 18.225 | 0.066 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24 | 23.45(21.66 18.73) | 18.167 | 0.066 | 2.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 23.45(21.57 18.92) | 18.243 | 0.067 | 2.00 | Pass |

Note:

$P_{Total}(P_{LTE} | P_{NR});$

$EIRP = P + Ant\ Gain - CL;$

$ERP = EIRP - 2.15;$

$EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};$

$ERP_{NSA} = ERP_{LTE} + ERP_{NR}$

DC_5A_n7A:

n7:

1.Ant Gain =-2.1 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.8dB;**

5A:

1.Ant Gain =-6.8 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.5dB;**

RF power output

DC_5A_n40A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 23.95(21.36 20.48) | 19.178 | 0.083 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 22.77(21.42 17.04) | 17.14 | 0.052 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 23.78(21.38 20.07) | 18.905 | 0.078 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.12(21.45 20.74) | 19.386 | 0.087 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 23.99(21.39 20.53) | 19.221 | 0.084 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 23.99(21.37 20.56) | 19.236 | 0.084 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 23.36(21.37 19.02) | 18.225 | 0.066 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 23.92(21.38 20.38) | 19.115 | 0.082 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24(21.47 20.45) | 19.191 | 0.083 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 23.95(21.3 20.54) | 19.201 | 0.083 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.96(21.33 20.54) | 19.21 | 0.083 | 0.25 | Pass |
| 10MHz 10MHz_30kHz_829MHz 2310MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 23.96(21.38 20.48) | 19.184 | 0.083 | 0.25 | Pass |

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

ERP_{NSA} = ERP_{LTE} + ERP_{NR}

DC_5A_n40A_1: n40:

1.Ant Gain =-2.1 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.8dB;

5A:

1.Ant Gain =-6.8 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;

FCC Part 27

RF power output

DC 5A n41A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 23.41(21.31 19.24) | 18.34 | 0.068 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 22.39(21.35 15.65) | 16.459 | 0.044 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 23.21(21.3 18.73) | 18.021 | 0.063 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.6(21.41 19.57) | 18.586 | 0.072 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 23.41(21.34 19.21) | 18.332 | 0.068 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 23.41(21.35 19.19) | 18.323 | 0.068 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 22.91(21.34 17.73) | 17.463 | 0.056 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 23.43(21.34 19.25) | 18.357 | 0.069 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.58(21.32 19.66) | 18.613 | 0.073 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 23.38(21.29 19.2) | 18.307 | 0.068 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.49(21.22 19.58) | 18.526 | 0.071 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 23.39(21.28 19.24) | 18.329 | 0.068 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 23.42(21.51 18.92) | 18.219 | 0.066 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 22.42(21.48 15.31) | 16.395 | 0.044 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 23.21(21.48 18.38) | 17.889 | 0.062 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 23.41(21.49 18.94) | 18.223 | 0.066 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 23.36(21.47 18.84) | 18.155 | 0.065 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 22.91(21.49 17.38) | 17.348 | 0.054 | 2.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 23.39(21.5 18.88) | 18.191 | 0.066 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 100MHz 30kHz 836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 23.39(21.51 18.85) | 18.177 | 0.066 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 23.4(21.51 18.88) | 18.195 | 0.066 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68 | 23.58(21.6 19.21) | 18.431 | 0.07 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68 | 22.57(21.58 15.67) | 16.601 | 0.046 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68 | 23.41(21.62 18.71) | 18.139 | 0.065 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68 | 23.6(21.61 19.24) | 18.453 | 0.07 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67 | 23.56(21.57 19.2) | 18.413 | 0.069 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67 | 23.1(21.62 17.69) | 17.572 | 0.057 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67 | 23.59(21.61 19.22) | 18.441 | 0.07 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@272 | 23.81(21.6 19.83) | 18.821 | 0.076 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67 | 23.59(21.62 19.22) | 18.444 | 0.07 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272 | 23.81(21.72 19.64) | 18.743 | 0.075 | 2.00 | Pass |
| 10MHz 100MHz 30kHz 844MHz 26 40MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67 | 23.56(21.58 19.2) | 18.417 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13 | 23.46(21.31 19.38) | 18.429 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13 | 22.4(21.32 15.83) | 16.519 | 0.045 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13 | 23.27(21.31 18.86) | 18.104 | 0.065 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.49(21.38 19.35) | 18.435 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 23.44(21.32 19.32) | 18.394 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.47(21.35 19.33) | 18.411 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.93(21.33 17.83) | 17.514 | 0.056 | 2.00 | Pass |
| 10MHz 10MHz 15kHz 829MHz 250 1.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.46(21.34 19.33) | 18.408 | 0.069 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.34(21.17 19.28) | 18.314 | 0.068 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.44(21.33 19.3) | 18.385 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.4(21.34 19.17) | 18.307 | 0.068 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.45(21.35 19.29) | 18.386 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13 | 23.29(21.52 18.53) | 17.992 | 0.063 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13 | 22.38(21.53 14.89) | 16.263 | 0.042 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13 | 23.11(21.53 17.96) | 17.675 | 0.059 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 23.27(21.55 18.41) | 17.936 | 0.062 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.31(21.55 18.53) | 18.005 | 0.063 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.84(21.54 16.98) | 17.171 | 0.052 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.3(21.55 18.52) | 17.999 | 0.063 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.26(21.53 18.43) | 17.939 | 0.062 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.18(21.39 18.46) | 17.897 | 0.062 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13 | 23.55(21.59 19.16) | 18.396 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13 | 22.59(21.6 15.68) | 16.616 | 0.046 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13 | 23.4(21.6 18.72) | 18.136 | 0.065 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51 | 23.61(21.62 19.26) | 18.469 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13 | 23.59(21.6 19.24) | 18.449 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 23.56(21.59 19.17) | 18.402 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 23.09(21.59 17.75) | 17.589 | 0.057 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 23.57(21.6 19.18) | 18.412 | 0.069 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51 | 23.63(21.67 19.22) | 18.464 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 23.53(21.59 19.1) | 18.359 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51 | 23.58(21.65 19.14) | 18.407 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 23.58(21.62 19.17) | 18.414 | 0.069 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 23.53(21.28 19.59) | 18.553 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 22.45(21.32 16.04) | 16.613 | 0.046 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 23.32(21.31 19.02) | 18.202 | 0.066 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.34(21.12 19.37) | 18.354 | 0.068 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 23.52(21.32 19.51) | 18.516 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 23.51(21.32 19.49) | 18.503 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 22.99(21.3 18.08) | 17.64 | 0.058 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 23.55(21.3 19.62) | 18.58 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.49(21.27 19.51) | 18.498 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 23.53(21.29 19.58) | 18.55 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.47(21.34 19.36) | 18.427 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 23.54(21.29 19.6) | 18.563 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 23.38(21.56 18.73) | 18.126 | 0.065 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 22.46(21.57 15.12) | 16.375 | 0.043 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 23.16(21.51 18.16) | 17.777 | 0.06 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 23.36(21.54 18.71) | 18.106 | 0.065 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 23.32(21.52 18.63) | 18.051 | 0.064 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 22.92(21.54 17.26) | 17.311 | 0.054 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 23.36(21.53 18.72) | 18.108 | 0.065 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 23.32(21.53 18.62) | 18.049 | 0.064 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 23.34(21.54 18.66) | 18.076 | 0.064 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6 | 23.65(21.59 19.41) | 18.551 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6 | 22.6(21.59 15.79) | 16.656 | 0.046 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6 | 23.47(21.59 18.93) | 18.257 | 0.067 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23 | 23.73(21.74 19.37) | 18.583 | 0.072 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6 | 23.62(21.59 19.33) | 18.501 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 23.6(21.59 19.28) | 18.47 | 0.07 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 23.14(21.6 17.9) | 17.674 | 0.059 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 23.62(21.6 19.33) | 18.505 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23 | 23.65(21.61 19.38) | 18.539 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6 | 23.65(21.61 19.38) | 18.539 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23 | 23.6(21.59 19.3) | 18.482 | 0.071 | 2.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 23.64(21.61 19.37) | 18.533 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.51(21.31 19.51) | 18.512 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.43(21.31 16.01) | 16.594 | 0.046 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.33(21.29 19.08) | 18.232 | 0.067 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.54(21.36 19.51) | 18.53 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.5(21.3 19.5) | 18.502 | 0.071 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.52(21.33 19.5) | 18.513 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.99(21.32 18.03) | 17.621 | 0.058 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.51(21.32 19.49) | 18.503 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.45(21.22 19.49) | 18.467 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.49(21.31 19.46) | 18.48 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.42(21.27 19.33) | 18.382 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.5(21.32 19.47) | 18.49 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.33(21.56 18.58) | 18.038 | 0.064 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.44(21.55 15.1) | 16.355 | 0.043 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.19(21.54 18.2) | 17.813 | 0.06 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.31(21.53 18.57) | 18.02 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.31(21.54 18.57) | 18.024 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.87(21.53 17.11) | 17.23 | 0.053 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.26(21.45 18.59) | 17.998 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.34(21.57 18.59) | 18.048 | 0.064 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.34(21.56 18.61) | 18.056 | 0.064 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 23.59(21.59 19.26) | 18.457 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 22.6(21.6 15.75) | 16.646 | 0.046 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 23.44(21.59 18.83) | 18.197 | 0.066 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78 | 23.68(21.69 19.34) | 18.545 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 23.55(21.56 19.2) | 18.409 | 0.069 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 23.55(21.61 19.11) | 18.373 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 23.08(21.6 17.7) | 17.567 | 0.057 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 23.55(21.6 19.13) | 18.382 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78 | 23.55(21.59 19.14) | 18.384 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18 | 23.56(21.61 19.15) | 18.398 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78 | 23.64(21.76 19.1) | 18.427 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 23.54(21.61 19.1) | 18.367 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 23.55(21.29 19.62) | 18.576 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 22.39(21.28 15.94) | 16.546 | 0.045 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 23.29(21.26 19) | 18.171 | 0.066 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.39(21.18 19.4) | 18.395 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 23.54(21.32 19.56) | 18.548 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 23.49(21.26 19.54) | 18.514 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 23.02(21.3 18.18) | 17.697 | 0.059 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 23.53(21.29 19.58) | 18.55 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.42(21.19 19.47) | 18.444 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 23.5(21.29 19.51) | 18.505 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.38(21.22 19.32) | 18.358 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 23.49(21.27 19.52) | 18.504 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 23.29(21.48 18.61) | 18.022 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 22.36(21.47 15.02) | 16.275 | 0.042 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 23.12(21.47 18.13) | 17.743 | 0.059 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 23.29(21.47 18.62) | 18.024 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 23.28(21.48 18.58) | 18.005 | 0.063 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 22.84(21.48 17.13) | 17.215 | 0.053 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 23.32(21.48 18.71) | 18.081 | 0.064 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 23.31(21.49 18.65) | 18.05 | 0.064 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 23.3(21.51 18.6) | 18.029 | 0.064 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9 | 23.59(21.56 19.31) | 18.477 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9 | 22.54(21.56 15.58) | 16.552 | 0.045 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9 | 23.37(21.58 18.67) | 18.099 | 0.065 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37 | 23.62(21.55 19.4) | 18.529 | 0.071 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9 | 23.58(21.57 19.27) | 18.456 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9 | 23.59(21.59 19.25) | 18.451 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9 | 23.08(21.56 17.78) | 17.591 | 0.057 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9 | 23.56(21.56 19.24) | 18.434 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37 | 23.64(21.57 19.43) | 18.556 | 0.072 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9 | 23.54(21.54 19.2) | 18.401 | 0.069 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37 | 23.56(21.53 19.29) | 18.453 | 0.07 | 2.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9 | 23.56(21.56 19.22) | 18.421 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.48(21.24 19.53) | 18.5 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.4(21.28 15.97) | 16.559 | 0.045 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.35(21.32 19.06) | 18.231 | 0.067 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.62(21.39 19.65) | 18.631 | 0.073 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.5(21.29 19.52) | 18.511 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.54(21.34 19.54) | 18.542 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.96(21.27 18.03) | 17.599 | 0.058 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.46(21.28 19.42) | 18.443 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.49(21.3 19.47) | 18.483 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.51(21.32 19.48) | 18.496 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.41(21.18 19.46) | 18.434 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.48(21.25 19.51) | 18.491 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.29(21.47 18.62) | 18.024 | 0.063 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.36(21.46 15.07) | 16.288 | 0.043 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.15(21.46 18.22) | 17.789 | 0.06 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.32(21.49 18.67) | 18.062 | 0.064 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.32(21.48 18.69) | 18.069 | 0.064 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.84(21.49 17.11) | 17.21 | 0.053 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.28(21.48 18.6) | 18.016 | 0.063 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.3(21.51 18.6) | 18.029 | 0.064 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.29(21.48 18.61) | 18.022 | 0.063 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 23.56(21.56 19.22) | 18.421 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 22.58(21.57 15.77) | 16.636 | 0.046 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 23.44(21.6 18.81) | 18.189 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 23.64(21.57 19.44) | 18.562 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 23.57(21.59 19.21) | 18.427 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 23.57(21.55 19.27) | 18.448 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 23.05(21.55 17.7) | 17.544 | 0.057 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 23.56(21.6 19.16) | 18.4 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 23.59(21.49 19.43) | 18.526 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 23.55(21.56 19.2) | 18.409 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 23.71(21.77 19.27) | 18.533 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 23.55(21.57 19.19) | 18.407 | 0.069 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 23.54(21.33 19.55) | 18.545 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 22.43(21.31 16) | 16.589 | 0.046 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 23.34(21.34 19.02) | 18.214 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.47(21.3 19.41) | 18.444 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 23.54(21.32 19.56) | 18.548 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.52(21.31 19.54) | 18.531 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.96(21.33 17.93) | 17.569 | 0.057 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.52(21.3 19.55) | 18.534 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.53(21.37 19.47) | 18.508 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.54(21.31 19.57) | 18.551 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.42(21.23 19.39) | 18.406 | 0.069 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.5(21.29 19.51) | 18.505 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 23.36(21.54 18.7) | 18.1 | 0.065 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 22.41(21.54 15.01) | 16.315 | 0.043 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 23.18(21.55 18.13) | 17.778 | 0.06 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 23.26(21.39 18.71) | 18.045 | 0.064 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 23.37(21.54 18.72) | 18.112 | 0.065 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.77(21.39 17.11) | 17.161 | 0.052 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.38(21.56 18.72) | 18.12 | 0.065 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 23.34(21.53 18.66) | 18.072 | 0.064 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 23.35(21.54 18.67) | 18.082 | 0.064 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12 | 23.6(21.59 19.29) | 18.476 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12 | 22.6(21.6 15.73) | 16.637 | 0.046 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12 | 23.44(21.59 18.83) | 18.197 | 0.066 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50 | 23.67(21.62 19.43) | 18.574 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12 | 23.61(21.63 19.24) | 18.461 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 23.62(21.59 19.35) | 18.513 | 0.071 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 23.11(21.58 17.84) | 17.633 | 0.058 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 23.59(21.6 19.24) | 18.449 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50 | 23.65(21.58 19.43) | 18.559 | 0.072 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 23.61(21.6 19.29) | 18.48 | 0.07 | 2.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50 | 23.55(21.48 19.33) | 18.459 | 0.07 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 23.6(21.61 19.26) | 18.465 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40 | 23.55(21.28 19.65) | 18.592 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40 | 22.48(21.33 16.15) | 16.668 | 0.046 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40 | 23.39(21.31 19.19) | 18.308 | 0.068 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.52(21.19 19.7) | 18.595 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40 | 23.54(21.29 19.6) | 18.563 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40 | 23.54(21.26 19.65) | 18.586 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40 | 23.02(21.27 18.24) | 17.719 | 0.059 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40 | 23.54(21.27 19.63) | 18.576 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.52(21.22 19.65) | 18.572 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40 | 23.57(21.31 19.66) | 18.609 | 0.073 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.5(21.25 19.57) | 18.53 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40 | 23.56(21.3 19.65) | 18.599 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40 | 23.39(21.5 18.88) | 18.191 | 0.066 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40 | 22.44(21.5 15.33) | 16.415 | 0.044 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40 | 23.22(21.49 18.38) | 17.893 | 0.062 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40 | 23.36(21.49 18.8) | 18.139 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40 | 23.37(21.49 18.83) | 18.157 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40 | 22.93(21.5 17.41) | 17.368 | 0.055 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40 | 23.38(21.51 18.81) | 18.153 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40 | 23.38(21.5 18.85) | 18.173 | 0.066 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40 | 23.37(21.48 18.84) | 18.159 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40 | 23.6(21.59 19.28) | 18.47 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40 | 22.62(21.6 15.82) | 16.675 | 0.047 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40 | 23.44(21.6 18.81) | 18.189 | 0.066 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159 | 23.66(21.53 19.55) | 18.617 | 0.073 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40 | 23.6(21.58 19.3) | 18.478 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40 | 23.62(21.59 19.34) | 18.507 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40 | 23.14(21.62 17.84) | 17.651 | 0.058 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40 | 23.57(21.58 19.23) | 18.435 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@159 | 23.67(21.58 19.5) | 18.603 | 0.073 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB80@40 | 23.6(21.58 19.3) | 18.478 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159 | 23.55(21.49 19.33) | 18.463 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40 | 23.58(21.57 19.27) | 18.456 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.55(21.28 19.65) | 18.592 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.41(21.25 16.1) | 16.601 | 0.046 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.3(21.26 19.05) | 18.202 | 0.066 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.57(21.41 19.49) | 18.535 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.53(21.3 19.58) | 18.554 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.49(21.27 19.52) | 18.504 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.99(21.3 18.06) | 17.629 | 0.058 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.52(21.28 19.57) | 18.54 | 0.071 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.54(21.26 19.64) | 18.579 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.56(21.34 19.59) | 18.574 | 0.072 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.48(21.21 19.57) | 18.516 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.5(21.25 19.56) | 18.523 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 23.35(21.49 18.77) | 18.121 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 22.38(21.46 15.19) | 16.335 | 0.043 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 23.16(21.46 18.25) | 17.806 | 0.06 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 23.29(21.46 18.65) | 18.038 | 0.064 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 23.31(21.48 18.68) | 18.064 | 0.064 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.86(21.47 17.23) | 17.261 | 0.053 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 23.34(21.47 18.78) | 18.119 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 23.31(21.47 18.7) | 18.071 | 0.064 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 23.34(21.49 18.73) | 18.097 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 23.58(21.54 19.33) | 18.482 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 22.59(21.58 15.77) | 16.642 | 0.046 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 23.39(21.53 18.8) | 18.155 | 0.065 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77 | 23.64(21.58 19.4) | 18.541 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 23.54(21.55 19.2) | 18.405 | 0.069 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 23.56(21.56 19.22) | 18.421 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 23.08(21.56 17.77) | 17.586 | 0.057 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 23.57(21.56 19.25) | 18.44 | 0.07 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@77 | 23.57(21.46 19.42) | 18.509 | 0.071 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18 | 23.58(21.57 19.28) | 18.462 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77 | 23.57(21.53 19.32) | 18.472 | 0.07 | 2.00 | Pass |
| 10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 23.57(21.56 19.26) | 18.446 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54 | 23.54(21.31 19.57) | 18.551 | 0.072 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54 | 22.44(21.31 16.03) | 16.603 | 0.046 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54 | 23.33(21.32 19.03) | 18.212 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.56(21.26 19.69) | 18.612 | 0.073 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54 | 23.52(21.3 19.55) | 18.534 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 23.55(21.34 19.57) | 18.561 | 0.072 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 23.01(21.32 18.1) | 17.66 | 0.058 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 23.54(21.29 19.6) | 18.563 | 0.072 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.63(21.38 19.69) | 18.653 | 0.073 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 23.54(21.31 19.59) | 18.564 | 0.072 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.5(21.23 19.59) | 18.536 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 23.5(21.28 19.53) | 18.514 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54 | 23.33(21.47 18.75) | 18.101 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54 | 22.45(21.52 15.28) | 16.407 | 0.044 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54 | 23.21(21.5 18.33) | 17.869 | 0.061 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54 | 23.37(21.51 18.79) | 18.141 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 23.38(21.5 18.85) | 18.173 | 0.066 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 22.92(21.51 17.35) | 17.342 | 0.054 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 23.39(21.5 18.86) | 18.179 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 23.3(21.4 18.8) | 18.103 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 23.39(21.51 18.84) | 18.171 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54 | 23.54(21.55 19.2) | 18.405 | 0.069 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54 | 22.57(21.56 15.73) | 16.614 | 0.046 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54 | 23.37(21.55 18.71) | 18.11 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215 | 23.76(21.72 19.49) | 18.649 | 0.073 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54 | 23.58(21.58 19.25) | 18.447 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 23.58(21.58 19.24) | 18.441 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 23.07(21.59 17.67) | 17.547 | 0.057 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 23.57(21.59 19.21) | 18.427 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215 | 23.8(21.78 19.51) | 18.685 | 0.074 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54 | 23.56(21.58 19.2) | 18.417 | 0.069 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215 | 23.65(21.63 19.36) | 18.535 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 23.58(21.59 19.24) | 18.445 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.53(21.31 19.56) | 18.544 | 0.072 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.41(21.27 16.04) | 16.585 | 0.046 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.31(21.28 19.02) | 18.191 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.53(21.32 19.55) | 18.541 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.52(21.29 19.56) | 18.537 | 0.071 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.5(21.31 19.49) | 18.499 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.97(21.28 18.04) | 17.609 | 0.058 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.49(21.28 19.51) | 18.501 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.53(21.21 19.7) | 18.601 | 0.072 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.49(21.25 19.55) | 18.517 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.44(21.2 19.5) | 18.467 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.5(21.27 19.54) | 18.517 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 23.3(21.39 18.82) | 18.111 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 22.44(21.53 15.2) | 16.382 | 0.043 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 23.21(21.53 18.28) | 17.853 | 0.061 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 23.35(21.53 18.69) | 18.09 | 0.064 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 23.37(21.53 18.76) | 18.131 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.92(21.53 17.31) | 17.331 | 0.054 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 23.38(21.52 18.79) | 18.145 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 23.36(21.52 18.75) | 18.121 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 23.35(21.5 18.74) | 18.107 | 0.065 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 23.62(21.61 19.3) | 18.49 | 0.071 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 22.62(21.62 15.75) | 16.657 | 0.046 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 23.43(21.58 18.83) | 18.193 | 0.066 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 23.62(21.44 19.57) | 18.597 | 0.072 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 23.64(21.6 19.37) | 18.529 | 0.071 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 23.6(21.61 19.25) | 18.459 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 23.13(21.63 17.79) | 17.629 | 0.058 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 23.59(21.61 19.23) | 18.447 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 23.72(21.59 19.61) | 18.677 | 0.074 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 23.59(21.61 19.23) | 18.447 | 0.07 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 23.68(21.57 19.52) | 18.612 | 0.073 | 2.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 23.61(21.62 19.27) | 18.475 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB135@67 | 23.49(21.3 19.46) | 18.476 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB135@67 | 22.42(21.29 16.03) | 16.592 | 0.046 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB135@67 | 23.3(21.27 19.01) | 18.181 | 0.066 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.57(21.2 19.8) | 18.664 | 0.074 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB135@67 | 23.48(21.27 19.49) | 18.485 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 23.48(21.25 19.53) | 18.504 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 22.98(21.3 18.05) | 17.623 | 0.058 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 23.5(21.29 19.51) | 18.505 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.58(21.28 19.72) | 18.638 | 0.073 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 23.49(21.25 19.54) | 18.51 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.52(21.27 19.59) | 18.55 | 0.072 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 23.46(21.25 19.48) | 18.471 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB135@67 | 23.32(21.43 18.8) | 18.115 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB135@67 | 22.4(21.44 15.36) | 16.391 | 0.044 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB135@67 | 23.18(21.42 18.4) | 17.875 | 0.061 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB135@67 | 23.32(21.45 18.77) | 18.105 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 23.34(21.45 18.83) | 18.141 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 22.86(21.44 17.31) | 17.287 | 0.054 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 23.35(21.44 18.86) | 18.155 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 23.35(21.49 18.78) | 18.127 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 23.33(21.45 18.78) | 18.111 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB135@67 | 23.58(21.61 19.2) | 18.428 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB135@67 | 22.64(21.62 15.83) | 16.691 | 0.047 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB135@67 | 23.41(21.6 18.74) | 18.148 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@269 | 23.71(21.6 19.57) | 18.655 | 0.073 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB135@67 | 23.58(21.6 19.22) | 18.437 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67 | 23.55(21.56 19.2) | 18.409 | 0.069 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67 | 23.09(21.57 17.79) | 17.601 | 0.058 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67 | 23.59(21.59 19.26) | 18.457 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@269 | 23.68(21.58 19.51) | 18.61 | 0.073 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67 | 23.54(21.55 19.2) | 18.405 | 0.069 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@269 | 23.65(21.6 19.41) | 18.554 | 0.072 | 2.00 | Pass |
| 10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67 | 23.57(21.58 19.22) | 18.429 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 23.5(21.27 19.53) | 18.511 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 22.41(21.28 15.99) | 16.568 | 0.045 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 23.28(21.27 18.98) | 18.162 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.53(21.32 19.53) | 18.528 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 23.51(21.29 19.54) | 18.524 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 23.5(21.29 19.5) | 18.498 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 22.95(21.27 18.02) | 17.593 | 0.057 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 23.49(21.33 19.41) | 18.455 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.63(21.35 19.75) | 18.682 | 0.074 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 23.55(21.34 19.56) | 18.555 | 0.072 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.53(21.31 19.55) | 18.538 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 23.53(21.34 19.51) | 18.523 | 0.071 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 23.36(21.48 18.82) | 18.147 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 22.41(21.48 15.25) | 16.371 | 0.043 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 23.23(21.5 18.39) | 17.903 | 0.062 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 23.39(21.5 18.87) | 18.185 | 0.066 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 23.33(21.46 18.78) | 18.115 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 22.89(21.5 17.27) | 17.296 | 0.054 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 23.34(21.49 18.75) | 18.109 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 23.35(21.49 18.78) | 18.127 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 23.33(21.47 18.76) | 18.107 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33 | 23.55(21.55 19.21) | 18.411 | 0.069 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33 | 22.55(21.53 15.76) | 16.609 | 0.046 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33 | 23.37(21.53 18.75) | 18.125 | 0.065 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132 | 23.76(21.75 19.44) | 18.63 | 0.073 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33 | 23.55(21.54 19.25) | 18.432 | 0.07 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32 | 23.54(21.58 19.14) | 18.38 | 0.069 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32 | 23.06(21.58 17.67) | 17.542 | 0.057 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32 | 23.56(21.58 19.19) | 18.411 | 0.069 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132 | 23.64(21.52 19.51) | 18.588 | 0.072 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32 | 23.52(21.58 19.1) | 18.356 | 0.068 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132 | 23.75(21.73 19.45) | 18.628 | 0.073 | 2.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32 | 23.55(21.58 19.17) | 18.398 | 0.069 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 23.44(21.26 19.4) | 18.423 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 22.38(21.27 15.93) | 16.536 | 0.045 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 23.28(21.26 18.98) | 18.158 | 0.065 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.4(21.15 19.47) | 18.43 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 23.43(21.25 19.4) | 18.42 | 0.069 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 23.48(21.32 19.41) | 18.451 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 22.92(21.25 17.97) | 17.556 | 0.057 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 23.47(21.3 19.41) | 18.444 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.43(21.14 19.56) | 18.485 | 0.071 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 23.45(21.27 19.4) | 18.427 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.42(21.15 19.52) | 18.462 | 0.07 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 23.48(21.3 19.44) | 18.463 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 23.36(21.49 18.8) | 18.139 | 0.065 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 22.42(21.5 15.24) | 16.379 | 0.043 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 23.21(21.5 18.35) | 17.88 | 0.061 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 23.36(21.5 18.78) | 18.131 | 0.065 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 23.38(21.49 18.85) | 18.169 | 0.066 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 22.91(21.52 17.3) | 17.321 | 0.054 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 23.35(21.49 18.76) | 18.115 | 0.065 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 23.34(21.47 18.77) | 18.113 | 0.065 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 23.36(21.49 18.8) | 18.139 | 0.065 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40 | 23.56(21.61 19.15) | 18.398 | 0.069 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40 | 22.6(21.6 15.73) | 16.637 | 0.046 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40 | 23.39(21.6 18.69) | 18.119 | 0.065 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161 | 23.77(21.75 19.47) | 18.648 | 0.073 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40 | 23.58(21.61 19.2) | 18.428 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40 | 23.59(21.6 19.23) | 18.443 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40 | 23.1(21.62 17.71) | 17.582 | 0.057 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40 | 23.59(21.59 19.26) | 18.457 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161 | 23.7(21.56 19.59) | 18.653 | 0.073 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40 | 23.57(21.6 19.2) | 18.424 | 0.07 | 2.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161 | 23.74(21.71 19.45) | 18.621 | 0.073 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40 | 23.57(21.59 19.21) | 18.427 | 0.07 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 23.38(21.25 19.27) | 18.337 | 0.068 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 22.35(21.27 15.76) | 16.461 | 0.044 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 23.23(21.26 18.85) | 18.078 | 0.064 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.54(21.38 19.48) | 18.518 | 0.071 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 23.43(21.32 19.27) | 18.362 | 0.069 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 23.45(21.32 19.33) | 18.4 | 0.069 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 22.88(21.27 17.78) | 17.459 | 0.056 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 23.39(21.27 19.25) | 18.331 | 0.068 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.59(21.38 19.61) | 18.601 | 0.072 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 23.42(21.26 19.34) | 18.385 | 0.069 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.43(21.18 19.49) | 18.453 | 0.07 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 23.43(21.3 19.31) | 18.38 | 0.069 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 23.34(21.47 18.78) | 18.119 | 0.065 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 22.42(21.48 15.33) | 16.403 | 0.044 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 23.18(21.45 18.34) | 17.853 | 0.061 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 23.37(21.5 18.82) | 18.155 | 0.065 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 23.35(21.46 18.83) | 18.145 | 0.065 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 22.86(21.45 17.29) | 17.282 | 0.053 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 23.35(21.46 18.82) | 18.139 | 0.065 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 23.34(21.46 18.79) | 18.121 | 0.065 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 23.35(21.46 18.84) | 18.151 | 0.065 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54 | 23.59(21.59 19.25) | 18.451 | 0.07 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54 | 22.56(21.57 15.67) | 16.595 | 0.046 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54 | 23.4(21.59 18.73) | 18.138 | 0.065 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216 | 23.73(21.59 19.63) | 18.689 | 0.074 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54 | 23.57(21.6 19.2) | 18.424 | 0.07 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 23.56(21.57 19.2) | 18.413 | 0.069 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 23.06(21.57 17.7) | 17.553 | 0.057 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 23.56(21.59 19.19) | 18.414 | 0.069 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216 | 23.78(21.67 19.63) | 18.719 | 0.074 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54 | 23.57(21.58 19.21) | 18.423 | 0.07 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216 | 23.75(21.62 19.63) | 18.7 | 0.074 | 2.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 23.56(21.57 19.22) | 18.425 | 0.07 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 23.43(21.34 19.26) | 18.363 | 0.069 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 22.34(21.28 15.7) | 16.44 | 0.044 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 23.19(21.27 18.73) | 18.009 | 0.063 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.46(21.23 19.51) | 18.484 | 0.071 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 23.42(21.33 19.24) | 18.347 | 0.068 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 23.42(21.27 19.34) | 18.389 | 0.069 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 22.94(21.33 17.85) | 17.525 | 0.057 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 23.43(21.28 19.34) | 18.392 | 0.069 | 2.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.52(21.28 19.57) | 18.54 | 0.071 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 23.44(21.34 19.27) | 18.37 | 0.069 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.41(21.14 19.5) | 18.446 | 0.07 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 23.44(21.33 19.3) | 18.385 | 0.069 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 23.36(21.48 18.82) | 18.147 | 0.065 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 22.44(21.5 15.33) | 16.415 | 0.044 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 23.2(21.49 18.31) | 17.853 | 0.061 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 23.4(21.49 18.9) | 18.199 | 0.066 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 23.37(21.48 18.84) | 18.159 | 0.065 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 22.92(21.49 17.39) | 17.353 | 0.054 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 23.39(21.5 18.86) | 18.179 | 0.066 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 23.37(21.49 18.84) | 18.163 | 0.066 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 23.39(21.5 18.86) | 18.179 | 0.066 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61 | 23.58(21.61 19.19) | 18.422 | 0.07 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61 | 22.58(21.6 15.64) | 16.6 | 0.046 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61 | 23.4(21.57 18.77) | 18.154 | 0.065 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244 | 23.62(21.44 19.58) | 18.603 | 0.073 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61 | 23.55(21.59 19.16) | 18.396 | 0.069 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60 | 23.57(21.58 19.22) | 18.429 | 0.07 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60 | 23.11(21.62 17.74) | 17.598 | 0.058 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60 | 23.56(21.59 19.19) | 18.414 | 0.069 | 2.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244 | 23.69(21.5 19.68) | 18.689 | 0.074 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60 | 23.59(21.63 19.18) | 18.424 | 0.07 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244 | 23.71(21.6 19.57) | 18.655 | 0.073 | 2.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60 | 23.62(21.65 19.24) | 18.468 | 0.07 | 2.00 | Pass |

Note:

$P_{Total}(P_{LTE} | P_{NR});$

$EIRP = P + Ant\ Gain - CL;$

$ERP = EIRP - 2.15;$

$EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};$

$ERP_{NSA} = ERP_{LTE} + ERP_{NR}$

DC_5A_n41A:

n41:

1.Ant Gain = -2.1 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.8dB;**

5A:

1.Ant Gain = -6.8 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.5dB;**

FCC Part 27

RF power output

DC 5A n66A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13 | 23(21.32 18.07) | 16.283 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13 | 22.14(21.32 14.5) | 15.161 | 0.033 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13 | 22.85(21.32 17.58) | 16.091 | 0.041 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.07(21.42 18.08) | 16.347 | 0.043 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 23.01(21.33 18.06) | 16.285 | 0.043 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 22.99(21.29 18.09) | 16.274 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.58(21.34 16.53) | 15.735 | 0.037 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 23.01(21.35 18.03) | 16.285 | 0.043 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.91(21.2 18.03) | 16.196 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 22.98(21.3 18.05) | 16.263 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.89(21.23 17.92) | 16.169 | 0.041 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 22.99(21.28 18.12) | 16.28 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13 | 22.91(21.09 18.25) | 16.224 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13 | 21.96(21.08 14.62) | 15.007 | 0.032 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13 | 22.74(21.11 17.69) | 16.005 | 0.04 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13 | 22.87(21.09 18.14) | 16.178 | 0.041 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 22.91(21.11 18.23) | 16.227 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 22.41(21.08 16.64) | 15.598 | 0.036 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 22.91(21.11 18.21) | 16.219 | 0.042 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 22.89(21.09 18.2) | 16.203 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 22.88(21.06 18.21) | 16.19 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13 | 22.94(21.2 18.12) | 16.233 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13 | 22.05(21.2 14.55) | 15.081 | 0.032 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13 | 22.77(21.19 17.62) | 16.026 | 0.04 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51 | 23.02(21.3 18.16) | 16.308 | 0.043 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13 | 22.94(21.21 18.1) | 16.231 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 22.97(21.21 18.2) | 16.272 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 22.51(21.19 16.68) | 15.685 | 0.037 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 22.95(21.21 18.13) | 16.243 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51 | 22.89(21.15 18.09) | 16.191 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 22.92(21.18 18.11) | 16.217 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51 | 22.93(21.22 18.06) | 16.22 | 0.042 | 1.00 | Pass |
| 10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 22.91(21.18 18.09) | 16.209 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 22.79(21.01 18.06) | 16.098 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 21.91(21 14.66) | 14.957 | 0.031 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 22.68(21.02 17.7) | 15.955 | 0.039 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.74(20.91 18.11) | 16.062 | 0.04 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 22.81(21.01 18.11) | 16.119 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 22.8(20.95 18.19) | 16.119 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.4(21.03 16.72) | 15.593 | 0.036 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 22.82(20.96 18.23) | 16.142 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.78(21 18.04) | 16.083 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 22.82(21 18.15) | 16.13 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.72(20.97 17.93) | 16.02 | 0.04 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 22.85(21.02 18.2) | 16.163 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 22.87(21.08 18.15) | 16.176 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 21.95(21.05 14.68) | 15 | 0.032 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 22.73(21.07 17.75) | 16.005 | 0.04 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 22.89(21.1 18.19) | 16.205 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 22.91(21.08 18.26) | 16.223 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 22.47(21.11 16.78) | 15.666 | 0.037 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 22.91(21.07 18.29) | 16.23 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18 | 22.91(21.11 18.22) | 16.223 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 22.89(21.07 18.24) | 16.209 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 22.88(21.12 18.1) | 16.178 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 22.05(21.18 14.64) | 15.088 | 0.032 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 22.79(21.17 17.71) | 16.049 | 0.04 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78 | 22.99(21.3 18.08) | 16.275 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 22.88(21.14 18.08) | 16.181 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 22.94(21.16 18.21) | 16.248 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 22.46(21.13 16.69) | 15.648 | 0.037 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 22.92(21.14 18.18) | 16.223 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78 | 23.02(21.32 18.13) | 16.308 | 0.043 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18 | 22.92(21.17 18.12) | 16.216 | 0.042 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78 | 22.84(21.07 18.08) | 16.141 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 22.91(21.14 18.16) | 16.215 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 22.76(20.9 18.18) | 16.086 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 21.83(20.91 14.65) | 14.887 | 0.031 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 22.63(20.92 17.75) | 15.916 | 0.039 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.75(20.89 18.16) | 16.072 | 0.04 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 22.78(20.92 18.2) | 16.106 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 22.75(20.91 18.14) | 16.075 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.27(20.85 16.74) | 15.484 | 0.035 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 22.75(20.89 18.17) | 16.076 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.72(20.9 18.05) | 16.03 | 0.04 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 22.77(20.93 18.15) | 16.09 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.61(20.77 18) | 15.935 | 0.039 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 22.78(20.94 18.17) | 16.105 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 22.85(20.98 18.28) | 16.175 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 21.93(21.02 14.71) | 14.985 | 0.032 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 22.72(21.02 17.81) | 15.999 | 0.04 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 22.87(21.03 18.25) | 16.19 | 0.042 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 22.84(20.98 18.26) | 16.166 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 22.37(20.98 16.76) | 15.575 | 0.036 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 22.88(21.03 18.27) | 16.199 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 22.82(20.99 18.18) | 16.137 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 22.84(20.99 18.24) | 16.163 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 22.9(21.14 18.14) | 16.206 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 22.03(21.15 14.67) | 15.072 | 0.032 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 22.79(21.15 17.78) | 16.065 | 0.04 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 22.89(21.05 18.27) | 16.21 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 22.9(21.14 18.14) | 16.206 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 22.88(21.12 18.11) | 16.182 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 22.5(21.17 16.7) | 15.678 | 0.037 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 22.91(21.13 18.18) | 16.218 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 22.85(21.06 18.15) | 16.165 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 22.9(21.14 18.12) | 16.198 | 0.042 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 22.85(21.08 18.09) | 16.151 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 22.9(21.12 18.16) | 16.203 | 0.042 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 22.77(20.96 18.09) | 16.082 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 21.82(20.92 14.52) | 14.862 | 0.031 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 22.6(20.94 17.63) | 15.879 | 0.039 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.72(20.95 17.98) | 16.029 | 0.04 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 22.79(20.96 18.14) | 16.103 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 22.75(20.9 18.14) | 16.069 | 0.04 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 22.28(20.92 16.59) | 15.476 | 0.035 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 22.73(20.9 18.08) | 16.043 | 0.04 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.7(20.93 17.96) | 16.009 | 0.04 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 22.73(20.91 18.07) | 16.044 | 0.04 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.63(20.87 17.86) | 15.932 | 0.039 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 22.77(20.96 18.1) | 16.086 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 22.83(21.05 18.09) | 16.133 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 21.89(21.01 14.52) | 14.93 | 0.031 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 22.69(21.07 17.61) | 15.949 | 0.039 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 22.83(21.04 18.13) | 16.145 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 22.82(21.03 18.11) | 16.13 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 22.37(21.03 16.6) | 15.552 | 0.036 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 22.78(21 18.05) | 16.088 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 22.8(21.03 18.05) | 16.105 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 22.78(20.99 18.06) | 16.086 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33 | 22.87(21.12 18.07) | 16.166 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33 | 22(21.15 14.48) | 15.027 | 0.032 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33 | 22.72(21.13 17.58) | 15.974 | 0.04 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132 | 23.09(21.42 18.14) | 16.371 | 0.043 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33 | 22.87(21.12 18.08) | 16.17 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32 | 22.84(21.09 18.05) | 16.14 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32 | 22.42(21.13 16.53) | 15.594 | 0.036 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32 | 22.85(21.13 18) | 16.142 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132 | 22.88(21.11 18.14) | 16.189 | 0.042 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32 | 22.85(21.12 18.03) | 16.149 | 0.041 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132 | 22.89(21.16 18.06) | 16.185 | 0.042 | 1.00 | Pass |
| 10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32 | 22.85(21.11 18.04) | 16.147 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40 | 22.79(20.96 18.16) | 16.112 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40 | 21.85(20.94 14.64) | 14.907 | 0.031 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40 | 22.63(20.98 17.62) | 15.899 | 0.039 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.79(21.02 18.04) | 16.095 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40 | 22.81(20.98 18.17) | 16.127 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40 | 22.78(20.93 18.18) | 16.103 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40 | 22.32(20.92 16.73) | 15.526 | 0.036 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40 | 22.78(20.96 18.13) | 16.099 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.74(20.95 18.02) | 16.046 | 0.04 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40 | 22.83(21 18.2) | 16.152 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.76(21.04 17.92) | 16.056 | 0.04 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40 | 22.75(20.92 18.12) | 16.072 | 0.04 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40 | 22.83(21.05 18.09) | 16.133 | 0.041 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40 | 21.94(21.05 14.64) | 14.99 | 0.032 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40 | 22.67(21.06 17.58) | 15.931 | 0.039 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40 | 22.83(21.03 18.13) | 16.139 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40 | 22.82(21.04 18.1) | 16.132 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40 | 22.39(21.04 16.65) | 15.576 | 0.036 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40 | 22.83(21.06 18.09) | 16.139 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40 | 22.83(21.02 18.16) | 16.146 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40 | 22.84(21.03 18.16) | 16.152 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40 | 22.86(21.13 18.04) | 16.159 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40 | 22.04(21.17 14.64) | 15.08 | 0.032 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40 | 22.72(21.13 17.6) | 15.982 | 0.04 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159 | 23.02(21.28 18.2) | 16.313 | 0.043 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40 | 22.85(21.11 18.03) | 16.143 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40 | 22.86(21.11 18.06) | 16.156 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40 | 22.47(21.14 16.67) | 15.648 | 0.037 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40 | 22.87(21.12 18.09) | 16.174 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@159 | 22.8(21 18.12) | 16.117 | 0.041 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB80@40 | 22.89(21.13 18.11) | 16.188 | 0.042 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159 | 22.91(21.21 18.02) | 16.198 | 0.042 | 1.00 | Pass |
| 10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40 | 22.87(21.12 18.09) | 16.174 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54 | 22.83(20.98 18.23) | 16.153 | 0.041 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54 | 21.86(20.94 14.69) | 14.92 | 0.031 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54 | 22.67(20.98 17.74) | 15.947 | 0.039 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.68(20.88 18) | 15.997 | 0.04 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54 | 22.81(20.96 18.21) | 16.133 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 22.81(20.97 18.19) | 16.13 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 22.3(20.92 16.66) | 15.501 | 0.035 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 22.81(20.97 18.19) | 16.13 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 22.77(21.04 17.94) | 16.065 | 0.04 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 22.81(20.98 18.18) | 16.132 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.7(20.97 17.87) | 15.995 | 0.04 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 22.8(20.98 18.15) | 16.119 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54 | 22.86(21.05 18.19) | 16.176 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54 | 21.97(21.09 14.62) | 15.015 | 0.032 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54 | 22.73(21.11 17.67) | 15.997 | 0.04 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54 | 22.85(21.1 18.07) | 16.154 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 22.82(21.04 18.08) | 16.123 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 22.42(21.08 16.66) | 15.605 | 0.036 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 22.84(21.07 18.08) | 16.141 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 22.84(21.04 18.14) | 16.149 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 22.83(21.02 18.15) | 16.142 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54 | 22.94(21.2 18.13) | 16.237 | 0.042 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54 | 22.05(21.18 14.62) | 15.083 | 0.032 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54 | 22.8(21.2 17.68) | 16.056 | 0.04 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215 | 22.86(21.06 18.16) | 16.169 | 0.041 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54 | 22.95(21.19 18.18) | 16.252 | 0.042 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 22.92(21.2 18.08) | 16.216 | 0.042 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 22.5(21.2 16.61) | 15.668 | 0.037 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 22.92(21.19 18.09) | 16.215 | 0.042 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215 | 22.98(21.27 18.12) | 16.274 | 0.042 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54 | 22.91(21.18 18.07) | 16.201 | 0.042 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215 | 22.99(21.31 18.06) | 16.273 | 0.042 | 1.00 | Pass |
| 10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 22.93(21.19 18.12) | 16.227 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6 | 22.97(21.27 18.07) | 16.254 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6 | 22.16(21.33 14.55) | 15.181 | 0.033 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6 | 22.85(21.3 17.63) | 16.097 | 0.041 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 22.95(21.22 18.13) | 16.249 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6 | 22.96(21.25 18.09) | 16.25 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 22.94(21.18 18.17) | 16.242 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 22.55(21.26 16.63) | 15.714 | 0.037 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 22.99(21.25 18.17) | 16.283 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.01(21.35 18.03) | 16.285 | 0.043 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 22.95(21.24 18.09) | 16.244 | 0.042 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 22.88(21.17 18.01) | 16.17 | 0.041 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 22.95(21.22 18.13) | 16.249 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6 | 22.87(21.1 18.12) | 16.175 | 0.041 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6 | 22.04(21.16 14.65) | 15.075 | 0.032 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6 | 22.74(21.11 17.7) | 16.009 | 0.04 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6 | 22.91(21.12 18.21) | 16.225 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 22.91(21.11 18.22) | 16.223 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 22.48(21.15 16.69) | 15.662 | 0.037 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 22.98(21.19 18.27) | 16.29 | 0.043 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 22.96(21.18 18.23) | 16.268 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 22.93(21.16 18.18) | 16.235 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6 | 22.9(21.17 18.06) | 16.191 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6 | 22.03(21.17 14.58) | 15.066 | 0.032 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6 | 22.76(21.16 17.65) | 16.019 | 0.04 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24 | 22.87(21.09 18.13) | 16.173 | 0.041 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6 | 22.92(21.17 18.14) | 16.224 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 22.93(21.18 18.13) | 16.226 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 22.5(21.19 16.65) | 15.674 | 0.037 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 22.96(21.19 18.22) | 16.269 | 0.042 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24 | 23.01(21.3 18.12) | 16.292 | 0.043 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6 | 22.92(21.18 18.11) | 16.217 | 0.042 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 5MHz_15kHz_844MHz 1777. 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24 | 23.01(21.33 18.07) | 16.289 | 0.043 | 1.00 | Pass |
| 10MHz 5MHz_15kHz_844MHz 1777. 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 22.93(21.19 18.12) | 16.227 | 0.042 | 1.00 | Pass |

Note:

$P_{Total}(P_{LTE} | P_{NR});$

$EIRP = P + Ant\ Gain - CL;$

$ERP = EIRP - 2.15;$

$EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};$

$ERP_{NSA} = ERP_{LTE} + ERP_{NR}$

DC_5A_n66A:

n66:

1.Ant Gain =-4.9 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.8dB;**

5A:

1.Ant Gain =-6.8 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.5dB;**

FCC Part 27

RF power output

DC_5A_n77A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 24.19(21.16 21.2) | 17.708 | 0.059 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 22.8(21.19 17.71) | 16.022 | 0.04 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 23.95(21.15 20.72) | 17.428 | 0.055 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 23.95(20.64 21.22) | 17.514 | 0.056 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 24.18(21.1 21.23) | 17.701 | 0.059 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 23.86(20.5 21.17) | 17.429 | 0.055 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 23.48(21.11 19.71) | 16.871 | 0.049 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 23.98(20.79 21.15) | 17.529 | 0.057 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 23.66(20.46 20.84) | 17.211 | 0.053 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 23.72(20.32 21.06) | 17.293 | 0.054 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 23.58(20.27 20.85) | 17.144 | 0.052 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 24.15(21.21 21.07) | 17.653 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 24.14(21.41 20.82) | 17.599 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 22.84(21.39 17.37) | 16.021 | 0.04 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 23.97(21.47 20.37) | 17.385 | 0.055 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 24.15(21.4 20.87) | 17.622 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 24.16(21.48 20.79) | 17.614 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 23.52(21.39 19.41) | 16.867 | 0.049 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 24.01(21.14 20.86) | 17.503 | 0.056 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 24.21(21.48 20.9) | 17.675 | 0.059 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_836.5MHz 3 840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 24.24(21.53 20.9) | 17.697 | 0.059 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68 | 24.11(21.45 20.72) | 17.562 | 0.057 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68 | 22.85(21.48 17.18) | 16.012 | 0.04 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68 | 23.79(21.26 20.25) | 17.222 | 0.053 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272 | 24.17(21.36 20.95) | 17.649 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68 | 24.11(21.45 20.71) | 17.557 | 0.057 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67 | 24.19(21.54 20.78) | 17.636 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67 | 23.48(21.45 19.19) | 16.797 | 0.048 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67 | 24.1(21.49 20.64) | 17.537 | 0.057 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@272 | 24.2(21.56 20.79) | 17.651 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67 | 24.1(21.4 20.75) | 17.556 | 0.057 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272 | 24.19(21.56 20.76) | 17.634 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_844MHz 39 30MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67 | 24.12(21.5 20.68) | 17.564 | 0.057 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 24.51(22.19 20.69) | 17.9 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 23.38(22.22 17.1) | 16.487 | 0.045 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 24.32(22.2 20.2) | 17.667 | 0.058 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.58(22.31 20.67) | 17.951 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 24.47(22.2 20.57) | 17.846 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 24.49(22.21 20.59) | 17.861 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 23.98(22.22 19.21) | 17.241 | 0.053 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 24.5(22.22 20.62) | 17.881 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.59(22.36 20.63) | 17.957 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 24.51(22.21 20.64) | 17.885 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.47(22.21 20.55) | 17.841 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 24.5(22.24 20.57) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 24.51(22.21 20.66) | 17.895 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 23.41(22.22 17.2) | 16.518 | 0.045 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 24.33(22.21 20.21) | 17.677 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 24.54(22.23 20.7) | 17.925 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 24.51(22.21 20.66) | 17.895 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 24.02(22.21 19.35) | 17.293 | 0.054 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 24.54(22.22 20.72) | 17.93 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 24.56(22.23 20.74) | 17.945 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 24.54(22.21 20.72) | 17.925 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6 | 24.48(22.17 20.64) | 17.865 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6 | 23.33(22.15 17.11) | 16.441 | 0.044 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6 | 24.22(22.13 20.05) | 17.56 | 0.057 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23 | 24.37(21.97 20.65) | 17.771 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6 | 24.41(22.13 20.51) | 17.781 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 24.4(22.14 20.48) | 17.771 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 23.85(22.14 18.97) | 17.095 | 0.051 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 24.39(22.15 20.44) | 17.757 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23 | 24.49(22.26 20.52) | 17.852 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6 | 24.39(22.12 20.48) | 17.761 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23 | 24.5(22.21 20.62) | 17.876 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 397 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 24.39(22.12 20.49) | 17.766 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 24.5(22.22 20.62) | 17.881 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 23.36(22.19 17.09) | 16.463 | 0.044 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 24.35(22.21 20.26) | 17.701 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.67(22.4 20.77) | 18.046 | 0.064 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 24.49(22.23 20.58) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 24.46(22.24 20.49) | 17.827 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 23.95(22.23 19.11) | 17.205 | 0.053 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 24.46(22.23 20.49) | 17.822 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.61(22.46 20.53) | 17.961 | 0.063 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 24.48(22.22 20.55) | 17.846 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.43(22.13 20.58) | 17.815 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 24.48(22.23 20.55) | 17.851 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 24.51(22.23 20.63) | 17.891 | 0.062 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 23.42(22.24 17.19) | 16.528 | 0.045 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 24.35(22.23 20.22) | 17.693 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 24.53(22.27 20.6) | 17.896 | 0.062 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM_16 QAM_RB12@0 RB18@9 | 24.53(22.24 20.66) | 17.91 | 0.062 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM_256 QAM_RB12@0 RB18@9 | 23.99(22.24 19.21) | 17.252 | 0.053 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM_64 QAM_RB12@0 RB18@9 | 24.5(22.25 20.56) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@0 RB18@9 | 24.57(22.25 20.74) | 17.955 | 0.062 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 24.54(22.2 20.74) | 17.93 | 0.062 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK CP-OFDM_16 QAM_RB12@38 RB19@9 | 24.35(22.14 20.36) | 17.713 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK CP-OFDM_256 QAM_RB12@38 RB19@9 | 23.32(22.16 17.04) | 16.427 | 0.044 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK CP-OFDM_64 QAM_RB12@38 RB19@9 | 24.24(22.15 20.07) | 17.58 | 0.057 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37 | 24.34(21.96 20.6) | 17.741 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9 | 24.42(22.16 20.49) | 17.786 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK DFT-s-OFDM_16 QAM_RB12@38 RB18@9 | 24.4(22.18 20.42) | 17.762 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK DFT-s-OFDM_256 QAM_RB12@38 RB18@9 | 23.84(22.15 18.91) | 17.077 | 0.051 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK DFT-s-OFDM_64 QAM_RB12@38 RB18@9 | 24.38(22.17 20.39) | 17.743 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB1@49 RB1@37 | 24.42(22.18 20.47) | 17.787 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@38 RB18@9 | 24.43(22.15 20.54) | 17.806 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37 | 24.38(22.15 20.41) | 17.742 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 397 2.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9 | 24.39(22.16 20.42) | 17.752 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM_16 QAM_RB12@0 RB25@12 | 24.52(22.22 20.65) | 17.895 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM_256 QAM_RB12@0 RB25@12 | 23.4(22.24 17.12) | 16.507 | 0.045 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM_64 QAM_RB12@0 RB25@12 | 24.32(22.22 20.15) | 17.655 | 0.058 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.62(22.32 20.76) | 18 | 0.063 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 24.5(22.23 20.6) | 17.876 | 0.061 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 24.52(22.26 20.6) | 17.891 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 23.95(22.22 19.11) | 17.199 | 0.052 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 24.49(22.24 20.55) | 17.856 | 0.061 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.62(22.44 20.58) | 17.974 | 0.063 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 24.5(22.22 20.6) | 17.871 | 0.061 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.55(22.37 20.52) | 17.909 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 24.49(22.22 20.59) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 24.58(22.25 20.77) | 17.97 | 0.063 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 23.41(22.25 17.1) | 16.508 | 0.045 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 24.39(22.28 20.25) | 17.733 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 24.55(22.22 20.73) | 17.935 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 24.55(22.26 20.67) | 17.926 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 23.98(22.22 19.21) | 17.241 | 0.053 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 24.59(22.26 20.77) | 17.975 | 0.063 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 24.53(22.21 20.69) | 17.91 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 24.52(22.2 20.7) | 17.91 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12 | 24.42(22.17 20.48) | 17.786 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12 | 23.31(22.18 16.92) | 16.405 | 0.044 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12 | 24.25(22.17 20.05) | 17.581 | 0.057 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50 | 24.49(22.11 20.75) | 17.891 | 0.062 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12 | 24.42(22.17 20.48) | 17.786 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 24.38(22.15 20.43) | 17.752 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 23.86(22.15 18.97) | 17.101 | 0.051 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 24.4(22.14 20.49) | 17.776 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50 | 24.44(22.23 20.44) | 17.798 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12 | 24.4(22.16 20.45) | 17.767 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50 | 24.34(22.05 20.46) | 17.716 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 396 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 24.43(22.16 20.53) | 17.806 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 24.5(22.24 20.57) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 23.42(22.26 17.14) | 16.527 | 0.045 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 24.35(22.26 20.17) | 17.685 | 0.059 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.67(22.37 20.8) | 18.045 | 0.064 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 24.51(22.23 20.63) | 17.891 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 24.5(22.25 20.56) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 23.94(22.23 19.07) | 17.189 | 0.052 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 24.52(22.25 20.62) | 17.896 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.48(22.2 20.59) | 17.856 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 24.49(22.24 20.56) | 17.861 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.49(22.22 20.58) | 17.861 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 24.48(22.24 20.54) | 17.851 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 24.59(22.27 20.75) | 17.97 | 0.063 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 23.44(22.25 17.24) | 16.551 | 0.045 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 24.37(22.25 20.24) | 17.713 | 0.059 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 24.57(22.25 20.75) | 17.96 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 24.56(22.24 20.72) | 17.94 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 23.97(22.23 19.17) | 17.23 | 0.053 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 24.56(22.25 20.71) | 17.94 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 24.55(22.25 20.69) | 17.93 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 24.57(22.28 20.7) | 17.95 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 24.44(22.18 20.53) | 17.816 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 23.31(22.14 17.06) | 16.419 | 0.044 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 24.24(22.17 20.04) | 17.577 | 0.057 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 24.47(22.05 20.78) | 17.877 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 24.43(22.17 20.51) | 17.801 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 24.37(22.17 20.36) | 17.728 | 0.059 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 23.85(22.15 18.94) | 17.089 | 0.051 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 24.44(22.17 20.53) | 17.811 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 24.37(22.05 20.54) | 17.755 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 24.43(22.17 20.51) | 17.801 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 24.37(22 20.61) | 17.766 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 396 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 24.43(22.17 20.51) | 17.801 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 24.52(22.22 20.66) | 17.9 | 0.062 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 23.41(22.26 17.08) | 16.509 | 0.045 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 24.35(22.28 20.14) | 17.682 | 0.059 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.6(22.33 20.7) | 17.976 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 24.47(22.23 20.52) | 17.837 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 24.49(22.21 20.59) | 17.861 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 23.99(22.25 19.18) | 17.246 | 0.053 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 24.49(22.23 20.56) | 17.856 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.63(22.46 20.57) | 17.98 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 24.47(22.22 20.54) | 17.841 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.52(22.31 20.52) | 17.878 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 24.5(22.24 20.58) | 17.871 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 24.57(22.22 20.77) | 17.955 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 23.43(22.23 17.24) | 16.537 | 0.045 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 24.36(22.21 20.27) | 17.706 | 0.059 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 24.54(22.24 20.69) | 17.925 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 24.53(22.2 20.71) | 17.915 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 23.98(22.21 19.22) | 17.239 | 0.053 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 24.54(22.25 20.66) | 17.916 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 24.54(22.25 20.67) | 17.92 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 24.58(22.26 20.74) | 17.96 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33 | 24.42(22.16 20.51) | 17.796 | 0.06 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33 | 23.32(22.16 17.02) | 16.421 | 0.044 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33 | 24.25(22.18 20.05) | 17.587 | 0.057 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132 | 24.56(22.19 20.79) | 17.951 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33 | 24.41(22.16 20.48) | 17.781 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32 | 24.39(22.16 20.43) | 17.757 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32 | 23.85(22.15 18.95) | 17.093 | 0.051 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32 | 24.38(22.15 20.41) | 17.742 | 0.059 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132 | 24.46(22.23 20.5) | 17.827 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32 | 24.41(22.18 20.44) | 17.772 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132 | 24.37(22.06 20.52) | 17.75 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 395 4.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32 | 24.41(22.15 20.5) | 17.786 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 24.47(22.28 20.46) | 17.833 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 23.37(22.22 17.05) | 16.472 | 0.044 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 24.29(22.22 20.08) | 17.622 | 0.058 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.52(22.25 20.62) | 17.896 | 0.062 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 24.51(22.27 20.56) | 17.877 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 24.45(22.24 20.46) | 17.813 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 23.95(22.23 19.09) | 17.197 | 0.052 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 24.5(22.25 20.56) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.46(22.22 20.51) | 17.827 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 24.47(22.22 20.54) | 17.841 | 0.061 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.53(22.39 20.42) | 17.872 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 24.47(22.25 20.5) | 17.837 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 24.52(22.22 20.65) | 17.895 | 0.062 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 23.44(22.24 17.26) | 16.55 | 0.045 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 24.35(22.22 20.23) | 17.692 | 0.059 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 24.55(22.24 20.71) | 17.935 | 0.062 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 24.52(22.22 20.66) | 17.9 | 0.062 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 23.96(22.19 19.21) | 17.223 | 0.053 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 24.58(22.23 20.79) | 17.97 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 24.51(22.23 20.62) | 17.886 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 24.52(22.22 20.67) | 17.905 | 0.062 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40 | 24.41(22.15 20.49) | 17.781 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40 | 23.32(22.17 16.98) | 16.416 | 0.044 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40 | 24.23(22.16 20.01) | 17.557 | 0.057 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161 | 24.36(21.93 20.67) | 17.762 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40 | 24.45(22.19 20.52) | 17.816 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40 | 24.38(22.16 20.41) | 17.747 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40 | 23.88(22.17 19) | 17.125 | 0.052 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40 | 24.44(22.16 20.56) | 17.821 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161 | 24.42(22.17 20.48) | 17.786 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40 | 24.43(22.16 20.52) | 17.801 | 0.06 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161 | 24.36(22.09 20.46) | 17.736 | 0.059 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 394 9.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40 | 24.42(22.19 20.45) | 17.782 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 24.5(22.24 20.58) | 17.871 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 23.4(22.25 17.05) | 16.493 | 0.045 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 24.3(22.22 20.11) | 17.636 | 0.058 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.6(22.32 20.7) | 17.971 | 0.063 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 24.51(22.24 20.61) | 17.886 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 24.45(22.23 20.48) | 17.817 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 23.94(22.23 19.06) | 17.185 | 0.052 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 24.54(22.28 20.63) | 17.916 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.6(22.42 20.55) | 17.949 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 24.48(22.23 20.54) | 17.846 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.54(22.35 20.51) | 17.894 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 24.49(22.23 20.56) | 17.856 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 24.53(22.21 20.69) | 17.91 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 23.39(22.21 17.17) | 16.501 | 0.045 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 24.35(22.21 20.24) | 17.692 | 0.059 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 24.57(22.25 20.73) | 17.95 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 24.51(22.22 20.63) | 17.886 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 24(22.21 19.29) | 17.268 | 0.053 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 24.5(22.22 20.61) | 17.876 | 0.061 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 24.56(22.22 20.75) | 17.945 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 24.53(22.22 20.68) | 17.91 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54 | 24.44(22.17 20.54) | 17.816 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54 | 23.3(22.17 16.92) | 16.398 | 0.044 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54 | 24.22(22.16 19.99) | 17.548 | 0.057 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216 | 24.55(22.23 20.73) | 17.94 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54 | 24.39(22.13 20.46) | 17.756 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 24.35(22.16 20.34) | 17.713 | 0.059 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 23.87(22.16 19) | 17.119 | 0.052 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 24.37(22.16 20.39) | 17.737 | 0.059 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216 | 24.5(22.25 20.57) | 17.871 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54 | 24.39(22.18 20.41) | 17.757 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216 | 24.41(22.2 20.43) | 17.777 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 393 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 24.43(22.18 20.49) | 17.796 | 0.06 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 24.31(21.95 20.53) | 17.7 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 23.16(21.92 17.11) | 16.283 | 0.042 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 24.13(21.91 20.15) | 17.492 | 0.056 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.44(22.05 20.7) | 17.836 | 0.061 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 24.33(21.96 20.57) | 17.726 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 24.28(21.92 20.51) | 17.676 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 23.76(21.92 19.13) | 17.033 | 0.051 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 24.29(21.92 20.52) | 17.681 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 24.31(21.91 20.59) | 17.711 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.28(21.9 20.54) | 17.681 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 24.32(21.94 20.57) | 17.716 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 24.51(22.2 20.66) | 17.89 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 23.44(22.23 17.29) | 16.552 | 0.045 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 24.36(22.22 20.26) | 17.706 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 24.54(22.2 20.74) | 17.93 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 24.57(22.22 20.78) | 17.96 | 0.063 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 24(22.2 19.3) | 17.266 | 0.053 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 24.52(22.2 20.7) | 17.91 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 24.55(22.22 20.74) | 17.94 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 24.53(22.21 20.71) | 17.92 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61 | 20.4(4 20.3) | 14.571 | 0.029 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61 | 22.48(21.08 16.88) | 15.647 | 0.037 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61 | 19.93(3.99 19.82) | 14.1 | 0.026 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244 | 20.75(4.01 20.66) | 14.926 | 0.031 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61 | 20.39(4.02 20.29) | 14.562 | 0.029 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60 | 20.41(4.04 20.31) | 14.582 | 0.029 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60 | 18.89(3.99 18.75) | 13.052 | 0.02 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60 | 20.36(4 20.26) | 14.532 | 0.028 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244 | 24.5(22.31 20.48) | 17.858 | 0.061 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60 | 24.36(22.15 20.38) | 17.727 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244 | 24.35(22.1 20.42) | 17.721 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 393 4.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60 | 20.31(3.98 20.21) | 14.483 | 0.028 | 1.00 | Pass |

Note:**P_Total(P_LTE | P_NR);****EIRP = P + Ant Gain – CL;****ERP = EIRP -2.15;****EIRP_NSA = EIRP_LTE + EIRP_NR;****ERP_NSA = ERP_LTE + ERP_NR****DC_5A_n77A:****n77:****1.Ant Gain =-5.8 dBi;****2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB;****5A:****1.Ant Gain =-6.8 dBi;****2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.5dB;****DC_5A_n78A**

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 24.31(21.3 21.29) | 17.819 | 0.061 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 22.84(21.23 17.76) | 16.066 | 0.04 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 24.05(21.29 20.77) | 17.518 | 0.056 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.31(21.36 21.24) | 17.815 | 0.06 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 24.29(21.33 21.23) | 17.796 | 0.06 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 24.19(21.21 21.14) | 17.694 | 0.059 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 23.54(21.15 19.8) | 16.936 | 0.049 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 24.23(21.17 21.27) | 17.754 | 0.06 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.11(21.22 20.97) | 17.6 | 0.058 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67 | 24.23(21.22 21.22) | 17.745 | 0.059 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.07(21.2 20.92) | 17.563 | 0.057 | 1.00 | Pass |
| 10MHz 100MHz_30kHz_829MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 24.25(21.17 21.31) | 17.777 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 24.25(21.44 21.02) | 17.724 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 22.95(21.49 17.5) | 16.131 | 0.041 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 24.08(21.55 20.54) | 17.512 | 0.056 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.42(21.51 21.3) | 17.913 | 0.062 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 24.23(21.45 20.97) | 17.7 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 24.29(21.46 21.09) | 17.772 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 23.62(21.45 19.56) | 16.97 | 0.05 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 24.17(21.38 20.93) | 17.647 | 0.058 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.29(21.53 21.01) | 17.758 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 24.22(21.46 20.94) | 17.688 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.27(21.48 21.02) | 17.741 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_829MHz 370 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 24.24(21.45 20.99) | 17.711 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 24.34(21.43 21.23) | 17.839 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 22.96(21.43 17.67) | 16.156 | 0.041 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 24.1(21.45 20.7) | 17.551 | 0.057 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 24.26(21.37 21.12) | 17.75 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 24.35(21.45 21.23) | 17.847 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 23.65(21.39 19.72) | 17.016 | 0.05 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 24.27(21.43 21.09) | 17.759 | 0.06 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6 | 24.33(21.45 21.18) | 17.819 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 24.34(21.46 21.19) | 17.829 | 0.061 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6 | 24.27(21.39 21.12) | 17.759 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6 | 22.96(21.49 17.55) | 16.149 | 0.041 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6 | 24.06(21.47 20.58) | 17.496 | 0.056 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23 | 24.26(21.23 21.26) | 17.772 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6 | 24.24(21.41 21.04) | 17.722 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 24.17(21.36 20.95) | 17.649 | 0.058 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 23.62(21.41 19.62) | 16.978 | 0.05 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 24.22(21.39 21.02) | 17.702 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23 | 24.19(21.33 21.03) | 17.682 | 0.059 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6 | 24.28(21.45 21.08) | 17.762 | 0.06 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23 | 24.18(21.33 21) | 17.665 | 0.058 | 1.00 | Pass |
| 10MHz 10MHz_30kHz_844MHz 379 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 24.21(21.37 21.03) | 17.699 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 24.31(21.51 21.07) | 17.783 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 22.97(21.51 17.53) | 16.155 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 24.02(21.49 20.47) | 17.447 | 0.056 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.42(21.45 21.36) | 17.922 | 0.062 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 24.33(21.53 21.1) | 17.808 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 24.25(21.42 21.05) | 17.732 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 23.58(21.47 19.44) | 16.923 | 0.049 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 24.25(21.44 21.04) | 17.735 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.23(21.41 21.02) | 17.711 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 24.26(21.44 21.06) | 17.746 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.3(21.51 21.05) | 17.771 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_829MHz 370 7.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 24.3(21.53 21.03) | 17.769 | 0.06 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 24.41(21.69 21.09) | 17.874 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 23.18(21.79 17.54) | 16.339 | 0.043 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 24.22(21.73 20.61) | 17.634 | 0.058 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 24.39(21.68 21.06) | 17.853 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 24.45(21.75 21.11) | 17.912 | 0.062 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 23.8(21.76 19.53) | 17.121 | 0.052 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 24.38(21.75 20.96) | 17.83 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9 | 24.47(21.72 21.19) | 17.942 | 0.062 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 24.49(21.71 21.23) | 17.96 | 0.063 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9 | 24.24(21.42 21.04) | 17.726 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9 | 22.96(21.42 17.7) | 16.161 | 0.041 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9 | 24.03(21.47 20.52) | 17.464 | 0.056 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37 | 24.37(21.54 21.17) | 17.852 | 0.061 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9 | 24.24(21.39 21.06) | 17.725 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9 | 24.25(21.38 21.09) | 17.737 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9 | 23.56(21.34 19.58) | 16.922 | 0.049 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9 | 24.2(21.43 20.93) | 17.669 | 0.058 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37 | 24.25(21.47 20.99) | 17.72 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9 | 24.23(21.39 21.05) | 17.719 | 0.059 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37 | 24.14(21.38 20.86) | 17.608 | 0.058 | 1.00 | Pass |
| 10MHz 15MHz_30kHz_844MHz 379 2.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9 | 24.21(21.38 21.01) | 17.692 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 24.25(21.45 21.01) | 17.723 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 22.96(21.48 17.58) | 16.154 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 24.08(21.49 20.61) | 17.521 | 0.057 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.45(21.55 21.32) | 17.942 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 24.23(21.44 20.98) | 17.701 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 24.25(21.46 21) | 17.721 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 23.56(21.44 19.42) | 16.898 | 0.049 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 24.24(21.48 20.96) | 17.708 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.24(21.49 20.95) | 17.707 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12 | 24.19(21.45 20.9) | 17.661 | 0.058 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.24(21.49 20.96) | 17.712 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_829MHz 371 0.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 24.2(21.43 20.93) | 17.669 | 0.058 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 24.5(21.75 21.21) | 17.967 | 0.063 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 23.19(21.78 17.62) | 16.361 | 0.043 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 24.41(21.82 20.94) | 17.851 | 0.061 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 24.53(21.75 21.27) | 18 | 0.063 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM_16 QAM_RB12@0 RB25@12 | 24.45(21.66 21.21) | 17.927 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM_256 QAM_RB12@0 RB25@12 | 23.87(21.78 19.7) | 17.21 | 0.053 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM_64 QAM_RB12@0 RB25@12 | 24.45(21.68 21.18) | 17.919 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@0 RB25@12 | 24.43(21.69 21.13) | 17.896 | 0.062 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 24.54(21.74 21.3) | 18.013 | 0.063 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK CP-OFDM_16 QAM_RB12@38 RB25@12 | 24.31(21.46 21.14) | 17.8 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK CP-OFDM_256 QAM_RB12@38 RB25@12 | 22.97(21.43 17.72) | 16.174 | 0.041 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK CP-OFDM_64 QAM_RB12@38 RB25@12 | 24.01(21.29 20.68) | 17.468 | 0.056 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50 | 24.54(21.66 21.39) | 18.029 | 0.064 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12 | 24.34(21.49 21.16) | 17.825 | 0.061 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK DFT-s-OFDM_16 QAM_RB12@38 RB25@12 | 24.33(21.48 21.16) | 17.82 | 0.061 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK DFT-s-OFDM_256 QAM_RB12@38 RB25@12 | 23.68(21.48 19.67) | 17.038 | 0.051 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK DFT-s-OFDM_64 QAM_RB12@38 RB25@12 | 24.31(21.52 21.07) | 17.787 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB1@49 RB1@50 | 24.19(21.35 21.01) | 17.679 | 0.059 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK DFT-s-OFDM_PI/2 BPSK_RB12@38 RB25@12 | 24.27(21.43 21.09) | 17.759 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50 | 24.3(21.54 21.02) | 17.768 | 0.06 | 1.00 | Pass |
| 10MHz 20MHz_30kHz_844MHz 378 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 24.32(21.46 21.16) | 17.812 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM_16 QAM_RB12@0 RB53@26 | 24.27(21.46 21.05) | 17.749 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM_256 QAM_RB12@0 RB53@26 | 23.01(21.5 17.69) | 16.207 | 0.042 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM_64 QAM_RB12@0 RB53@26 | 24.05(21.41 20.64) | 17.501 | 0.056 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.53(21.54 21.49) | 18.036 | 0.064 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 24.25(21.44 21.03) | 17.729 | 0.059 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 24.27(21.44 21.08) | 17.758 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 23.64(21.48 19.58) | 16.995 | 0.05 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 24.28(21.47 21.06) | 17.759 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.23(21.34 21.1) | 17.726 | 0.059 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 24.33(21.47 21.16) | 17.816 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.31(21.45 21.15) | 17.802 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_829MHz 372 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 24.27(21.39 21.13) | 17.764 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 24.48(21.68 21.25) | 17.958 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 23.2(21.73 17.77) | 16.382 | 0.043 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 24.35(21.78 20.86) | 17.79 | 0.06 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 24.52(21.7 21.31) | 18.001 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 24.51(21.75 21.23) | 17.978 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 23.97(21.77 19.96) | 17.328 | 0.054 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 24.49(21.69 21.25) | 17.963 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25 | 24.49(21.72 21.22) | 17.959 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 24.54(21.77 21.28) | 18.015 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26 | 24.51(21.7 21.3) | 17.995 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26 | 23.19(21.73 17.75) | 16.375 | 0.043 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26 | 24.32(21.8 20.75) | 17.741 | 0.059 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105 | 24.52(21.56 21.46) | 18.026 | 0.063 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26 | 24.48(21.66 21.28) | 17.966 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 24.48(21.63 21.31) | 17.97 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 23.85(21.71 19.75) | 17.196 | 0.052 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 24.46(21.65 21.24) | 17.939 | 0.062 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105 | 24.37(21.55 21.17) | 17.856 | 0.061 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25 | 24.53(21.72 21.32) | 18.015 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 24.5(21.82 21.14) | 17.96 | 0.063 | 1.00 | Pass |
| 10MHz 40MHz_30kHz_844MHz 378 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 24.52(21.69 21.32) | 18.002 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 24.43(21.59 21.25) | 17.919 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 22.96(21.44 17.67) | 16.162 | 0.041 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 24.08(21.42 20.69) | 17.532 | 0.057 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.45(21.47 21.4) | 17.954 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 24.35(21.47 21.2) | 17.839 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 24.35(21.47 21.2) | 17.839 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 23.65(21.46 19.62) | 17.004 | 0.05 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 24.24(21.47 20.98) | 17.715 | 0.059 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.38(21.58 21.15) | 17.858 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 24.31(21.44 21.16) | 17.803 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.4(21.59 21.19) | 17.885 | 0.061 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_829MHz 372 5.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 24.3(21.41 21.17) | 17.796 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 24.5(21.71 21.25) | 17.971 | 0.063 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 23.12(21.59 17.83) | 16.316 | 0.043 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 24.28(21.64 20.87) | 17.731 | 0.059 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 24.52(21.66 21.35) | 18.006 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 24.5(21.69 21.29) | 17.985 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 23.84(21.65 19.81) | 17.194 | 0.052 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 24.49(21.68 21.27) | 17.969 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32 | 24.54(21.73 21.33) | 18.025 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 24.53(21.7 21.34) | 18.018 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33 | 24.48(21.7 21.23) | 17.956 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33 | 23.18(21.7 17.8) | 16.374 | 0.043 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33 | 24.33(21.69 20.91) | 17.775 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132 | 24.46(21.55 21.35) | 17.959 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33 | 24.47(21.68 21.23) | 17.947 | 0.062 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32 | 24.54(21.71 21.35) | 18.028 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32 | 23.88(21.67 19.88) | 17.238 | 0.053 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32 | 24.57(21.72 21.39) | 18.055 | 0.064 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132 | 24.34(21.57 21.08) | 17.815 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32 | 24.5(21.66 21.32) | 17.989 | 0.063 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132 | 24.34(21.56 21.09) | 17.816 | 0.06 | 1.00 | Pass |
| 10MHz 50MHz_30kHz_844MHz 377 4.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32 | 24.53(21.66 21.37) | 18.017 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 24.39(21.56 21.2) | 17.878 | 0.061 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 23.02(21.49 17.73) | 16.216 | 0.042 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 24.16(21.55 20.7) | 17.597 | 0.058 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.4(21.46 21.32) | 17.903 | 0.062 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 24.36(21.54 21.16) | 17.846 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 24.36(21.51 21.18) | 17.845 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 23.68(21.45 19.72) | 17.047 | 0.051 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 24.34(21.46 21.19) | 17.829 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.37(21.6 21.1) | 17.839 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 24.3(21.44 21.14) | 17.792 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.24(21.34 21.12) | 17.737 | 0.059 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_829MHz 373 0.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 24.37(21.48 21.24) | 17.866 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 24.58(21.76 21.37) | 18.061 | 0.064 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 23.18(21.69 17.8) | 16.368 | 0.043 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 24.35(21.76 20.87) | 17.786 | 0.06 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 24.56(21.75 21.34) | 18.039 | 0.064 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 24.55(21.8 21.27) | 18.022 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 23.94(21.8 19.83) | 17.282 | 0.053 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 24.52(21.72 21.29) | 17.998 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40 | 24.55(21.74 21.32) | 18.024 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 24.6(21.79 21.37) | 18.074 | 0.064 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40 | 24.54(21.71 21.34) | 18.022 | 0.063 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40 | 23.21(21.71 17.87) | 16.406 | 0.044 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40 | 24.29(21.66 20.86) | 17.734 | 0.059 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161 | 24.53(21.59 21.45) | 18.033 | 0.064 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40 | 24.57(21.7 21.42) | 18.063 | 0.064 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40 | 24.47(21.63 21.29) | 17.959 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40 | 23.92(21.74 19.88) | 17.274 | 0.053 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40 | 24.53(21.68 21.36) | 18.02 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161 | 24.46(21.76 21.11) | 17.916 | 0.062 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40 | 24.5(21.6 21.37) | 17.992 | 0.063 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161 | 24.36(21.64 21.04) | 17.824 | 0.061 | 1.00 | Pass |
| 10MHz 60MHz_30kHz_844MHz 376 9.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40 | 24.55(21.7 21.37) | 18.035 | 0.064 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 24.29(21.4 21.16) | 17.786 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 22.95(21.45 17.61) | 16.146 | 0.041 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 24.12(21.45 20.73) | 17.568 | 0.057 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.46(21.62 21.27) | 17.943 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 24.32(21.46 21.15) | 17.806 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 24.33(21.46 21.18) | 17.823 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 23.72(21.53 19.71) | 17.083 | 0.051 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 24.36(21.47 21.22) | 17.85 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.34(21.63 21) | 17.797 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 24.33(21.48 21.15) | 17.815 | 0.06 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.29(21.52 21.02) | 17.759 | 0.06 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_829MHz 374 0.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 24.39(21.52 21.24) | 17.883 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 24.47(21.65 21.27) | 17.956 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 23.16(21.71 17.7) | 16.344 | 0.043 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 24.3(21.76 20.77) | 17.733 | 0.059 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 24.48(21.68 21.24) | 17.953 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 24.5(21.75 21.21) | 17.967 | 0.063 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 23.84(21.67 19.79) | 17.194 | 0.052 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 24.52(21.65 21.36) | 18.007 | 0.063 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54 | 24.47(21.71 21.19) | 17.938 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 24.49(21.67 21.29) | 17.976 | 0.063 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54 | 24.54(21.75 21.3) | 18.017 | 0.063 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54 | 23.18(21.72 17.74) | 16.365 | 0.043 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54 | 24.29(21.71 20.81) | 17.731 | 0.059 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216 | 24.49(21.59 21.37) | 17.987 | 0.063 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54 | 24.54(21.8 21.24) | 18.006 | 0.063 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 24.56(21.76 21.33) | 18.038 | 0.064 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 23.89(21.74 19.8) | 17.236 | 0.053 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 24.57(21.77 21.33) | 18.043 | 0.064 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216 | 24.46(21.87 20.99) | 17.901 | 0.062 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54 | 24.57(21.77 21.33) | 18.043 | 0.064 | 1.00 | Pass |

| | | | | | |
|--|--------------------|--------|-------|------|------|
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216 | 24.4(21.78 20.97) | 17.849 | 0.061 | 1.00 | Pass |
| 10MHz 80MHz_30kHz_844MHz 375 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 24.51(21.76 21.22) | 17.977 | 0.063 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 24.21(21.17 21.23) | 17.73 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 22.76(21.15 17.66) | 15.978 | 0.04 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 23.98(21.14 20.79) | 17.463 | 0.056 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 24.23(21.17 21.26) | 17.748 | 0.06 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 24.23(21.17 21.26) | 17.748 | 0.06 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 24.21(21.23 21.16) | 17.714 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 23.61(21.32 19.74) | 16.99 | 0.05 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 24.22(21.27 21.15) | 17.725 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0 | 24.15(21.32 20.96) | 17.638 | 0.058 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 24.22(21.22 21.2) | 17.733 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 24.15(21.35 20.91) | 17.623 | 0.058 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_829MHz 374 5.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 24.26(21.27 21.23) | 17.771 | 0.06 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 24.53(21.8 21.22) | 17.995 | 0.063 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 23.23(21.81 17.69) | 16.405 | 0.044 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 24.3(21.74 20.78) | 17.729 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 24.55(21.79 21.28) | 18.023 | 0.063 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 24.53(21.74 21.29) | 18.007 | 0.063 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 23.87(21.74 19.75) | 17.212 | 0.053 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 24.44(21.71 21.13) | 17.905 | 0.062 | 1.00 | Pass |

| | | | | | |
|---|--------------------|--------|-------|------|------|
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60 | 24.48(21.71 21.22) | 17.955 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 24.46(21.7 21.18) | 17.928 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61 | 24.38(21.49 21.24) | 17.87 | 0.061 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61 | 22.99(21.44 17.77) | 16.199 | 0.042 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61 | 24.17(21.43 20.87) | 17.636 | 0.058 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244 | 24.37(21.38 21.33) | 17.876 | 0.061 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61 | 24.36(21.44 21.25) | 17.855 | 0.061 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60 | 24.36(21.47 21.22) | 17.85 | 0.061 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60 | 23.75(21.52 19.78) | 17.112 | 0.051 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60 | 24.42(21.52 21.29) | 17.912 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244 | 24.26(21.54 20.94) | 17.724 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60 | 24.41(21.48 21.32) | 17.912 | 0.062 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244 | 24.29(21.6 20.93) | 17.745 | 0.059 | 1.00 | Pass |
| 10MHz 90MHz_30kHz_844MHz 375 4.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60 | 24.37(21.46 21.25) | 17.863 | 0.061 | 1.00 | Pass |

Note:**P_Total(P_LTE | P_NR);****EIRP = P + Ant Gain – CL;****ERP = EIRP -2.15;****EIRP_NSA = EIRP_LTE + EIRP_NR;****ERP_NSA = ERP_LTE + ERP_NR****DC_5A_n78A:****n78:****1.Ant Gain =-5.8 dBi;****2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB;****5A:****1.Ant Gain =-6.8 dBi;****2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.5dB;**