

TEST REPORT

Applicant: INFINIX MOBILITY LIMITED
Address: FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE 19-25 SHAN MEI STREET FOTAN NT HONGKONG
Equipment Type: Mobile phone
Model Name: X6880
Brand Name: Infinix
FCC ID: 2AIZN-X6880
Test Standard: 47 CFR Part 15 Subpart E (refer to section 3.1)
Sample Arrival Date: Jun. 27, 2024
Test Date: Jul. 23, 2024 - Jul. 30, 2024
Date of Issue: Aug. 13, 2024

ISSUED BY:

Shenzhen BALUN Technology Co., Ltd.

Tested by: Yu Yingyuan

Checked by: Ye Hongji

Approved by: Sunny Zou
(Technical Director)

Yu Ying Yuan

Ye Hongji

Sunny Zou

Revision History		
Version	Issue Date	Revisions
<u>Rev. 01</u>	<u>Aug. 13, 2024</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	GENERAL INFORMATION	4
1.1	Test Laboratory	4
1.2	Test Location	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information	5
2.3	General Description for Equipment under Test (EUT)	5
2.4	Technical Information	6
2.5	Channel List	8
3	SUMMARY OF TEST RESULTS	11
3.1	Test Standards	11
3.2	Test Verdict	11
4	GENERAL TEST CONFIGURATIONS	12
4.1	Test Environments	12
4.2	Test Equipment List	12
4.3	Test Software List	12
4.4	Measurement Uncertainty	13
4.5	Description of Test Setup	14
5	TEST ITEMS	17
5.1	RF Output Power	17
5.2	Emission Bandwidth and 6 dB Bandwidth	19
5.3	Power Spectral density (PSD)	20
5.4	Conducted Emission	21
5.5	Radiated Spurious Emissions and Band Edge (Restricted-band)	22

ANNEX A	TEST RESULT	27
A.1	RF Output Power.....	27
A.2	Emission Bandwidth & 99% Bandwidth.....	33
A.3	6 dB Bandwidth	37
A.4	Power Spectral Density	39
A.5	Conducted Emissions.....	43
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	45
ANNEX B	TEST SETUP PHOTOS	141
ANNEX C	EUT EXTERNAL PHOTOS	141
ANNEX D	EUT INTERNAL PHOTOS	141

1 GENERAL INFORMATION

1.1 Test Laboratory

Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1/F, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

1.2 Test Location

Name	Shenzhen BALUN Technology Co., Ltd.
Location	<input checked="" type="checkbox"/> Block B, 1/F, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
	<input type="checkbox"/> 1/F, Building B, Ganghongji High-tech Intelligent Industrial Park, No. 1008, Songbai Road, Yangguang Community, Xili Sub-district, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	INFINIX MOBILITY LIMITED
Address	FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE 19-25 SHAN MEI STREET FOTAN NT HONGKONG

2.2 Manufacturer Information

Manufacturer	INFINIX MOBILITY LIMITED
Address	FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE 19-25 SHAN MEI STREET FOTAN NT HONGKONG

2.3 General Description for Equipment under Test (EUT)

EUT Name	Mobile phone
Model Name Under Test	X6880
Series Model Name	N/A
Description of Model name differentiation	N/A
Hardware Version	N/A
Software Version	N/A
Dimensions (Approx.)	N/A
Weight (Approx.)	N/A

2.4 Technical Information

Network and Wireless connectivity	2G Network GSM/GPRS/EDGE 850/1900 3G Network WCDMA/HSDPA/HSUPA Band 2/4/5 4G Network LTE FDD Band 2/4/5/7 LTE TDD Band 38/41 LTE CA Uplink (UL): CA_2C, CA_5B, CA_7C, CA_38C, CA_41C Bluetooth (BR+EDR+BLE) WIFI 802.11a, 802.11b, 802.11g, 802.11n(HT20/40) and 802.11ac(VHT20/40/80) GPS, GLONASS, BDS, Galileo, FM Receiver, NFC
-----------------------------------	---

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz, U-NII-3: 5725 MHz to 5850 MHz	
Product Type	<input type="checkbox"/> Mobile <input checked="" type="checkbox"/> Portable <input type="checkbox"/> Fix Location	
Modulation technology	OFDM	
Modulation Type	256QAM, 64QAM, 16QAM, BPSK, QPSK	
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9	
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz	
Maximum Output Power	U-NII-1: 59.98 mW U-NII-2A: 52.84 mW U-NII-2C: 51.40 mW U-NII-3: 57.02 mW	
Antenna System (eg., MIMO, Smart Antenna)	N/A	
Categorization as Correlated or Completely Uncorrelated	N/A	
Antenna Type	Main Antenna	PIFA Antenna
	Aux. Antenna	
Antenna Gain	Main Antenna	U-NII-1: 5150 MHz to 5250 MHz: -4.19 dBi U-NII-2A: 5250 MHz to 5350 MHz: -4.19 dBi U-NII-2C: 5470 MHz to 5725 MHz: -4.19 dBi U-NII-3: 5725 MHz to 5850 MHz: -4.19 dBi
	Aux. Antenna	U-NII-1: 5150 MHz to 5250 MHz: -3.19 dBi U-NII-2A: 5250 MHz to 5350 MHz: -3.19 dBi

		<p>U-NII-2C: 5470 MHz to 5725 MHz: -3.19 dBi U-NII-3: 5725 MHz to 5850 MHz: -3.19 dBi</p>
Total directional gain	For power spectral density(PSD) measurements	<p>Correlated: U-NII-1: 5150 MHz to 5250 MHz: -0.67 dBi U-NII-2A: 5250 MHz to 5350 MHz: -0.67 dBi U-NII-2C: 5470 MHz to 5725 MHz: -0.67 dBi U-NII-3: 5725 MHz to 5850 MHz: -0.67 dBi Formulas: Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$ dBi Uncorrelated: U-NII-1: 5150 MHz to 5250 MHz: -3.66 dBi U-NII-2A: 5250 MHz to 5350 MHz: -3.66 dBi U-NII-2C: 5470 MHz to 5725 MHz: -3.66 dBi U-NII-3: 5725 MHz to 5850 MHz: -3.66 dBi Formulas: Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{GN/10})/NANT]$ dBi</p>
	For power measurements	<p>Correlated: U-NII-1: 5150 MHz to 5250 MHz: -0.67 dBi U-NII-2A: 5250 MHz to 5350 MHz: -0.67 dBi U-NII-2C: 5470 MHz to 5725 MHz: -0.67 dBi U-NII-3: 5725 MHz to 5850 MHz: -0.67 dBi Formulas: Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$ dBi Uncorrelated: U-NII-1: 5150 MHz to 5250 MHz: -3.66 dBi U-NII-2A: 5250 MHz to 5350 MHz: -3.66 dBi U-NII-2C: 5470 MHz to 5725 MHz: -3.66 dBi U-NII-3: 5725 MHz to 5850 MHz: -3.66 dBi Formulas: Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{GN/10})/NANT]$ dBi</p>
About the Product	The equipment is Mobile Phone, intended for used with information technology equipment.	

2.5 Channel List

20 MHz		40 MHz		80 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210
40	5200	46	5230	58	5290
44	5220	54	5270	106	5530
48	5240	62	5310	122	5610
52	5260	102	5510	155	5775
56	5280	110	5550		
60	5300	118	5590		
64	5320	126	5630		
100	5500	134	5670		
104	5520	151	5755		
108	5540	159	5795		
112	5560				
116	5580				
120	5600				
124	5620				
128	5640				
132	5660				
136	5680				
140	5700				
149	5745				
153	5765				
157	5785				
161	5805				
165	5825				

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	149	Low	5745
116	Mid	5580	157	Mid	5785
140	High	5700	165	High	5825

For 802.11n(HT40)/ac(VHT40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670	--	--	--

For 802.11ac(VHT80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610	--	--	--

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Band Edge (Restricted-band)	11a	6	BPSK	48/36	64/52	140/100	165/149
	11n(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11n(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11ac(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Test Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass

Note ¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note ²: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	53% to 62%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+22.1°C to +24.8°C
Working Voltage of the EUT	NV (Normal Voltage)	3.91 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	KEYSIGHT	N9020A	MY50330200	2024.05.08	2025.05.07
Spectrum Analyzer	KEYSIGHT	N9020A	MY50531259	2023.09.05	2024.09.04
Signaling Unit	ROHDE&SCHWARZ	CMW500	171150	2024.05.22	2025.05.21
Test Antenna-Horn	SCHWARZBECK	BBHA 9120D	2460	2024.05.16	2027.05.15
Test Antenna-Horn	A-INFO	LB-180400KF	J211060273	2024.06.15	2027.06.14
Anechoic Chamber	RAINFORD	9m*6m*6m	140	2022.02.19	2024.08.15
Amplifier	COM-MV	ZT30-1000M	07210897	2023.09.05	2024.09.04
Amplifier	COM-MV	LSCX_LNA1-12G-01	7210214	2023.09.05	2024.09.04
Amplifier	COM-MV	XKu_LNA7-18G-01	7210209	2023.09.05	2024.09.04
Amplifier	COM-MV	KA LNA18 40G-01	18050001	2023.12.06	2024.12.05
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2023.09.05	2024.09.04
Test Antenna-Loop	SCHWARZBECK	FMZB 1519	1519-037	2024.01.23	2025.01.22
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	130	2021.08.15	2024.08.14
Test Antenna-Bi-Log	SCHWARZBECK	VULB 9163	9163-624	2021.08.20	2024.08.19
EMI Receiver	KEYSIGHT	N9038A	MY53220118	2023.09.05	2024.09.04
Anechoic Chamber	RAINFORD	9m*6m*6m	101	2023.03.26	2026.03.03
EMI Receiver	KEYSIGHT	N9010B	MY57110309	2023.09.05	2024.09.04
LISN	SCHWARZBECK	NSLK 8127	8127-687	2024.05.08	2025.05.07
Shielded Enclosure	YiHeng Electronic Co., Ltd	3.5m*3.1m*2.8m	112	2022.02.19	2025.02.18

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V22.930	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty

The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.8°C
Humidity	4%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test

Conducted value (dBm) = Measurement value (dBm) + cable loss (dB)


For example: the measurement value is 10 dBm and the cable 0.5dBm used, then the final result of EUT:

Conducted value (dBm) = 10 dBm + 0.5 dB = 10.5 dBm




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where "B" is the 26 dB emissions bandwidth in MHz.	

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

Maximum conducted (average) output power

a) Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the conditions listed below are satisfied.

- 1) The EUT is configured to transmit continuously or to transmit with a constant duty cycle.
- 2) At all times when the EUT is transmitting, it shall be transmitting at its maximum power control level.
- 3) The integration period of the power meter exceeds the repetition period of the transmitted signal by at least a factor of five.

b) If the transmitter does not transmit continuously, measure the duty cycle (x) of the transmitter output signal.

c) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter.

d) Adjust the measurement in dBm by adding $10 \log (1/x)$ where x is the duty cycle.

Measurements of duty cycle

The zero-span mode on a spectrum analyzer or EMI receiver if the response time and spacing between bins on the sweep are sufficient to permit accurate measurements of the on and off times of the transmitted signal.

Set the center frequency of the instrument to the center frequency of the transmission.

Set RBW \geq OBW if possible; otherwise, set RBW to the largest available value.

Set VBW \geq RBW. Set detector = peak or average.

The zero-span measurement method shall not be used unless both RBW and VBW are $> 50/T$ and the number of sweep points across duration T exceeds 100. (For example, if VBW and/or RBW are limited to 3 MHz, then the zero-span method of measuring duty cycle shall not be used if $T \leq 16.7$ microseconds.)

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a)

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW \geq 3*RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

5.5.1 Limit

FCC §15.209 & 15.407(b)

Frequency (MHz)	Field Strength (µV/m)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	<p>All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.</p>

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- c) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- d) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- e) Compare the resultant electric field strength level to the applicable limit.
- f) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable

emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (\text{RBW}/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.

h) Perform a trace average of at least 100 traces.

i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:

1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.

2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW \geq RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note 1: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Main Antenna:

Duty Cycle

Test Mode	On Time (ms)	On+Off time (ms)	Duty Cycle
802.11a	1.39	1.43	97.34%
802.11n/ac20	1.30	1.34	97.30%
802.11n/ac40	0.65	0.68	95.00%
802.11ac80	0.32	0.36	90.24%

Aux. Antenna:

Duty Cycle

Test Mode	On Time (ms)	On+Off time (ms)	Duty Cycle
802.11a	1.39	1.43	97.34%
802.11n/ac20	1.30	1.34	97.16%
802.11n/ac40	0.65	0.68	95.00%
802.11ac80	0.32	0.36	90.37%

Main Antenna:Test DataConducted Power

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	11.70	14.79	250	Pass
11a	CH44	11.33	13.58	250	Pass
11a	CH48	11.19	13.15	250	Pass
11n (HT20)	CH36	11.71	14.83	250	Pass
11n (HT20)	CH44	11.31	13.52	250	Pass
11n (HT20)	CH48	11.11	12.91	250	Pass
11n (HT40)	CH38	11.55	14.29	250	Pass
11n (HT40)	CH46	11.13	12.97	250	Pass
11ac (VHT20)	CH36	11.69	14.76	250	Pass
11ac (VHT20)	CH44	11.78	15.07	250	Pass
11ac (VHT20)	CH48	11.50	14.13	250	Pass
11ac (VHT40)	CH38	11.61	14.49	250	Pass
11ac (VHT40)	CH46	11.19	13.15	250	Pass
11ac (VHT80)	CH42	12.41	17.42	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	11.17	13.09	250	Pass
11a	CH60	11.36	13.68	250	Pass
11a	CH64	11.86	15.35	250	Pass
11n (HT20)	CH52	11.40	13.80	250	Pass
11n (HT20)	CH60	11.22	13.24	250	Pass
11n (HT20)	CH64	11.14	13.00	250	Pass
11n (HT40)	CH54	11.29	13.46	250	Pass
11n (HT40)	CH62	11.16	13.06	250	Pass
11ac (VHT20)	CH52	11.39	13.77	250	Pass
11ac (VHT20)	CH60	11.23	13.27	250	Pass
11ac (VHT20)	CH64	11.15	13.03	250	Pass
11ac (VHT40)	CH54	11.75	14.96	250	Pass
11ac (VHT40)	CH62	10.96	12.47	250	Pass
11ac (VHT80)	CH58	10.70	11.75	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	11.48	14.06	250	Pass
11a	CH116	11.72	14.86	250	Pass
11a	CH140	11.60	14.45	250	Pass
11n (HT20)	CH100	11.35	13.65	250	Pass
11n (HT20)	CH116	11.63	14.55	250	Pass
11n (HT20)	CH140	11.45	13.96	250	Pass
11n (HT40)	CH102	11.33	13.58	250	Pass
11n (HT40)	CH118	11.64	14.59	250	Pass
11n (HT40)	CH134	11.50	14.13	250	Pass
11ac (VHT20)	CH100	11.34	13.61	250	Pass
11ac (VHT20)	CH116	11.55	14.29	250	Pass
11ac (VHT20)	CH140	11.44	13.93	250	Pass
11ac (VHT40)	CH102	11.02	12.65	250	Pass
11ac (VHT40)	CH118	11.48	14.06	250	Pass
11ac (VHT40)	CH134	11.62	14.52	250	Pass
11ac (VHT80)	CH106	9.87	9.71	250	Pass
11ac (VHT80)	CH122	11.64	14.59	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	12.82	19.14	1000	Pass
11a	CH157	12.82	19.14	1000	Pass
11a	CH165	12.53	17.91	1000	Pass
11n (HT20)	CH149	12.70	18.62	1000	Pass
11n (HT20)	CH157	13.10	20.42	1000	Pass
11n (HT20)	CH165	12.79	19.01	1000	Pass
11n (HT40)	CH151	12.54	17.95	1000	Pass
11n (HT40)	CH159	12.79	19.01	1000	Pass
11ac (VHT20)	CH149	13.30	21.38	1000	Pass
11ac (VHT20)	CH157	12.44	17.54	1000	Pass
11ac (VHT20)	CH165	12.63	18.32	1000	Pass
11ac (VHT40)	CH151	12.47	17.66	1000	Pass
11ac (VHT40)	CH159	12.66	18.45	1000	Pass
11ac (VHT80)	CH155	12.45	17.58	1000	Pass

Aux. Antenna:

Test Data

Conducted Power

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	16.49	44.57	250	Pass
11a	CH44	16.13	41.02	250	Pass
11a	CH48	16.24	42.07	250	Pass
11n (HT20)	CH36	17.68	58.61	250	Pass
11n (HT20)	CH44	17.56	57.02	250	Pass
11n (HT20)	CH48	17.61	57.68	250	Pass
11n (HT40)	CH38	17.43	55.34	250	Pass
11n (HT40)	CH46	17.27	53.33	250	Pass
11ac (VHT20)	CH36	17.78	59.98	250	Pass
11ac (VHT20)	CH44	17.50	56.23	250	Pass
11ac (VHT20)	CH48	17.19	52.36	250	Pass
11ac (VHT40)	CH38	13.14	20.61	250	Pass
11ac (VHT40)	CH46	16.63	46.03	250	Pass
11ac (VHT80)	CH42	14.92	31.05	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	15.72	37.33	250	Pass
11a	CH60	15.81	38.11	250	Pass
11a	CH64	15.86	38.55	250	Pass
11n (HT20)	CH52	17.07	50.93	250	Pass
11n (HT20)	CH60	17.11	51.40	250	Pass
11n (HT20)	CH64	17.23	52.84	250	Pass
11n (HT40)	CH54	16.75	47.32	250	Pass
11n (HT40)	CH62	16.86	48.53	250	Pass
11ac (VHT20)	CH52	16.97	49.77	250	Pass
11ac (VHT20)	CH60	17.07	50.93	250	Pass
11ac (VHT20)	CH64	17.16	52.00	250	Pass
11ac (VHT40)	CH54	16.22	41.88	250	Pass
11ac (VHT40)	CH62	15.70	37.15	250	Pass
11ac (VHT80)	CH58	14.05	25.41	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	15.45	35.08	250	Pass
11a	CH116	15.53	35.73	250	Pass
11a	CH140	15.73	37.41	250	Pass
11n (HT20)	CH100	16.82	48.08	250	Pass
11n (HT20)	CH116	17.11	51.40	250	Pass
11n (HT20)	CH140	17.05	50.70	250	Pass
11n (HT40)	CH102	16.45	44.16	250	Pass
11n (HT40)	CH118	16.51	44.77	250	Pass
11n (HT40)	CH134	16.83	48.19	250	Pass
11ac (VHT20)	CH100	16.72	46.99	250	Pass
11ac (VHT20)	CH116	16.74	47.21	250	Pass
11ac (VHT20)	CH140	16.34	43.05	250	Pass
11ac (VHT40)	CH102	14.40	27.54	250	Pass
11ac (VHT40)	CH118	16.10	40.74	250	Pass
11ac (VHT40)	CH134	16.45	44.16	250	Pass
11ac (VHT80)	CH106	13.58	22.80	250	Pass
11ac (VHT80)	CH122	15.97	39.54	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	15.53	35.73	1000	Pass
11a	CH157	16.08	40.55	1000	Pass
11a	CH165	16.34	43.05	1000	Pass
11n (HT20)	CH149	17.13	51.64	1000	Pass
11n (HT20)	CH157	17.52	56.49	1000	Pass
11n (HT20)	CH165	17.03	50.47	1000	Pass
11n (HT40)	CH151	16.95	49.55	1000	Pass
11n (HT40)	CH159	17.29	53.58	1000	Pass
11ac (VHT20)	CH149	17.14	51.76	1000	Pass
11ac (VHT20)	CH157	17.53	56.62	1000	Pass
11ac (VHT20)	CH165	17.56	57.02	1000	Pass
11ac (VHT40)	CH151	16.52	44.87	1000	Pass
11ac (VHT40)	CH159	16.86	48.53	1000	Pass
11ac (VHT80)	CH155	16.34	43.05	1000	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ2461151-604 Data Part 1.pdf".

Main Antenna:

Test Data

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	22.54	16.60
11a	CH44	23.30	16.58
11a	CH48	21.59	16.59
11n (HT20)	CH36	26.23	17.75
11n (HT20)	CH44	26.78	17.75
11n (HT20)	CH48	28.52	17.82
11n (HT40)	CH38	53.93	36.33
11n (HT40)	CH46	57.72	36.34
11ac (VHT20)	CH36	28.96	17.74
11ac (VHT20)	CH44	28.61	17.74
11ac (VHT20)	CH48	26.36	17.78
11ac (VHT40)	CH38	53.46	36.20
11ac (VHT40)	CH46	44.71	36.14
11ac (VHT80)	CH42	136.20	75.71

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	23.98	16.60
11a	CH60	22.94	16.56
11a	CH64	25.78	16.65
11n (HT20)	CH52	28.61	17.78
11n (HT20)	CH60	27.23	17.76
11n (HT20)	CH64	28.27	17.72
11n (HT40)	CH54	60.69	36.32
11n (HT40)	CH62	61.42	36.33
11ac (VHT20)	CH52	29.17	17.79
11ac (VHT20)	CH60	26.80	17.76
11ac (VHT20)	CH64	28.86	17.78
11ac (VHT40)	CH54	57.94	36.16
11ac (VHT40)	CH62	54.33	36.20
11ac (VHT80)	CH58	115.50	75.64

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	25.06	16.62
11a	CH116	23.06	16.55
11a	CH140	23.04	16.62
11n (HT20)	CH100	23.25	17.77
11n (HT20)	CH116	26.89	17.74
11n (HT20)	CH140	27.25	17.80
11n (HT40)	CH102	60.44	36.31
11n (HT40)	CH118	62.07	36.35
11n (HT40)	CH134	67.67	36.40
11ac (VHT20)	CH100	27.07	17.81
11ac (VHT20)	CH116	29.46	17.79
11ac (VHT20)	CH140	30.07	17.83
11ac (VHT40)	CH102	50.47	36.15
11ac (VHT40)	CH118	54.20	36.21
11ac (VHT40)	CH134	56.69	36.20
11ac (VHT80)	CH106	127.80	75.77
11ac (VHT80)	CH122	142.90	75.77

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	23.40	16.58
11a	CH157	24.76	16.62
11a	CH165	25.35	16.61
11n (HT20)	CH149	31.29	17.86
11n (HT20)	CH157	28.25	17.76
11n (HT20)	CH165	25.67	17.81
11n (HT40)	CH151	59.74	36.37
11n (HT40)	CH159	62.89	36.43
11ac (VHT20)	CH149	28.41	17.80
11ac (VHT20)	CH157	27.60	17.79
11ac (VHT20)	CH165	27.22	17.82
11ac (VHT40)	CH151	52.95	36.22
11ac (VHT40)	CH159	49.02	36.16
11ac (VHT80)	CH155	150.40	75.89

Aux. Antenna:Test Data

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	24.24	16.60
11a	CH44	23.17	16.57
11a	CH48	24.13	16.58
11n (HT20)	CH36	27.69	17.80
11n (HT20)	CH44	26.67	17.79
11n (HT20)	CH48	27.22	17.82
11n (HT40)	CH38	61.05	36.30
11n (HT40)	CH46	63.95	36.31
11ac (VHT20)	CH36	28.55	17.77
11ac (VHT20)	CH44	28.84	17.81
11ac (VHT20)	CH48	29.32	17.80
11ac (VHT40)	CH38	52.98	36.15
11ac (VHT40)	CH46	50.18	36.16
11ac (VHT80)	CH42	132.60	75.65

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	23.77	16.57
11a	CH60	20.10	16.57
11a	CH64	24.70	16.58
11n (HT20)	CH52	27.65	17.76
11n (HT20)	CH60	29.45	17.79
11n (HT20)	CH64	30.01	17.79
11n (HT40)	CH54	59.85	36.31
11n (HT40)	CH62	57.57	36.35
11ac (VHT20)	CH52	29.93	17.75
11ac (VHT20)	CH60	28.43	17.75
11ac (VHT20)	CH64	26.70	17.73
11ac (VHT40)	CH54	48.76	36.18
11ac (VHT40)	CH62	49.81	36.19
11ac (VHT80)	CH58	134.60	75.79

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.89	16.58
11a	CH116	24.65	16.50
11a	CH140	23.24	16.59
11n (HT20)	CH100	27.03	17.76
11n (HT20)	CH116	27.56	17.77
11n (HT20)	CH140	29.02	17.83
11n (HT40)	CH102	65.55	36.34
11n (HT40)	CH118	60.57	36.36
11n (HT40)	CH134	64.48	36.33
11ac (VHT20)	CH100	27.10	17.73
11ac (VHT20)	CH116	26.99	17.70
11ac (VHT20)	CH140	27.37	17.80
11ac (VHT40)	CH102	61.62	36.23
11ac (VHT40)	CH118	51.23	36.18
11ac (VHT40)	CH134	53.62	36.22
11ac (VHT80)	CH106	137.70	76.05
11ac (VHT80)	CH122	120.30	75.62

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	24.42	16.60
11a	CH157	24.74	16.51
11a	CH165	24.06	16.61
11n (HT20)	CH149	28.55	17.80
11n (HT20)	CH157	30.61	17.82
11n (HT20)	CH165	30.22	17.86
11n (HT40)	CH151	61.52	36.35
11n (HT40)	CH159	60.36	36.38
11ac (VHT20)	CH149	29.98	17.84
11ac (VHT20)	CH157	28.41	17.86
11ac (VHT20)	CH165	27.24	17.86
11ac (VHT40)	CH151	53.46	36.21
11ac (VHT40)	CH159	57.86	36.20
11ac (VHT80)	CH155	137.50	75.80

A.3 6 dB Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ2461151-604 Data Part 2.pdf".

Main Antenna:

Test Data

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.30	500.00	Pass
11a	CH157	15.30	500.00	Pass
11a	CH165	15.30	500.00	Pass
11n (HT20)	CH149	15.30	500.00	Pass
11n (HT20)	CH157	15.30	500.00	Pass
11n (HT20)	CH165	15.60	500.00	Pass
11n (HT40)	CH151	35.30	500.00	Pass
11n (HT40)	CH159	35.30	500.00	Pass
11ac (VHT20)	CH149	15.30	500.00	Pass
11ac (VHT20)	CH157	15.30	500.00	Pass
11ac (VHT20)	CH165	15.30	500.00	Pass
11ac (VHT40)	CH151	34.00	500.00	Pass
11ac (VHT40)	CH159	35.30	500.00	Pass
11ac (VHT80)	CH155	75.30	500.00	Pass

Aux. Antenna:Test Data

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.30	500.00	Pass
11a	CH157	15.30	500.00	Pass
11a	CH165	15.20	500.00	Pass
11n (HT20)	CH149	15.30	500.00	Pass
11n (HT20)	CH157	15.20	500.00	Pass
11n (HT20)	CH165	15.30	500.00	Pass
11n (HT40)	CH151	35.30	500.00	Pass
11n (HT40)	CH159	35.30	500.00	Pass
11ac (VHT20)	CH149	15.30	500.00	Pass
11ac (VHT20)	CH157	15.30	500.00	Pass
11ac (VHT20)	CH165	15.30	500.00	Pass
11ac (VHT40)	CH151	35.30	500.00	Pass
11ac (VHT40)	CH159	35.30	500.00	Pass
11ac (VHT80)	CH155	75.30	500.00	Pass

A.4 Power Spectral Density

Note : Test plots please refer to the document “Annex No.: BL-SZ2461151-604 Data Part 3.pdf”.

Main Antenna:

Test Data

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	0.76	11.00	Pass
11a	CH44	0.75	11.00	Pass
11a	CH48	0.86	11.00	Pass
11n (HT20)	CH36	0.95	11.00	Pass
11n (HT20)	CH44	0.95	11.00	Pass
11n (HT20)	CH48	0.33	11.00	Pass
11n (HT40)	CH38	-2.73	11.00	Pass
11n (HT40)	CH46	-2.09	11.00	Pass
11ac (VHT20)	CH36	0.60	11.00	Pass
11ac (VHT20)	CH44	1.34	11.00	Pass
11ac (VHT20)	CH48	1.29	11.00	Pass
11ac (VHT40)	CH38	-2.54	11.00	Pass
11ac (VHT40)	CH46	-2.56	11.00	Pass
11ac (VHT80)	CH42	-4.64	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	0.98	11.00	Pass
11a	CH60	1.24	11.00	Pass
11a	CH64	2.48	11.00	Pass
11n (HT20)	CH52	0.99	11.00	Pass
11n (HT20)	CH60	0.56	11.00	Pass
11n (HT20)	CH64	0.44	11.00	Pass
11n (HT40)	CH54	-1.99	11.00	Pass
11n (HT40)	CH62	-2.43	11.00	Pass
11ac (VHT20)	CH52	1.04	11.00	Pass
11ac (VHT20)	CH60	0.64	11.00	Pass
11ac (VHT20)	CH64	0.39	11.00	Pass
11ac (VHT40)	CH54	-1.62	11.00	Pass
11ac (VHT40)	CH62	-1.37	11.00	Pass
11ac (VHT80)	CH58	-4.46	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	1.18	11.00	Pass
11a	CH116	1.33	11.00	Pass
11a	CH140	1.91	11.00	Pass
11n (HT20)	CH100	0.81	11.00	Pass
11n (HT20)	CH116	1.04	11.00	Pass
11n (HT20)	CH140	1.44	11.00	Pass
11n (HT40)	CH102	-2.43	11.00	Pass
11n (HT40)	CH118	-1.97	11.00	Pass
11n (HT40)	CH134	-2.03	11.00	Pass
11ac (VHT20)	CH100	0.83	11.00	Pass
11ac (VHT20)	CH116	0.97	11.00	Pass
11ac (VHT20)	CH140	1.26	11.00	Pass
11ac (VHT40)	CH102	-1.06	11.00	Pass
11ac (VHT40)	CH118	-3.07	11.00	Pass
11ac (VHT40)	CH134	-1.91	11.00	Pass
11ac (VHT80)	CH106	-4.22	11.00	Pass
11ac (VHT80)	CH122	-5.17	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	-0.63	30.00	Pass
11a	CH157	-0.49	30.00	Pass
11a	CH165	-1.56	30.00	Pass
11n (HT20)	CH149	-0.80	30.00	Pass
11n (HT20)	CH157	-0.56	30.00	Pass
11n (HT20)	CH165	-0.61	30.00	Pass
11n (HT40)	CH151	-3.95	30.00	Pass
11n (HT40)	CH159	-3.52	30.00	Pass
11ac (VHT20)	CH149	-0.30	30.00	Pass
11ac (VHT20)	CH157	-1.20	30.00	Pass
11ac (VHT20)	CH165	-1.00	30.00	Pass
11ac (VHT40)	CH151	-4.06	30.00	Pass
11ac (VHT40)	CH159	-3.72	30.00	Pass
11ac (VHT80)	CH155	-7.43	30.00	Pass

Aux. Antenna:Test Data

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	6.58	11.00	Pass
11a	CH44	5.88	11.00	Pass
11a	CH48	5.94	11.00	Pass
11n (HT20)	CH36	7.04	11.00	Pass
11n (HT20)	CH44	7.32	11.00	Pass
11n (HT20)	CH48	6.86	11.00	Pass
11n (HT40)	CH38	4.04	11.00	Pass
11n (HT40)	CH46	3.86	11.00	Pass
11ac (VHT20)	CH36	7.13	11.00	Pass
11ac (VHT20)	CH44	6.87	11.00	Pass
11ac (VHT20)	CH48	6.91	11.00	Pass
11ac (VHT40)	CH38	3.46	11.00	Pass
11ac (VHT40)	CH46	3.42	11.00	Pass
11ac (VHT80)	CH42	0.15	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	5.91	11.00	Pass
11a	CH60	5.65	11.00	Pass
11a	CH64	5.82	11.00	Pass
11n (HT20)	CH52	6.89	11.00	Pass
11n (HT20)	CH60	7.16	11.00	Pass
11n (HT20)	CH64	6.35	11.00	Pass
11n (HT40)	CH54	3.87	11.00	Pass
11n (HT40)	CH62	3.59	11.00	Pass
11ac (VHT20)	CH52	6.96	11.00	Pass
11ac (VHT20)	CH60	6.74	11.00	Pass
11ac (VHT20)	CH64	6.67	11.00	Pass
11ac (VHT40)	CH54	3.30	11.00	Pass
11ac (VHT40)	CH62	3.18	11.00	Pass
11ac (VHT80)	CH58	0.03	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	5.50	11.00	Pass
11a	CH116	6.37	11.00	Pass
11a	CH140	6.04	11.00	Pass
11n (HT20)	CH100	6.74	11.00	Pass
11n (HT20)	CH116	7.03	11.00	Pass
11n (HT20)	CH140	3.19	11.00	Pass
11n (HT40)	CH102	3.49	11.00	Pass
11n (HT40)	CH118	3.96	11.00	Pass
11n (HT40)	CH134	3.88	11.00	Pass
11ac (VHT20)	CH100	5.92	11.00	Pass
11ac (VHT20)	CH116	7.08	11.00	Pass
11ac (VHT20)	CH140	6.93	11.00	Pass
11ac (VHT40)	CH102	3.11	11.00	Pass
11ac (VHT40)	CH118	3.56	11.00	Pass
11ac (VHT40)	CH134	3.44	11.00	Pass
11ac (VHT80)	CH106	-0.37	11.00	Pass
11ac (VHT80)	CH122	-0.12	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	2.89	30.00	Pass
11a	CH157	2.86	30.00	Pass
11a	CH165	2.40	30.00	Pass
11n (HT20)	CH149	4.16	30.00	Pass
11n (HT20)	CH157	3.92	30.00	Pass
11n (HT20)	CH165	3.46	30.00	Pass
11n (HT40)	CH151	0.94	30.00	Pass
11n (HT40)	CH159	0.56	30.00	Pass
11ac (VHT20)	CH149	4.10	30.00	Pass
11ac (VHT20)	CH157	3.82	30.00	Pass
11ac (VHT20)	CH165	3.45	30.00	Pass
11ac (VHT40)	CH151	0.37	30.00	Pass
11ac (VHT40)	CH159	0.17	30.00	Pass
11ac (VHT80)	CH155	-3.08	30.00	Pass


A.5 Conducted Emissions

Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.160	50.81	9.75	65.46	14.65	Peak	L	Pass
1**	0.160	25.50	9.75	55.46	29.96	AV	L	Pass
2	0.232	46.30	9.74	62.38	16.08	Peak	L	Pass
2**	0.232	27.77	9.74	52.38	24.61	AV	L	Pass
3	0.446	50.20	9.74	56.95	6.75	Peak	L	Pass
3**	0.446	33.33	9.74	46.95	13.62	AV	L	Pass
4	0.522	49.85	9.74	56.00	6.15	Peak	L	Pass
4**	0.522	33.29	9.74	46.00	12.71	AV	L	Pass
5	1.308	40.99	9.70	56.00	15.01	Peak	L	Pass
5**	1.308	29.98	9.70	46.00	16.02	AV	L	Pass
6	4.742	38.71	9.64	56.00	17.29	Peak	L	Pass
6**	4.742	23.44	9.64	46.00	22.56	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.152	46.67	9.70	65.89	19.22	Peak	N	Pass
1**	0.152	23.72	9.70	55.89	32.17	AV	N	Pass
2	0.262	45.14	9.76	61.37	16.23	Peak	N	Pass
2**	0.262	24.69	9.76	51.37	26.68	AV	N	Pass
3	0.522	40.71	9.81	56.00	15.29	Peak	N	Pass
3**	0.522	26.04	9.81	46.00	19.96	AV	N	Pass
4	1.546	37.34	9.87	56.00	18.66	Peak	N	Pass
4**	1.546	23.96	9.87	46.00	22.04	AV	N	Pass
5	2.544	35.61	9.86	56.00	20.39	Peak	N	Pass
5**	2.544	23.00	9.86	46.00	23.00	AV	N	Pass
6	14.962	33.58	9.52	60.00	26.42	Peak	N	Pass
6**	14.962	22.93	9.52	50.00	27.07	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note¹: The symbol of "--" in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Main Antenna:

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	40.670	18.35	-27.00	40.0	21.65	Peak	359.00	100	Horizontal	Pass
2	87.133	26.70	-30.00	40.0	13.30	Peak	327.00	200	Horizontal	Pass
3	130.152	21.06	-29.85	43.5	22.44	Peak	359.00	100	Horizontal	Pass
4	171.862	28.22	-29.13	43.5	15.28	Peak	4.00	100	Horizontal	Pass
5	494.533	22.40	-18.52	46.0	23.60	Peak	161.00	100	Horizontal	Pass
6	869.438	29.91	-10.57	46.0	16.09	Peak	271.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	40.718	28.38	-26.98	40.0	11.62	Peak	4.00	100	Vertical	Pass
2	63.368	26.53	-27.46	40.0	13.47	Peak	350.00	100	Vertical	Pass
3	78.112	28.21	-31.80	40.0	11.79	Peak	316.00	100	Vertical	Pass
4	168.128	20.61	-29.22	43.5	22.89	Peak	257.00	100	Vertical	Pass
5	301.552	19.04	-23.75	46.0	26.96	Peak	178.00	100	Vertical	Pass
6	905.716	30.74	-9.62	46.0	15.26	Peak	280.00	100	Vertical	Pass

Aux. Antenna:

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.340	25.85	-30.19	40.0	14.15	Peak	13.00	100	Horizontal	Pass
2	76.026	25.34	-31.49	40.0	14.66	Peak	0.00	200	Horizontal	Pass
3	144.460	21.03	-30.28	43.5	22.47	Peak	164.00	200	Horizontal	Pass
4	298.302	20.11	-23.75	46.0	25.89	Peak	127.00	100	Horizontal	Pass
5	645.126	25.18	-15.02	46.0	20.82	Peak	298.00	200	Horizontal	Pass
6	935.058	30.74	-9.26	46.0	15.26	Peak	216.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.036	17.69	-30.18	40.0	22.31	Peak	359.00	108	Vertical	Pass
1*	30.036	12.35	-30.18	40.0	27.65	QP	359.00	108	Vertical	Pass
2	59.779	28.65	-26.67	40.0	11.35	Peak	114.00	100	Vertical	Pass
3	74.717	29.12	-31.17	40.0	10.88	Peak	154.00	100	Vertical	Pass
4	145.236	29.46	-30.26	43.5	14.04	Peak	343.00	100	Vertical	Pass
5	346.850	17.88	-22.11	46.0	28.12	Peak	130.00	200	Vertical	Pass

Note: The spurious above 18G is noise only, do not show on the report.

Main Antenna:

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.750	39.10	-16.17	74.0	34.90	Peak	266.00	150	Horizontal	Pass
1**	1477.750	27.19	-16.17	54.0	26.81	AV	266.00	150	Horizontal	Pass
2	2839.250	46.62	-7.86	74.0	27.38	Peak	19.00	150	Horizontal	Pass
2**	2839.250	33.76	-7.86	54.0	20.24	AV	19.00	150	Horizontal	Pass
3	4177.000	48.87	-2.73	74.0	25.13	Peak	90.00	150	Horizontal	Pass
3**	4177.000	37.41	-2.73	54.0	16.59	AV	90.00	150	Horizontal	Pass
4	5221.000	97.35	-0.31	--	70.65	Peak	168.00	150	Horizontal	N/A
4**	5221.000	89.61	-0.31	--	-89.61	AV	168.00	150	Horizontal	N/A
5	10957.500	49.80	-3.19	74.0	24.20	Peak	122.00	150	Horizontal	Pass
5**	10957.500	39.83	-3.19	54.0	14.17	AV	122.00	150	Horizontal	Pass
6	15632.500	50.96	-0.27	74.0	23.04	Peak	357.00	150	Horizontal	Pass
6**	15632.500	39.74	-0.27	54.0	14.26	AV	357.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1366.750	38.99	-16.39	74.0	35.01	Peak	360.00	100	Vertical	Pass
1**	1366.750	27.28	-16.39	54.0	26.72	AV	360.00	100	Vertical	Pass
2	2849.000	45.54	-7.93	74.0	28.46	Peak	255.00	100	Vertical	Pass
2**	2849.000	33.65	-7.93	54.0	20.35	AV	255.00	100	Vertical	Pass
3	4114.500	48.33	-3.30	74.0	25.67	Peak	142.00	100	Vertical	Pass
3**	4114.500	37.37	-3.30	54.0	16.63	AV	142.00	100	Vertical	Pass
4	5218.000	98.93	-0.23	--	58.07	Peak	157.00	100	Vertical	N/A
4**	5218.000	90.76	-0.23	--	-90.76	AV	157.00	100	Vertical	N/A
5	12288.000	50.27	-1.44	74.0	23.73	Peak	157.00	100	Vertical	Pass
5**	12288.000	39.84	-1.44	54.0	14.16	AV	157.00	100	Vertical	Pass
6	15843.500	51.73	-0.15	74.0	22.27	Peak	236.00	100	Vertical	Pass
6**	15843.500	40.82	-0.15	54.0	13.18	AV	236.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1416.500	39.47	-16.40	74.0	34.53	Peak	14.00	150	Horizontal	Pass
1**	1416.500	27.43	-16.40	54.0	26.57	AV	14.00	150	Horizontal	Pass
2	2814.000	45.41	-8.73	74.0	28.59	Peak	224.00	150	Horizontal	Pass
2**	2814.000	32.78	-8.73	54.0	21.22	AV	224.00	150	Horizontal	Pass
3	4314.000	49.59	-2.83	74.0	24.41	Peak	148.00	150	Horizontal	Pass
3**	4314.000	38.51	-2.83	54.0	15.49	AV	148.00	150	Horizontal	Pass
4	5221.000	98.62	-0.31	--	80.38	Peak	179.00	150	Horizontal	N/A
4**	5221.000	90.23	-0.31	--	-90.23	AV	179.00	150	Horizontal	N/A
5	11660.500	49.68	-2.56	74.0	24.32	Peak	31.00	150	Horizontal	Pass
5**	11660.500	39.29	-2.56	54.0	14.71	AV	31.00	150	Horizontal	Pass
6	15856.000	51.20	-0.10	74.0	22.80	Peak	170.00	150	Horizontal	Pass
6**	15856.000	40.50	-0.10	54.0	13.50	AV	170.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.250	39.55	-16.34	74.0	34.45	Peak	360.00	150	Vertical	Pass
1**	1459.250	27.32	-16.34	54.0	26.68	AV	360.00	150	Vertical	Pass
2	2802.000	45.14	-8.50	74.0	28.86	Peak	339.00	150	Vertical	Pass
2**	2802.000	33.29	-8.50	54.0	20.71	AV	339.00	150	Vertical	Pass
3	4210.500	48.94	-2.90	74.0	25.06	Peak	27.00	150	Vertical	Pass
3**	4210.500	37.28	-2.90	54.0	16.72	AV	27.00	150	Vertical	Pass
4	5218.000	100.43	-0.23	--	89.57	Peak	190.00	150	Vertical	N/A
4**	5218.000	92.48	-0.23	--	-92.48	AV	190.00	150	Vertical	N/A
5	11666.500	49.32	-2.52	74.0	24.68	Peak	185.00	150	Vertical	Pass
5**	11666.500	39.76	-2.52	54.0	14.24	AV	185.00	150	Vertical	Pass
6	15705.500	50.99	-0.04	74.0	23.01	Peak	341.00	150	Vertical	Pass
6**	15705.500	40.70	-0.04	54.0	13.30	AV	341.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1206.750	38.43	-16.48	74.0	35.57	Peak	266.00	150	Horizontal	Pass
1**	1206.750	27.43	-16.48	54.0	26.57	AV	266.00	150	Horizontal	Pass
2	2271.750	42.38	-12.45	74.0	31.62	Peak	233.00	150	Horizontal	Pass
2**	2271.750	30.99	-12.45	54.0	23.01	AV	233.00	150	Horizontal	Pass
3	4180.000	49.42	-2.71	74.0	24.58	Peak	186.00	150	Horizontal	Pass
3**	4180.000	37.35	-2.71	54.0	16.65	AV	186.00	150	Horizontal	Pass
4	5193.000	95.55	-0.21	--	253.45	Peak	349.00	150	Horizontal	N/A
4**	5193.000	87.71	-0.21	--	-87.71	AV	349.00	150	Horizontal	N/A
5	10815.000	49.45	-3.10	74.0	24.55	Peak	258.00	150	Horizontal	Pass
5**	10815.000	39.28	-3.10	54.0	14.72	AV	258.00	150	Horizontal	Pass
6	16124.500	51.14	0.02	74.0	22.86	Peak	121.00	150	Horizontal	Pass
6**	16124.500	40.89	0.02	54.0	13.11	AV	121.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1095.250	37.95	-16.83	74.0	36.05	Peak	308.00	150	Vertical	Pass
1**	1095.250	26.15	-16.83	54.0	27.85	AV	308.00	150	Vertical	Pass
2	2225.500	42.21	-12.38	74.0	31.79	Peak	186.00	150	Vertical	Pass
2**	2225.500	30.39	-12.38	54.0	23.61	AV	186.00	150	Vertical	Pass
3	4114.000	49.00	-3.30	74.0	25.00	Peak	360.00	150	Vertical	Pass
3**	4114.000	36.96	-3.30	54.0	17.04	AV	360.00	150	Vertical	Pass
4	5188.000	97.86	-0.23	--	119.14	Peak	217.00	150	Vertical	N/A
4**	5188.000	90.49	-0.23	--	-90.49	AV	217.00	150	Vertical	N/A
5	12302.000	50.27	-1.27	74.0	23.73	Peak	291.00	150	Vertical	Pass
5**	12302.000	39.89	-1.27	54.0	14.11	AV	291.00	150	Vertical	Pass
6	15695.000	50.79	0.03	74.0	23.21	Peak	299.00	150	Vertical	Pass
6**	15695.000	40.59	0.03	54.0	13.41	AV	299.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1384.250	39.79	-16.39	74.0	34.21	Peak	323.00	150	Horizontal	Pass
1**	1384.250	27.50	-16.39	54.0	26.50	AV	323.00	150	Horizontal	Pass
2	2857.250	45.27	-8.16	74.0	28.73	Peak	12.00	150	Horizontal	Pass
2**	2857.250	33.53	-8.16	54.0	20.47	AV	12.00	150	Horizontal	Pass
3	4292.500	49.30	-2.80	74.0	24.70	Peak	129.00	150	Horizontal	Pass
3**	4292.500	37.63	-2.80	54.0	16.37	AV	129.00	150	Horizontal	Pass
4	5203.000	92.88	-0.19	--	95.12	Peak	188.00	150	Horizontal	N/A
4**	5203.000	83.40	-0.19	--	-83.40	AV	188.00	150	Horizontal	N/A
5	12376.001	50.72	-1.71	74.0	23.28	Peak	123.00	150	Horizontal	Pass
5**	12376.001	39.68	-1.71	54.0	14.32	AV	123.00	150	Horizontal	Pass
6	15810.000	51.10	0.06	74.0	22.90	Peak	214.00	150	Horizontal	Pass
6**	15810.000	40.34	0.06	54.0	13.66	AV	214.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1349.250	39.01	-16.06	74.0	34.99	Peak	355.00	150	Vertical	Pass
1**	1349.250	27.92	-16.06	54.0	26.08	AV	355.00	150	Vertical	Pass
2	2747.250	45.53	-9.11	74.0	28.47	Peak	3.00	150	Vertical	Pass
2**	2747.250	32.61	-9.11	54.0	21.39	AV	3.00	150	Vertical	Pass
3	4229.000	48.71	-3.21	74.0	25.29	Peak	79.00	150	Vertical	Pass
3**	4229.000	37.05	-3.21	54.0	16.95	AV	79.00	150	Vertical	Pass
4	5203.000	95.50	-0.19	--	98.50	Peak	194.00	150	Vertical	N/A
4**	5203.000	86.48	-0.19	--	-86.48	AV	194.00	150	Vertical	N/A
5	11563.500	49.90	-2.47	74.0	24.10	Peak	140.00	150	Vertical	Pass
5**	11563.500	38.83	-2.47	54.0	15.17	AV	140.00	150	Vertical	Pass
6	15884.500	51.78	-0.58	74.0	22.22	Peak	123.00	150	Vertical	Pass
6**	15884.500	40.70	-0.58	54.0	13.30	AV	123.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.250	39.30	-16.16	74.0	34.70	Peak	243.00	150	Horizontal	Pass
1**	1472.250	27.65	-16.16	54.0	26.35	AV	243.00	150	Horizontal	Pass
2	2836.750	46.04	-7.84	74.0	27.96	Peak	127.00	150	Horizontal	Pass
2**	2836.750	33.60	-7.84	54.0	20.40	AV	127.00	150	Horizontal	Pass
3	4316.000	49.40	-2.83	74.0	24.60	Peak	54.00	150	Horizontal	Pass
3**	4316.000	37.98	-2.83	54.0	16.02	AV	54.00	150	Horizontal	Pass
4	5298.000	99.32	0.02	--	65.68	Peak	165.00	150	Horizontal	N/A
4**	5298.000	91.00	0.02	--	-91.00	AV	165.00	150	Horizontal	N/A
5	10951.000	49.91	-3.13	74.0	24.09	Peak	190.00	150	Horizontal	Pass
5**	10951.000	39.58	-3.13	54.0	14.42	AV	190.00	150	Horizontal	Pass
6	16123.500	51.61	0.04	74.0	22.39	Peak	266.00	150	Horizontal	Pass
6**	16123.500	41.78	0.04	54.0	12.22	AV	266.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.500	39.24	-16.54	74.0	34.76	Peak	118.00	150	Vertical	Pass
1**	1404.500	27.52	-16.54	54.0	26.48	AV	118.00	150	Vertical	Pass
2	2839.750	45.80	-7.86	74.0	28.20	Peak	51.00	150	Vertical	Pass
2**	2839.750	34.26	-7.86	54.0	19.74	AV	51.00	150	Vertical	Pass
3	4178.000	49.68	-2.72	74.0	24.32	Peak	0.00	150	Vertical	Pass
3**	4178.000	37.48	-2.72	54.0	16.52	AV	0.00	150	Vertical	Pass
4	5301.500	99.84	0.05	--	47.16	Peak	147.00	150	Vertical	N/A
4**	5301.500	92.25	0.05	--	-92.25	AV	147.00	150	Vertical	N/A
5	11598.000	49.97	-2.52	74.0	24.03	Peak	3.00	150	Vertical	Pass
5**	11598.000	39.75	-2.52	54.0	14.25	AV	3.00	150	Vertical	Pass
6	15515.000	50.60	0.36	74.0	23.40	Peak	341.00	150	Vertical	Pass
6**	15515.000	40.42	0.36	54.0	13.58	AV	341.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.500	39.18	-16.21	74.0	34.82	Peak	66.00	150	Horizontal	Pass
1**	1448.500	27.50	-16.21	54.0	26.50	AV	66.00	150	Horizontal	Pass
2	2842.500	45.64	-7.88	74.0	28.36	Peak	169.00	150	Horizontal	Pass
2**	2842.500	34.27	-7.88	54.0	19.73	AV	169.00	150	Horizontal	Pass
3	4203.500	49.82	-2.74	74.0	24.18	Peak	217.00	150	Horizontal	Pass
3**	4203.500	37.68	-2.74	54.0	16.32	AV	217.00	150	Horizontal	Pass
4	5301.000	97.92	0.05	--	235.08	Peak	333.00	150	Horizontal	N/A
4**	5301.000	90.12	0.05	--	-90.12	AV	333.00	150	Horizontal	N/A
5	10958.000	50.65	-3.20	74.0	23.35	Peak	360.00	150	Horizontal	Pass
5**	10958.000	39.83	-3.20	54.0	14.17	AV	360.00	150	Horizontal	Pass
6	15675.000	51.26	0.06	74.0	22.74	Peak	247.00	150	Horizontal	Pass
6**	15675.000	40.13	0.06	54.0	13.87	AV	247.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.500	39.39	-16.24	74.0	34.61	Peak	15.00	150	Vertical	Pass
1**	1517.500	27.58	-16.24	54.0	26.42	AV	15.00	150	Vertical	Pass
2	2858.250	45.41	-8.19	74.0	28.59	Peak	358.00	150	Vertical	Pass
2**	2858.250	33.42	-8.19	54.0	20.58	AV	358.00	150	Vertical	Pass
3	4211.500	48.64	-2.93	74.0	25.36	Peak	360.00	150	Vertical	Pass
3**	4211.500	37.43	-2.93	54.0	16.57	AV	360.00	150	Vertical	Pass
4	5300.500	101.28	0.05	--	116.72	Peak	218.00	150	Vertical	N/A
4**	5300.500	93.08	0.05	--	-93.08	AV	218.00	150	Vertical	N/A
5	10960.500	50.10	-3.22	74.0	23.90	Peak	166.00	150	Vertical	Pass
5**	10960.500	39.60	-3.22	54.0	14.40	AV	166.00	150	Vertical	Pass
6	16112.000	51.54	0.32	74.0	22.46	Peak	179.00	150	Vertical	Pass
6**	16112.000	41.17	0.32	54.0	12.83	AV	179.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.250	39.05	-16.45	74.0	34.95	Peak	344.00	150	Horizontal	Pass
1**	1510.250	27.61	-16.45	54.0	26.39	AV	344.00	150	Horizontal	Pass
2	2819.500	45.63	-8.51	74.0	28.37	Peak	79.00	150	Horizontal	Pass
2**	2819.500	32.98	-8.51	54.0	21.02	AV	79.00	150	Horizontal	Pass
3	4196.000	48.50	-2.68	74.0	25.50	Peak	93.00	150	Horizontal	Pass
3**	4196.000	37.24	-2.68	54.0	16.76	AV	93.00	150	Horizontal	Pass
4	5271.500	93.58	-0.52	--	29.42	Peak	123.00	150	Horizontal	N/A
4**	5271.500	85.45	-0.52	--	-85.45	AV	123.00	150	Horizontal	N/A
5	12310.000	49.76	-1.38	74.0	24.24	Peak	164.00	150	Horizontal	Pass
5**	12310.000	39.61	-1.38	54.0	14.39	AV	164.00	150	Horizontal	Pass
6	15531.000	51.14	0.05	74.0	22.86	Peak	0.00	150	Horizontal	Pass
6**	15531.000	40.61	0.05	54.0	13.39	AV	0.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.750	39.20	-16.07	74.0	34.80	Peak	221.00	150	Vertical	Pass
1**	1350.750	27.73	-16.07	54.0	26.27	AV	221.00	150	Vertical	Pass
2	2866.750	45.65	-8.08	74.0	28.35	Peak	261.00	150	Vertical	Pass
2**	2866.750	33.21	-8.08	54.0	20.79	AV	261.00	150	Vertical	Pass
3	4081.000	47.99	-3.31	74.0	26.01	Peak	0.00	150	Vertical	Pass
3**	4081.000	36.77	-3.31	54.0	17.23	AV	0.00	150	Vertical	Pass
4	5272.000	97.42	-0.51	--	124.58	Peak	222.00	150	Vertical	N/A
4**	5272.000	89.44	-0.51	--	-89.44	AV	222.00	150	Vertical	N/A
5	12225.000	49.70	-1.73	74.0	24.30	Peak	29.00	150	Vertical	Pass
5**	12225.000	39.62	-1.73	54.0	14.38	AV	29.00	150	Vertical	Pass
6	15500.500	51.08	0.51	74.0	22.92	Peak	156.00	150	Vertical	Pass
6**	15500.500	40.39	0.51	54.0	13.61	AV	156.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1360.250	38.95	-16.33	74.0	35.05	Peak	204.00	150	Horizontal	Pass
1**	1360.250	27.64	-16.33	54.0	26.36	AV	204.00	150	Horizontal	Pass
2	2843.000	45.41	-7.89	74.0	28.59	Peak	68.00	150	Horizontal	Pass
2**	2843.000	33.34	-7.89	54.0	20.66	AV	68.00	150	Horizontal	Pass
3	4115.500	48.57	-3.31	74.0	25.43	Peak	327.00	150	Horizontal	Pass
3**	4115.500	37.21	-3.31	54.0	16.79	AV	327.00	150	Horizontal	Pass
4	5291.500	92.54	-0.09	--	71.46	Peak	164.00	150	Horizontal	N/A
4**	5291.500	83.18	-0.09	--	-83.18	AV	164.00	150	Horizontal	N/A
5	12115.500	50.11	-2.42	74.0	23.89	Peak	5.00	150	Horizontal	Pass
5**	12115.500	39.32	-2.42	54.0	14.68	AV	5.00	150	Horizontal	Pass
6	15963.500	50.80	-0.51	74.0	23.20	Peak	0.00	150	Horizontal	Pass
6**	15963.500	40.36	-0.51	54.0	13.64	AV	0.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.250	38.23	-16.27	74.0	35.77	Peak	0.00	150	Vertical	Pass
1**	1516.250	28.17	-16.27	54.0	25.83	AV	0.00	150	Vertical	Pass
2	2849.500	45.83	-7.94	74.0	28.17	Peak	125.00	150	Vertical	Pass
2**	2849.500	33.80	-7.94	54.0	20.20	AV	125.00	150	Vertical	Pass
3	3854.000	48.00	-3.86	74.0	26.00	Peak	91.00	150	Vertical	Pass
3**	3854.000	35.97	-3.86	54.0	18.03	AV	91.00	150	Vertical	Pass
4	5303.000	95.37	0.05	--	122.63	Peak	218.00	150	Vertical	N/A
4**	5303.000	85.81	0.05	--	-85.81	AV	218.00	150	Vertical	N/A
5	12361.000	49.95	-1.54	74.0	24.05	Peak	168.00	150	Vertical	Pass
5**	12361.000	40.49	-1.54	54.0	13.51	AV	168.00	150	Vertical	Pass
6	15522.000	50.83	0.22	74.0	23.17	Peak	125.00	150	Vertical	Pass
6**	15522.000	40.27	0.22	54.0	13.73	AV	125.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1395.250	39.64	-16.48	74.0	34.36	Peak	294.00	150	Horizontal	Pass
1**	1395.250	27.37	-16.48	54.0	26.63	AV	294.00	150	Horizontal	Pass
2	2853.000	46.43	-8.03	74.0	27.57	Peak	144.00	150	Horizontal	Pass
2**	2853.000	34.08	-8.03	54.0	19.92	AV	144.00	150	Horizontal	Pass
3	4308.000	49.69	-2.81	74.0	24.31	Peak	0.00	150	Horizontal	Pass
3**	4308.000	37.54	-2.81	54.0	16.46	AV	0.00	150	Horizontal	Pass
4	5578.000	94.07	-1.18	--	253.93	Peak	348.00	150	Horizontal	N/A
4**	5578.000	85.82	-1.18	--	-85.82	AV	348.00	150	Horizontal	N/A
5	11666.500	49.68	-2.52	74.0	24.32	Peak	162.00	150	Horizontal	Pass
5**	11666.500	39.73	-2.52	54.0	14.27	AV	162.00	150	Horizontal	Pass
6	15881.000	50.91	-0.47	74.0	23.09	Peak	189.00	150	Horizontal	Pass
6**	15881.000	40.44	-0.47	54.0	13.56	AV	189.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1369.750	39.37	-16.42	74.0	34.63	Peak	84.00	150	Vertical	Pass
1**	1369.750	27.38	-16.42	54.0	26.62	AV	84.00	150	Vertical	Pass
2	2823.750	46.48	-8.23	74.0	27.52	Peak	15.00	150	Vertical	Pass
2**	2823.750	33.25	-8.23	54.0	20.75	AV	15.00	150	Vertical	Pass
3	4115.000	48.87	-3.30	74.0	25.13	Peak	98.00	150	Vertical	Pass
3**	4115.000	36.97	-3.30	54.0	17.03	AV	98.00	150	Vertical	Pass
4	5581.000	100.21	-1.18	--	124.79	Peak	225.00	150	Vertical	N/A
4**	5581.000	92.27	-1.18	--	-92.27	AV	225.00	150	Vertical	N/A
5	12353.500	51.06	-1.51	74.0	22.94	Peak	13.00	150	Vertical	Pass
5**	12353.500	39.90	-1.51	54.0	14.10	AV	13.00	150	Vertical	Pass
6	15421.000	51.80	0.09	74.0	22.20	Peak	299.00	150	Vertical	Pass
6**	15421.000	39.27	0.09	54.0	14.73	AV	299.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1383.000	39.10	-16.38	74.0	34.90	Peak	267.00	150	Horizontal	Pass
1**	1383.000	27.46	-16.38	54.0	26.54	AV	267.00	150	Horizontal	Pass
2	2774.250	45.07	-8.57	74.0	28.93	Peak	94.00	150	Horizontal	Pass
2**	2774.250	33.29	-8.57	54.0	20.71	AV	94.00	150	Horizontal	Pass
3	4175.000	49.64	-2.74	74.0	24.36	Peak	210.00	150	Horizontal	Pass
3**	4175.000	36.99	-2.74	54.0	17.01	AV	210.00	150	Horizontal	Pass
4	5578.000	93.85	-1.18	--	24.15	Peak	118.00	150	Horizontal	N/A
4**	5578.000	85.53	-1.18	--	-85.53	AV	118.00	150	Horizontal	N/A
5	12350.000	51.21	-1.50	74.0	22.79	Peak	119.00	150	Horizontal	Pass
5**	12350.000	40.22	-1.50	54.0	13.78	AV	119.00	150	Horizontal	Pass
6	15543.000	50.37	-0.20	74.0	23.63	Peak	123.00	150	Horizontal	Pass
6**	15543.000	39.88	-0.20	54.0	14.12	AV	123.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	v	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.500	39.09	-16.38	74.0	34.91	Peak	66.00	150	Vertical	Pass
1**	1365.500	27.53	-16.38	54.0	26.47	AV	66.00	150	Vertical	Pass
2	2849.250	46.30	-7.93	74.0	27.70	Peak	251.00	150	Vertical	Pass
2**	2849.250	33.90	-7.93	54.0	20.10	AV	251.00	150	Vertical	Pass
3	4173.000	48.81	-2.76	74.0	25.19	Peak	10.00	150	Vertical	Pass
3**	4173.000	37.54	-2.76	54.0	16.46	AV	10.00	150	Vertical	Pass
4	5581.500	100.40	-1.18	--	133.60	Peak	234.00	150	Vertical	N/A
4**	5581.500	92.67	-1.18	--	-92.67	AV	234.00	150	Vertical	N/A
5	12007.000	49.78	-2.50	74.0	24.22	Peak	259.00	150	Vertical	Pass
5**	12007.000	38.80	-2.50	54.0	15.20	AV	259.00	150	Vertical	Pass
6	15881.000	51.03	-0.47	74.0	22.97	Peak	12.00	150	Vertical	Pass
6**	15881.000	40.57	-0.47	54.0	13.43	AV	12.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.750	38.94	-16.26	74.0	35.06	Peak	162.00	150	Horizontal	Pass
1**	1543.750	27.62	-16.26	54.0	26.38	AV	162.00	150	Horizontal	Pass
2	2778.250	45.49	-8.48	74.0	28.51	Peak	3.00	150	Horizontal	Pass
2**	2778.250	32.96	-8.48	54.0	21.04	AV	3.00	150	Horizontal	Pass
3	4212.500	48.79	-2.96	74.0	25.21	Peak	193.00	150	Horizontal	Pass
3**	4212.500	37.69	-2.96	54.0	16.31	AV	193.00	150	Horizontal	Pass
4	5587.500	94.17	-1.19	--	70.83	Peak	165.00	150	Horizontal	N/A
4**	5587.500	85.92	-1.19	--	-85.92	AV	165.00	150	Horizontal	N/A
5	11558.000	50.74	-2.44	74.0	23.26	Peak	7.00	150	Horizontal	Pass
5**	11558.000	39.09	-2.44	54.0	14.91	AV	7.00	150	Horizontal	Pass
6	15547.000	50.40	-0.29	74.0	23.60	Peak	356.00	150	Horizontal	Pass
6**	15547.000	39.74	-0.29	54.0	14.26	AV	356.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.250	39.47	-16.14	74.0	34.53	Peak	272.00	150	Vertical	Pass
1**	1526.250	27.86	-16.14	54.0	26.14	AV	272.00	150	Vertical	Pass
2	2842.000	45.93	-7.88	74.0	28.07	Peak	202.00	150	Vertical	Pass
2**	2842.000	33.46	-7.88	54.0	20.54	AV	202.00	150	Vertical	Pass
3	4025.000	48.33	-3.68	74.0	25.67	Peak	163.00	150	Vertical	Pass
3**	4025.000	36.97	-3.68	54.0	17.03	AV	163.00	150	Vertical	Pass
4	5588.500	96.54	-1.19	--	131.46	Peak	228.00	150	Vertical	N/A
4**	5588.500	88.70	-1.19	--	-88.70	AV	228.00	150	Vertical	N/A
5	11738.500	49.80	-2.53	74.0	24.20	Peak	121.00	150	Vertical	Pass
5**	11738.500	39.61	-2.53	54.0	14.39	AV	121.00	150	Vertical	Pass
6	16096.500	51.19	0.21	74.0	22.81	Peak	348.00	150	Vertical	Pass
6**	16096.500	41.08	0.21	54.0	12.92	AV	348.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1360.500	39.27	-16.33	74.0	34.73	Peak	355.00	150	Horizontal	Pass
1**	1360.500	27.35	-16.33	54.0	26.65	AV	355.00	150	Horizontal	Pass
2	2759.500	46.14	-9.01	74.0	27.86	Peak	191.00	150	Horizontal	Pass
2**	2759.500	33.25	-9.01	54.0	20.75	AV	191.00	150	Horizontal	Pass
3	3983.500	47.84	-3.41	74.0	26.16	Peak	314.00	150	Horizontal	Pass
3**	3983.500	36.38	-3.41	54.0	17.62	AV	314.00	150	Horizontal	Pass
4	5532.000	89.55	-0.49	--	29.45	Peak	119.00	150	Horizontal	N/A
4**	5532.000	81.42	-0.49	--	-81.42	AV	119.00	150	Horizontal	N/A
5	11605.500	49.79	-2.52	74.0	24.21	Peak	0.00	150	Horizontal	Pass
5**	11605.500	39.92	-2.52	54.0	14.08	AV	0.00	150	Horizontal	Pass
6	16086.500	50.95	0.07	74.0	23.05	Peak	315.00	150	Horizontal	Pass
6**	16086.500	40.58	0.07	54.0	13.42	AV	315.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.250	39.22	-16.46	74.0	34.78	Peak	324.00	150	Vertical	Pass
1**	1509.250	27.33	-16.46	54.0	26.67	AV	324.00	150	Vertical	Pass
2	2832.250	45.75	-7.81	74.0	28.25	Peak	107.00	150	Vertical	Pass
2**	2832.250	33.76	-7.81	54.0	20.24	AV	107.00	150	Vertical	Pass
3	4119.000	49.03	-3.32	74.0	24.97	Peak	105.00	150	Vertical	Pass
3**	4119.000	36.81	-3.32	54.0	17.19	AV	105.00	150	Vertical	Pass
4	5536.500	94.42	-0.57	--	139.58	Peak	234.00	150	Vertical	N/A
4**	5536.500	85.85	-0.57	--	-85.85	AV	234.00	150	Vertical	N/A
5	10933.500	49.91	-2.97	74.0	24.09	Peak	360.00	150	Vertical	Pass
5**	10933.500	39.14	-2.97	54.0	14.86	AV	360.00	150	Vertical	Pass
6	15700.500	50.57	0.02	74.0	23.43	Peak	45.00	150	Vertical	Pass
6**	15700.500	40.54	0.02	54.0	13.46	AV	45.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.250	38.99	-16.39	74.0	35.01	Peak	310.00	150	Horizontal	Pass
1**	1120.250	26.96	-16.39	54.0	27.04	AV	310.00	150	Horizontal	Pass
2	1574.250	39.16	-16.09	74.0	34.84	Peak	155.00	150	Horizontal	Pass
2**	1574.250	27.57	-16.09	54.0	26.43	AV	155.00	150	Horizontal	Pass
3	2759.500	45.00	-9.01	74.0	29.00	Peak	14.00	150	Horizontal	Pass
3**	2759.500	33.39	-9.01	54.0	20.61	AV	14.00	150	Horizontal	Pass
4	5080.000	50.93	-0.39	74.0	23.07	Peak	112.00	150	Horizontal	Pass
4**	5080.000	40.51	-0.39	54.0	13.49	AV	112.00	150	Horizontal	Pass
5	5786.500	98.94	0.76	--	-97.94	Peak	1.00	150	Horizontal	N/A
5**	5786.500	91.33	0.76	--	-91.33	AV	1.00	150	Horizontal	N/A
6	11583.000	49.71	-2.53	74.0	24.29	Peak	123.00	150	Horizontal	Pass
6**	11583.000	39.04	-2.53	54.0	14.96	AV	123.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1085.500	38.31	-16.77	74.0	35.69	Peak	86.00	150	Vertical	Pass
1**	1085.500	26.65	-16.77	54.0	27.35	AV	86.00	150	Vertical	Pass
2	1605.250	39.27	-16.17	74.0	34.73	Peak	37.00	150	Vertical	Pass
2**	1605.250	27.68	-16.17	54.0	26.32	AV	37.00	150	Vertical	Pass
3	2860.000	46.80	-8.25	74.0	27.20	Peak	64.00	150	Vertical	Pass
3**	2860.000	33.43	-8.25	54.0	20.57	AV	64.00	150	Vertical	Pass
4	4111.000	47.84	-3.28	74.0	26.16	Peak	217.00	150	Vertical	Pass
4**	4111.000	36.86	-3.28	54.0	17.14	AV	217.00	150	Vertical	Pass
5	5781.000	94.87	0.96	--	45.13	Peak	140.00	150	Vertical	N/A
5**	5781.000	85.95	0.96	--	-85.95	AV	140.00	150	Vertical	N/A
6	12292.500	50.34	-1.35	74.0	23.66	Peak	192.00	150	Vertical	Pass
6**	12292.500	39.51	-1.35	54.0	14.49	AV	192.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1145.000	38.41	-16.40	74.0	35.59	Peak	38.00	150	Horizontal	Pass
1**	1145.000	27.09	-16.40	54.0	26.91	AV	38.00	150	Horizontal	Pass
2	1441.750	39.38	-16.04	74.0	34.62	Peak	307.00	150	Horizontal	Pass
2**	1441.750	28.06	-16.04	54.0	25.94	AV	307.00	150	Horizontal	Pass
3	2848.750	45.47	-7.93	74.0	28.53	Peak	175.00	150	Horizontal	Pass
3**	2848.750	34.12	-7.93	54.0	19.88	AV	175.00	150	Horizontal	Pass
4	4265.000	48.46	-2.98	74.0	25.54	Peak	61.00	150	Horizontal	Pass
4**	4265.000	36.87	-2.98	54.0	17.13	AV	61.00	150	Horizontal	Pass
5	5783.000	105.76	0.88	--	105.24	Peak	211.00	150	Horizontal	N/A
5**	5783.000	97.84	0.88	--	-97.84	AV	211.00	150	Horizontal	N/A
6	11552.000	49.65	-2.41	74.0	24.35	Peak	0.00	150	Horizontal	Pass
6**	11552.000	39.81	-2.41	54.0	14.19	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1212.500	39.32	-16.46	74.0	34.68	Peak	200.00	150	Vertical	Pass
1**	1212.500	27.06	-16.46	54.0	26.94	AV	200.00	150	Vertical	Pass
2	1575.250	39.34	-16.09	74.0	34.66	Peak	195.00	150	Vertical	Pass
2**	1575.250	27.08	-16.09	54.0	26.92	AV	195.00	150	Vertical	Pass
3	2819.500	45.40	-8.51	74.0	28.60	Peak	360.00	150	Vertical	Pass
3**	2819.500	33.06	-8.51	54.0	20.94	AV	360.00	150	Vertical	Pass
4	4666.500	50.81	-1.83	74.0	23.19	Peak	69.00	150	Vertical	Pass
4**	4666.500	38.38	-1.83	54.0	15.62	AV	69.00	150	Vertical	Pass
5	5783.500	96.30	0.87	--	44.70	Peak	141.00	150	Vertical	N/A
5**	5783.500	88.29	0.87	--	-88.29	AV	141.00	150	Vertical	N/A
6	11658.500	49.96	-2.57	74.0	24.04	Peak	0.00	150	Vertical	Pass
6**	11658.500	39.90	-2.57	54.0	14.10	AV	0.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	38.57	-16.52	74.0	35.43	Peak	320.00	150	Horizontal	Pass
1**	1113.750	26.56	-16.52	54.0	27.44	AV	320.00	150	Horizontal	Pass
2	1557.500	39.13	-16.19	74.0	34.87	Peak	54.00	150	Horizontal	Pass
2**	1557.500	27.66	-16.19	54.0	26.34	AV	54.00	150	Horizontal	Pass
3	2844.000	46.05	-7.90	74.0	27.95	Peak	302.00	150	Horizontal	Pass
3**	2844.000	33.34	-7.90	54.0	20.66	AV	302.00	150	Horizontal	Pass
4	5753.000	92.45	0.99	--	77.55	Peak	170.00	150	Horizontal	N/A
4**	5753.000	84.62	0.99	--	-84.62	AV	170.00	150	Horizontal	N/A
5	7408.000	56.42	4.67	74.0	17.58	Peak	326.00	150	Horizontal	Pass
5**	7408.000	45.09	4.67	54.0	8.91	AV	326.00	150	Horizontal	Pass
6	12293.000	50.19	-1.34	74.0	23.81	Peak	214.00	150	Horizontal	Pass
6**	12293.000	39.89	-1.34	54.0	14.11	AV	214.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	38.57	-16.52	74.0	35.43	Peak	320.00	150	Vertical	Pass
1**	1113.750	26.56	-16.52	54.0	27.44	AV	320.00	150	Vertical	Pass
2	1509.250	39.39	-16.46	74.0	34.61	Peak	283.00	150	Vertical	Pass
2**	1509.250	27.15	-16.46	54.0	26.85	AV	283.00	150	Vertical	Pass
3	2844.000	46.05	-7.90	74.0	27.95	Peak	302.00	150	Vertical	Pass
3**	2844.000	33.34	-7.90	54.0	20.66	AV	302.00	150	Vertical	Pass
4	4311.000	49.26	-2.82	74.0	24.74	Peak	329.00	150	Vertical	Pass
4**	4311.000	37.53	-2.82	54.0	16.47	AV	329.00	150	Vertical	Pass
5	5753.000	92.45	0.99	--	77.55	Peak	170.00	150	Vertical	Pass
5**	5753.000	84.62	0.99	--	-84.62	AV	170.00	150	Vertical	N/A
6	12293.000	50.19	-1.34	74.0	23.81	Peak	214.00	150	Vertical	Pass
6**	12293.000	39.89	-1.34	54.0	14.11	AV	214.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1217.500	38.31	-16.53	74.0	35.69	Peak	154.00	150	Horizontal	Pass
1**	1217.500	26.87	-16.53	54.0	27.13	AV	154.00	150	Horizontal	Pass
2	2257.000	42.56	-12.64	74.0	31.44	Peak	171.00	150	Horizontal	Pass
2**	2257.000	30.74	-12.64	54.0	23.26	AV	171.00	150	Horizontal	Pass
3	3874.500	47.03	-2.99	74.0	26.97	Peak	335.00	150	Horizontal	Pass
3**	3874.500	35.23	-2.99	54.0	18.77	AV	335.00	150	Horizontal	Pass
4	5768.500	96.92	1.17	--	154.08	Peak	251.00	150	Horizontal	N/A
4**	5768.500	88.84	1.17	--	-88.84	AV	251.00	150	Horizontal	N/A
5	7400.500	56.71	4.55	74.0	17.29	Peak	316.00	150	Horizontal	Pass
5**	7400.500	45.06	4.55	54.0	8.94	AV	316.00	150	Horizontal	Pass
6	12366.000	49.67	-1.57	74.0	24.33	Peak	8.00	150	Horizontal	Pass
6**	12366.000	39.20	-1.57	54.0	14.80	AV	8.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1205.500	38.24	-16.50	74.0	35.76	Peak	238.00	150	Vertical	Pass
1**	1205.500	26.79	-16.50	54.0	27.21	AV	238.00	150	Vertical	Pass
2	2231.250	42.73	-12.63	74.0	31.27	Peak	262.00	150	Vertical	Pass
2**	2231.250	30.65	-12.63	54.0	23.35	AV	262.00	150	Vertical	Pass
3	3978.500	48.23	-3.42	74.0	25.77	Peak	145.00	150	Vertical	Pass
3**	3978.500	36.22	-3.42	54.0	17.78	AV	145.00	150	Vertical	Pass
4	5768.500	91.69	1.17	--	50.31	Peak	142.00	150	Vertical	N/A
4**	5768.500	80.02	1.17	--	-80.02	AV	142.00	150	Vertical	N/A
5	7386.500	57.39	4.09	74.0	16.61	Peak	328.00	150	Vertical	Pass
5**	7386.500	44.73	4.09	54.0	9.27	AV	328.00	150	Vertical	Pass
6	12297.000	51.61	-1.28	74.0	22.39	Peak	178.00	150	Vertical	Pass
6**	12297.000	39.62	-1.28	54.0	14.38	AV	178.00	150	Vertical	Pass

Aux. Antenna:

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.000	39.17	-16.37	74.0	34.83	Peak	277.00	150	Horizontal	Pass
1**	1513.000	27.82	-16.37	54.0	26.18	AV	277.00	150	Horizontal	Pass
2	2848.500	45.81	-7.93	74.0	28.19	Peak	82.00	150	Horizontal	Pass
2**	2848.500	33.71	-7.93	54.0	20.29	AV	82.00	150	Horizontal	Pass
3	4124.500	48.57	-3.40	74.0	25.43	Peak	313.00	150	Horizontal	Pass
3**	4124.500	36.97	-3.40	54.0	17.03	AV	313.00	150	Horizontal	Pass
4	5221.500	102.78	-0.33	--	136.22	Peak	239.00	150	Horizontal	N/A
4**	5221.500	95.49	-0.33	--	-95.49	AV	239.00	150	Horizontal	N/A
5	11671.000	49.75	-2.51	74.0	24.25	Peak	50.00	150	Horizontal	Pass
5**	11671.000	39.83	-2.51	54.0	14.17	AV	50.00	150	Horizontal	Pass
6	15817.000	51.19	0.00	74.0	22.81	Peak	179.00	150	Horizontal	Pass
6**	15817.000	40.06	0.00	54.0	13.94	AV	179.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.500	39.38	-16.17	74.0	34.62	Peak	194.00	150	Vertical	Pass
1**	1479.500	27.33	-16.17	54.0	26.67	AV	194.00	150	Vertical	Pass
2	2834.000	46.04	-7.82	74.0	27.96	Peak	7.00	150	Vertical	Pass
2**	2834.000	33.63	-7.82	54.0	20.37	AV	7.00	150	Vertical	Pass
3	3766.000	48.48	-3.15	74.0	25.52	Peak	290.00	150	Vertical	Pass
3**	3766.000	36.19	-3.15	54.0	17.81	AV	290.00	150	Vertical	Pass
4	5218.500	103.12	-0.24	--	-24.12	Peak	79.00	150	Vertical	N/A
4**	5218.500	95.20	-0.24	--	-95.20	AV	79.00	150	Vertical	N/A
5	10921.000	49.27	-2.58	74.0	24.73	Peak	249.00	150	Vertical	Pass
5**	10921.000	39.54	-2.58	54.0	14.46	AV	249.00	150	Vertical	Pass
6	16116.000	51.24	0.22	74.0	22.76	Peak	50.00	150	Vertical	Pass
6**	16116.000	41.60	0.22	54.0	12.40	AV	50.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.000	39.48	-16.23	74.0	34.52	Peak	165.00	150	Horizontal	Pass
1**	1586.000	27.69	-16.23	54.0	26.31	AV	165.00	150	Horizontal	Pass
2	2859.250	46.38	-8.22	74.0	27.62	Peak	42.00	150	Horizontal	Pass
2**	2859.250	33.72	-8.22	54.0	20.28	AV	42.00	150	Horizontal	Pass
3	4191.500	49.13	-2.69	74.0	24.87	Peak	37.00	150	Horizontal	Pass
3**	4191.500	37.42	-2.69	54.0	16.58	AV	37.00	150	Horizontal	Pass
4	5219.000	105.52	-0.25	--	17.48	Peak	123.00	150	Horizontal	N/A
4**	5219.000	98.10	-0.25	--	-98.10	AV	123.00	150	Horizontal	N/A
5	11488.500	50.11	-2.97	74.0	23.89	Peak	203.00	150	Horizontal	Pass
5**	11488.500	39.39	-2.97	54.0	14.61	AV	203.00	150	Horizontal	Pass
6	16157.000	51.19	-0.19	74.0	22.81	Peak	71.00	150	Horizontal	Pass
6**	16157.000	40.45	-0.19	54.0	13.55	AV	71.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1386.000	39.19	-16.40	74.0	34.81	Peak	360.00	150	Vertical	Pass
1**	1386.000	27.38	-16.40	54.0	26.62	AV	360.00	150	Vertical	Pass
2	2779.500	45.90	-8.45	74.0	28.10	Peak	201.00	150	Vertical	Pass
2**	2779.500	33.42	-8.45	54.0	20.58	AV	201.00	150	Vertical	Pass
3	3885.500	48.33	-2.97	74.0	25.67	Peak	221.00	150	Vertical	Pass
3**	3885.500	36.25	-2.97	54.0	17.75	AV	221.00	150	Vertical	Pass
4	5219.000	103.71	-0.25	--	157.29	Peak	261.00	150	Vertical	N/A
4**	5219.000	96.09	-0.25	--	-96.09	AV	261.00	150	Vertical	N/A
5	11606.500	49.34	-2.52	74.0	24.66	Peak	0.00	150	Vertical	Pass
5**	11606.500	39.45	-2.52	54.0	14.55	AV	0.00	150	Vertical	Pass
6	15631.500	51.01	-0.29	74.0	22.99	Peak	171.00	150	Vertical	Pass
6**	15631.500	39.66	-0.29	54.0	14.34	AV	171.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.750	39.33	-16.20	74.0	34.67	Peak	45.00	150	Horizontal	Pass
1**	1535.750	27.58	-16.20	54.0	26.42	AV	45.00	150	Horizontal	Pass
2	2783.000	45.27	-8.28	74.0	28.73	Peak	56.00	150	Horizontal	Pass
2**	2783.000	33.31	-8.28	54.0	20.69	AV	56.00	150	Horizontal	Pass
3	4108.000	49.41	-3.27	74.0	24.59	Peak	320.00	150	Horizontal	Pass
3**	4108.000	36.25	-3.27	54.0	17.75	AV	320.00	150	Horizontal	Pass
4	5191.500	103.85	-0.21	--	27.15	Peak	131.00	150	Horizontal	N/A
4**	5191.500	95.80	-0.21	--	-95.80	AV	131.00	150	Horizontal	N/A
5	12300.500	49.83	-1.25	74.0	24.17	Peak	31.00	150	Horizontal	Pass
5**	12300.500	39.62	-1.25	54.0	14.38	AV	31.00	150	Horizontal	Pass
6	15803.500	50.54	0.18	74.0	23.46	Peak	299.00	150	Horizontal	Pass
6**	15803.500	40.08	0.18	54.0	13.92	AV	299.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.250	39.55	-16.19	74.0	34.45	Peak	316.00	150	Vertical	Pass
1**	1604.250	27.54	-16.19	54.0	26.46	AV	316.00	150	Vertical	Pass
2	2855.000	45.65	-8.09	74.0	28.35	Peak	101.00	150	Vertical	Pass
2**	2855.000	33.82	-8.09	54.0	20.18	AV	101.00	150	Vertical	Pass
3	4089.000	48.50	-3.27	74.0	25.50	Peak	87.00	150	Vertical	Pass
3**	4089.000	36.60	-3.27	54.0	17.40	AV	87.00	150	Vertical	Pass
4	5192.500	101.48	-0.21	--	-4.48	Peak	97.00	150	Vertical	N/A
4**	5192.500	93.62	-0.21	--	-93.62	AV	97.00	150	Vertical	N/A
5	11623.500	50.57	-2.49	74.0	23.43	Peak	291.00	150	Vertical	Pass
5**	11623.500	39.71	-2.49	54.0	14.29	AV	291.00	150	Vertical	Pass
6	15805.000	50.55	0.15	74.0	23.45	Peak	257.00	150	Vertical	Pass
6**	15805.000	40.47	0.15	54.0	13.53	AV	257.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.000	39.57	-16.27	74.0	34.43	Peak	276.00	150	Horizontal	Pass
1**	1549.000	27.55	-16.27	54.0	26.45	AV	276.00	150	Horizontal	Pass
2	2784.500	45.04	-8.19	74.0	28.96	Peak	108.00	150	Horizontal	Pass
2**	2784.500	32.63	-8.19	54.0	21.37	AV	108.00	150	Horizontal	Pass
3	4067.500	48.45	-3.36	74.0	25.55	Peak	122.00	150	Horizontal	Pass
3**	4067.500	36.05	-3.36	54.0	17.95	AV	122.00	150	Horizontal	Pass
4	5203.500	100.25	-0.18	--	28.75	Peak	129.00	150	Horizontal	N/A
4**	5203.500	91.60	-0.18	--	-91.60	AV	129.00	150	Horizontal	N/A
5	11623.500	50.59	-2.49	74.0	23.41	Peak	191.00	150	Horizontal	Pass
5**	11623.500	38.99	-2.49	54.0	15.01	AV	191.00	150	Horizontal	Pass
6	15857.500	51.81	-0.11	74.0	22.19	Peak	9.00	150	Horizontal	Pass
6**	15857.500	40.53	-0.11	54.0	13.47	AV	9.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1377.250	39.22	-16.38	74.0	34.78	Peak	199.00	150	Vertical	Pass
1**	1377.250	27.23	-16.38	54.0	26.77	AV	199.00	150	Vertical	Pass
2	2827.000	46.22	-8.00	74.0	27.78	Peak	0.00	150	Vertical	Pass
2**	2827.000	33.21	-8.00	54.0	20.79	AV	0.00	150	Vertical	Pass
3	4220.500	48.46	-3.19	74.0	25.54	Peak	190.00	150	Vertical	Pass
3**	4220.500	37.19	-3.19	54.0	16.81	AV	190.00	150	Vertical	Pass
4	5203.500	97.97	-0.18	--	-19.97	Peak	78.00	150	Vertical	N/A
4**	5203.500	89.52	-0.18	--	-89.52	AV	78.00	150	Vertical	N/A
5	12250.000	50.02	-1.90	74.0	23.98	Peak	175.00	150	Vertical	Pass
5**	12250.000	39.76	-1.90	54.0	14.24	AV	175.00	150	Vertical	Pass
6	15800.500	50.74	0.24	74.0	23.26	Peak	215.00	150	Vertical	Pass
6**	15800.500	40.11	0.24	54.0	13.89	AV	215.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.250	39.34	-16.12	74.0	34.66	Peak	241.00	150	Horizontal	Pass
1**	1607.250	27.64	-16.12	54.0	26.36	AV	241.00	150	Horizontal	Pass
2	2753.500	44.98	-9.11	74.0	29.02	Peak	131.00	150	Horizontal	Pass
2**	2753.500	33.42	-9.11	54.0	20.58	AV	131.00	150	Horizontal	Pass
3	4313.000	48.85	-2.83	74.0	25.15	Peak	236.00	150	Horizontal	Pass
3**	4313.000	37.82	-2.83	54.0	16.18	AV	236.00	150	Horizontal	Pass
4	5298.500	106.34	0.02	--	24.66	Peak	131.00	150	Horizontal	N/A
4**	5298.500	98.55	0.02	--	-98.55	AV	131.00	150	Horizontal	N/A
5	12112.500	50.53	-2.44	74.0	23.47	Peak	285.00	150	Horizontal	Pass
5**	12112.500	39.23	-2.44	54.0	14.77	AV	285.00	150	Horizontal	Pass
6	16106.000	51.21	0.32	74.0	22.79	Peak	241.00	150	Horizontal	Pass
6**	16106.000	42.22	0.32	54.0	11.78	AV	241.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.000	39.22	-16.10	74.0	34.78	Peak	77.00	150	Vertical	Pass
1**	1578.000	27.54	-16.10	54.0	26.46	AV	77.00	150	Vertical	Pass
2	2774.750	45.74	-8.56	74.0	28.26	Peak	319.00	150	Vertical	Pass
2**	2774.750	32.90	-8.56	54.0	21.10	AV	319.00	150	Vertical	Pass
3	3888.500	48.32	-3.14	74.0	25.68	Peak	1.00	150	Vertical	Pass
3**	3888.500	36.88	-3.14	54.0	17.12	AV	1.00	150	Vertical	Pass
4	5301.000	104.30	0.05	--	-26.30	Peak	78.00	150	Vertical	N/A
4**	5301.000	96.37	0.05	--	-96.37	AV	78.00	150	Vertical	N/A
5	12354.000	50.68	-1.51	74.0	23.32	Peak	128.00	150	Vertical	Pass
5**	12354.000	40.04	-1.51	54.0	13.96	AV	128.00	150	Vertical	Pass
6	15885.000	51.53	-0.60	74.0	22.47	Peak	327.00	150	Vertical	Pass
6**	15885.000	40.43	-0.60	54.0	13.57	AV	327.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.250	39.30	-16.28	74.0	34.70	Peak	190.00	150	Horizontal	Pass
1**	1588.250	27.40	-16.28	54.0	26.60	AV	190.00	150	Horizontal	Pass
2	2832.750	45.85	-7.81	74.0	28.15	Peak	23.00	150	Horizontal	Pass
2**	2832.750	33.54	-7.81	54.0	20.46	AV	23.00	150	Horizontal	Pass
3	4165.000	48.73	-2.86	74.0	25.27	Peak	101.00	150	Horizontal	Pass
3**	4165.000	36.87	-2.86	54.0	17.13	AV	101.00	150	Horizontal	Pass
4	5302.000	107.28	0.05	--	23.72	Peak	131.00	150	Horizontal	N/A
4**	5302.000	99.36	0.05	--	-99.36	AV	131.00	150	Horizontal	N/A
5	10972.000	50.31	-3.23	74.0	23.69	Peak	1.00	150	Horizontal	Pass
5**	10972.000	39.04	-3.23	54.0	14.96	AV	1.00	150	Horizontal	Pass
6	16111.500	51.32	0.33	74.0	22.68	Peak	89.00	150	Horizontal	Pass
6**	16111.500	41.26	0.33	54.0	12.74	AV	89.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.750	39.73	-16.16	74.0	34.27	Peak	299.00	150	Vertical	Pass
1**	1521.750	27.50	-16.16	54.0	26.50	AV	299.00	150	Vertical	Pass
2	2794.500	45.28	-8.12	74.0	28.72	Peak	224.00	150	Vertical	Pass
2**	2794.500	32.61	-8.12	54.0	21.39	AV	224.00	150	Vertical	Pass
3	4200.500	48.16	-2.67	74.0	25.84	Peak	66.00	150	Vertical	Pass
3**	4200.500	37.65	-2.67	54.0	16.35	AV	66.00	150	Vertical	Pass
4	5298.000	105.30	0.02	--	-31.30	Peak	74.00	150	Vertical	N/A
4**	5298.000	97.42	0.02	--	-97.42	AV	74.00	150	Vertical	N/A
5	11665.500	49.87	-2.53	74.0	24.13	Peak	0.00	150	Vertical	Pass
5**	11665.500	40.25	-2.53	54.0	13.75	AV	0.00	150	Vertical	Pass
6	15949.500	51.10	-0.57	74.0	22.90	Peak	40.00	150	Vertical	Pass
6**	15949.500	40.46	-0.57	54.0	13.54	AV	40.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.000	39.48	-16.19	74.0	34.52	Peak	81.00	150	Horizontal	Pass
1**	1584.000	27.57	-16.19	54.0	26.43	AV	81.00	150	Horizontal	Pass
2	2835.250	45.98	-7.83	74.0	28.02	Peak	182.00	150	Horizontal	Pass
2**	2835.250	33.28	-7.83	54.0	20.72	AV	182.00	150	Horizontal	Pass
3	4243.000	49.48	-3.17	74.0	24.52	Peak	249.00	150	Horizontal	Pass
3**	4243.000	36.96	-3.17	54.0	17.04	AV	249.00	150	Horizontal	Pass
4	5267.500	102.68	-0.58	--	27.32	Peak	130.00	150	Horizontal	N/A
4**	5267.500	95.06	-0.58	--	-95.06	AV	130.00	150	Horizontal	N/A
5	10823.999	49.97	-3.31	74.0	24.03	Peak	359.00	150	Horizontal	Pass
5**	10823.999	39.37	-3.31	54.0	14.63	AV	359.00	150	Horizontal	Pass
6	15517.500	51.34	0.31	74.0	22.66	Peak	357.00	150	Horizontal	Pass
6**	15517.500	40.35	0.31	54.0	13.65	AV	357.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.250	39.49	-16.33	74.0	34.51	Peak	48.00	150	Vertical	Pass
1**	1461.250	27.57	-16.33	54.0	26.43	AV	48.00	150	Vertical	Pass
2	2793.250	44.96	-8.06	74.0	29.04	Peak	71.00	150	Vertical	Pass
2**	2793.250	32.78	-8.06	54.0	21.22	AV	71.00	150	Vertical	Pass
3	4176.500	49.39	-2.73	74.0	24.61	Peak	202.00	150	Vertical	Pass
3**	4176.500	37.53	-2.73	54.0	16.47	AV	202.00	150	Vertical	Pass
4	5272.500	101.31	-0.50	--	-4.31	Peak	97.00	150	Vertical	N/A
4**	5272.500	93.72	-0.50	--	-93.72	AV	97.00	150	Vertical	N/A
5	11685.000	49.83	-2.71	74.0	24.17	Peak	145.00	150	Vertical	Pass
5**	11685.000	39.01	-2.71	54.0	14.99	AV	145.00	150	Vertical	Pass
6	16114.000	52.29	0.27	74.0	21.71	Peak	79.00	150	Vertical	Pass
6**	16114.000	41.44	0.27	54.0	12.56	AV	79.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.000	39.58	-16.24	74.0	34.42	Peak	123.00	150	Horizontal	Pass
1**	1340.000	27.39	-16.24	54.0	26.61	AV	123.00	150	Horizontal	Pass
2	2825.500	45.30	-8.11	74.0	28.70	Peak	28.00	150	Horizontal	Pass
2**	2825.500	33.36	-8.11	54.0	20.64	AV	28.00	150	Horizontal	Pass
3	4290.000	49.02	-2.81	74.0	24.98	Peak	0.00	150	Horizontal	Pass
3**	4290.000	37.67	-2.81	54.0	16.33	AV	0.00	150	Horizontal	Pass
4	5283.000	100.77	-0.28	--	10.23	Peak	111.00	150	Horizontal	N/A
4**	5283.000	90.88	-0.28	--	-90.88	AV	111.00	150	Horizontal	N/A
5	10941.500	49.28	-3.04	74.0	24.72	Peak	103.00	150	Horizontal	Pass
5**	10941.500	39.15	-3.04	54.0	14.85	AV	103.00	150	Horizontal	Pass
6	15814.500	50.55	0.02	74.0	23.45	Peak	10.00	150	Horizontal	Pass
6**	15814.500	40.26	0.02	54.0	13.74	AV	10.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.250	39.41	-16.29	74.0	34.59	Peak	189.00	150	Vertical	Pass
1**	1463.250	27.88	-16.29	54.0	26.12	AV	189.00	150	Vertical	Pass
2	2835.500	45.58	-7.83	74.0	28.42	Peak	283.00	150	Vertical	Pass
2**	2835.500	33.42	-7.83	54.0	20.58	AV	283.00	150	Vertical	Pass
3	4285.000	48.87	-2.85	74.0	25.13	Peak	245.00	150	Vertical	Pass
3**	4285.000	37.33	-2.85	54.0	16.67	AV	245.00	150	Vertical	Pass
4	5293.000	99.12	-0.07	--	-18.12	Peak	81.00	150	Vertical	N/A
4**	5293.000	91.07	-0.07	--	-91.07	AV	81.00	150	Vertical	N/A
5	12247.500	49.90	-1.86	74.0	24.10	Peak	82.00	150	Vertical	Pass
5**	12247.500	39.96	-1.86	54.0	14.04	AV	82.00	150	Vertical	Pass
6	15839.000	50.72	-0.17	74.0	23.28	Peak	278.00	150	Vertical	Pass
6**	15839.000	40.49	-0.17	54.0	13.51	AV	278.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1375.250	39.05	-16.39	74.0	34.95	Peak	27.00	150	Horizontal	Pass
1**	1375.250	27.63	-16.39	54.0	26.37	AV	27.00	150	Horizontal	Pass
2	2774.250	45.57	-8.57	74.0	28.43	Peak	43.00	150	Horizontal	Pass
2**	2774.250	33.25	-8.57	54.0	20.75	AV	43.00	150	Horizontal	Pass
3	3821.000	48.08	-4.40	74.0	25.92	Peak	314.00	150	Horizontal	Pass
3**	3821.000	35.63	-4.40	54.0	18.37	AV	314.00	150	Horizontal	Pass
4	5581.500	105.00	-1.18	--	13.00	Peak	118.00	150	Horizontal	N/A
4**	5581.500	97.53	-1.18	--	-97.53	AV	118.00	150	Horizontal	N/A
5	11499.500	50.23	-3.12	74.0	23.77	Peak	140.00	150	Horizontal	Pass
5**	11499.500	38.97	-3.12	54.0	15.03	AV	140.00	150	Horizontal	Pass
6	15679.500	51.23	0.05	74.0	22.77	Peak	180.00	150	Horizontal	Pass
6**	15679.500	40.76	0.05	54.0	13.24	AV	180.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.750	39.27	-16.11	74.0	34.73	Peak	188.00	150	Vertical	Pass
1**	1565.750	27.28	-16.11	54.0	26.72	AV	188.00	150	Vertical	Pass
2	2860.500	45.99	-8.24	74.0	28.01	Peak	183.00	150	Vertical	Pass
2**	2860.500	33.94	-8.24	54.0	20.06	AV	183.00	150	Vertical	Pass
3	4171.000	48.19	-2.77	74.0	25.81	Peak	197.00	150	Vertical	Pass
3**	4171.000	36.89	-2.77	54.0	17.11	AV	197.00	150	Vertical	Pass
4	5578.000	104.16	-1.18	--	-34.16	Peak	70.00	150	Vertical	N/A
4**	5578.000	96.37	-1.18	--	-96.37	AV	70.00	150	Vertical	N/A
5	12322.500	50.41	-1.38	74.0	23.59	Peak	63.00	150	Vertical	Pass
5**	12322.500	39.71	-1.38	54.0	14.29	AV	63.00	150	Vertical	Pass
6	16110.500	51.19	0.36	74.0	22.81	Peak	360.00	150	Vertical	Pass
6**	16110.500	40.92	0.36	54.0	13.08	AV	360.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.750	39.10	-16.28	74.0	34.90	Peak	293.00	150	Horizontal	Pass
1**	1463.750	27.51	-16.28	54.0	26.49	AV	293.00	150	Horizontal	Pass
2	2834.250	45.76	-7.82	74.0	28.24	Peak	18.00	150	Horizontal	Pass
2**	2834.250	33.28	-7.82	54.0	20.72	AV	18.00	150	Horizontal	Pass
3	4122.500	48.51	-3.37	74.0	25.49	Peak	289.00	150	Horizontal	Pass
3**	4122.500	37.60	-3.37	54.0	16.40	AV	289.00	150	Horizontal	Pass
4	5582.000	101.36	-1.18	--	-1.36	Peak	100.00	150	Horizontal	N/A
4**	5582.000	93.53	-1.18	--	-93.53	AV	100.00	150	Horizontal	N/A
5	12315.000	49.84	-1.38	74.0	24.16	Peak	151.00	150	Horizontal	Pass
5**	12315.000	39.35	-1.38	54.0	14.65	AV	151.00	150	Horizontal	Pass
6	15958.000	51.34	-0.49	74.0	22.66	Peak	230.00	150	Horizontal	Pass
6**	15958.000	39.90	-0.49	54.0	14.10	AV	230.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.000	39.39	-16.09	74.0	34.61	Peak	289.00	150	Vertical	Pass
1**	1576.000	27.63	-16.09	54.0	26.37	AV	289.00	150	Vertical	Pass
2	2838.750	45.58	-7.86	74.0	28.42	Peak	360.00	150	Vertical	Pass
2**	2838.750	33.40	-7.86	54.0	20.60	AV	360.00	150	Vertical	Pass
3	3764.000	48.43	-3.05	74.0	25.57	Peak	14.00	150	Vertical	Pass
3**	3764.000	35.86	-3.05	54.0	18.14	AV	14.00	150	Vertical	Pass
4	5579.000	98.89	-1.18	--	113.11	Peak	212.00	150	Vertical	N/A
4**	5579.000	91.12	-1.18	--	-91.12	AV	212.00	150	Vertical	N/A
5	12319.500	49.86	-1.38	74.0	24.14	Peak	113.00	150	Vertical	Pass
5**	12319.500	40.29	-1.38	54.0	13.71	AV	113.00	150	Vertical	Pass
6	15880.500	51.34	-0.45	74.0	22.66	Peak	86.00	150	Vertical	Pass
6**	15880.500	40.83	-0.45	54.0	13.17	AV	86.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.250	39.01	-16.56	74.0	34.99	Peak	177.00	150	Horizontal	Pass
1**	1497.250	27.44	-16.56	54.0	26.56	AV	177.00	150	Horizontal	Pass
2	2840.000	45.96	-7.86	74.0	28.04	Peak	360.00	150	Horizontal	Pass
2**	2840.000	33.65	-7.86	54.0	20.35	AV	360.00	150	Horizontal	Pass
3	4273.000	49.56	-2.93	74.0	24.44	Peak	17.00	150	Horizontal	Pass
3**	4273.000	36.71	-2.93	54.0	17.29	AV	17.00	150	Horizontal	Pass
4	5593.500	98.42	-1.14	--	-1.42	Peak	97.00	150	Horizontal	N/A
4**	5593.500	90.17	-1.14	--	-90.17	AV	97.00	150	Horizontal	N/A
5	12299.000	50.30	-1.25	74.0	23.70	Peak	148.00	150	Horizontal	Pass
5**	12299.000	40.25	-1.25	54.0	13.75	AV	148.00	150	Horizontal	Pass
6	15675.500	51.41	0.06	74.0	22.59	Peak	0.00	150	Horizontal	Pass
6**	15675.500	40.09	0.06	54.0	13.91	AV	0.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.750	39.22	-16.27	74.0	34.78	Peak	351.00	150	Vertical	Pass
1**	1587.750	27.76	-16.27	54.0	26.24	AV	351.00	150	Vertical	Pass
2	2818.250	45.56	-8.56	74.0	28.44	Peak	355.00	150	Vertical	Pass
2**	2818.250	33.29	-8.56	54.0	20.71	AV	355.00	150	Vertical	Pass
3	4282.500	49.64	-2.87	74.0	24.36	Peak	239.00	150	Vertical	Pass
3**	4282.500	37.38	-2.87	54.0	16.62	AV	239.00	150	Vertical	Pass
4	5592.500	97.66	-1.15	--	115.34	Peak	213.00	150	Vertical	N/A
4**	5592.500	89.88	-1.15	--	-89.88	AV	213.00	150	Vertical	N/A
5	10943.000	50.20	-3.06	74.0	23.80	Peak	269.00	150	Vertical	Pass
5**	10943.000	39.57	-3.06	54.0	14.43	AV	269.00	150	Vertical	Pass
6	16110.000	51.49	0.37	74.0	22.51	Peak	116.00	150	Vertical	Pass
6**	16110.000	41.34	0.37	54.0	12.66	AV	116.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.750	38.74	-16.27	74.0	35.26	Peak	273.00	150	Horizontal	Pass
1**	1338.750	27.33	-16.27	54.0	26.67	AV	273.00	150	Horizontal	Pass
2	2828.750	45.92	-7.88	74.0	28.08	Peak	146.00	150	Horizontal	Pass
2**	2828.750	33.63	-7.88	54.0	20.37	AV	146.00	150	Horizontal	Pass
3	4188.500	48.84	-2.70	74.0	25.16	Peak	164.00	150	Horizontal	Pass
3**	4188.500	36.85	-2.70	54.0	17.15	AV	164.00	150	Horizontal	Pass
4	5528.000	94.96	-0.44	--	1.04	Peak	96.00	150	Horizontal	N/A
4**	5528.000	87.32	-0.44	--	-87.32	AV	96.00	150	Horizontal	N/A
5	12033.500	50.78	-2.57	74.0	23.22	Peak	86.00	150	Horizontal	Pass
5**	12033.500	39.07	-2.57	54.0	14.93	AV	86.00	150	Horizontal	Pass
6	15983.500	51.13	-0.71	74.0	22.87	Peak	103.00	150	Horizontal	Pass
6**	15983.500	40.64	-0.71	54.0	13.36	AV	103.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.750	39.16	-16.16	74.0	34.84	Peak	282.00	150	Vertical	Pass
1**	1471.750	27.34	-16.16	54.0	26.66	AV	282.00	150	Vertical	Pass
2	2768.250	45.09	-8.73	74.0	28.91	Peak	250.00	150	Vertical	Pass
2**	2768.250	33.24	-8.73	54.0	20.76	AV	250.00	150	Vertical	Pass
3	4158.000	48.73	-3.00	74.0	25.27	Peak	18.00	150	Vertical	Pass
3**	4158.000	36.68	-3.00	54.0	17.32	AV	18.00	150	Vertical	Pass
4	5526.500	93.37	-0.44	--	-69.37	Peak	24.00	150	Vertical	N/A
4**	5526.500	85.42	-0.44	--	-85.42	AV	24.00	150	Vertical	N/A
5	11598.000	50.28	-2.52	74.0	23.72	Peak	158.00	150	Vertical	Pass
5**	11598.000	39.53	-2.52	54.0	14.47	AV	158.00	150	Vertical	Pass
6	15671.500	51.73	0.07	74.0	22.27	Peak	53.00	150	Vertical	Pass
6**	15671.500	40.14	0.07	54.0	13.86	AV	53.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.500	40.20	-16.31	74.0	33.80	Peak	308.00	150	Horizontal	Pass
1**	1594.500	27.45	-16.31	54.0	26.55	AV	308.00	150	Horizontal	Pass
2	2862.250	46.34	-8.19	74.0	27.66	Peak	183.00	150	Horizontal	Pass
2**	2862.250	33.65	-8.19	54.0	20.35	AV	183.00	150	Horizontal	Pass
3	4303.000	49.13	-2.79	74.0	24.87	Peak	193.00	150	Horizontal	Pass
3**	4303.000	37.87	-2.79	54.0	16.13	AV	193.00	150	Horizontal	Pass
4	5787.000	98.70	0.74	--	-44.70	Peak	54.00	150	Horizontal	N/A
4**	5787.000	90.22	0.74	--	-90.22	AV	54.00	150	Horizontal	N/A
5	10902.500	49.37	-2.44	74.0	24.63	Peak	356.00	150	Horizontal	Pass
5**	10902.500	38.51	-2.44	54.0	15.49	AV	356.00	150	Horizontal	Pass
6	16106.500	51.53	0.33	74.0	22.47	Peak	98.00	150	Horizontal	Pass
6**	16106.500	40.85	0.33	54.0	13.15	AV	98.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.000	38.33	-16.48	74.0	35.67	Peak	107.00	150	Vertical	Pass
1**	1508.000	27.98	-16.48	54.0	26.02	AV	107.00	150	Vertical	Pass
2	2764.250	45.31	-8.86	74.0	28.69	Peak	120.00	150	Vertical	Pass
2**	2764.250	33.52	-8.86	54.0	20.48	AV	120.00	150	Vertical	Pass
3	5027.500	51.62	-0.88	74.0	22.38	Peak	106.00	150	Vertical	Pass
3**	5027.500	39.50	-0.88	54.0	14.50	AV	106.00	150	Vertical	Pass
4	5783.000	100.83	0.88	--	125.17	Peak	226.00	150	Vertical	N/A
4**	5783.000	92.71	0.88	--	-92.71	AV	226.00	150	Vertical	N/A
5	11600.000	50.02	-2.52	74.0	23.98	Peak	150.00	150	Vertical	Pass
5**	11600.000	39.85	-2.52	54.0	14.15	AV	150.00	150	Vertical	Pass
6	15502.500	51.94	0.50	74.0	22.06	Peak	360.00	150	Vertical	Pass
6**	15502.500	40.33	0.50	54.0	13.67	AV	360.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1363.500	39.06	-16.36	74.0	34.94	Peak	167.00	150	Horizontal	Pass
1**	1363.500	27.43	-16.36	54.0	26.57	AV	167.00	150	Horizontal	Pass
2	2271.750	43.43	-12.45	74.0	30.57	Peak	136.00	150	Horizontal	Pass
2**	2271.750	31.42	-12.45	54.0	22.58	AV	136.00	150	Horizontal	Pass
3	3867.500	48.00	-3.37	74.0	26.00	Peak	314.00	150	Horizontal	Pass
3**	3867.500	36.01	-3.37	54.0	17.99	AV	314.00	150	Horizontal	Pass
4	5787.000	100.07	0.74	--	-0.07	Peak	100.00	150	Horizontal	N/A
4**	5787.000	92.37	0.74	--	-92.37	AV	100.00	150	Horizontal	N/A
5	12242.000	50.38	-1.80	74.0	23.62	Peak	51.00	150	Horizontal	Pass
5**	12242.000	39.81	-1.80	54.0	14.19	AV	51.00	150	Horizontal	Pass
6	16152.500	51.31	-0.26	74.0	22.69	Peak	96.00	150	Horizontal	Pass
6**	16152.500	40.59	-0.26	54.0	13.41	AV	96.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.250	39.26	-16.24	74.0	34.74	Peak	182.00	150	Vertical	Pass
1**	1586.250	27.48	-16.24	54.0	26.52	AV	182.00	150	Vertical	Pass
2	2819.750	45.19	-8.50	74.0	28.81	Peak	53.00	150	Vertical	Pass
2**	2819.750	33.27	-8.50	54.0	20.73	AV	53.00	150	Vertical	Pass
3	4732.500	51.43	-1.05	74.0	22.57	Peak	150.00	150	Vertical	Pass
3**	4732.500	39.66	-1.05	54.0	14.34	AV	150.00	150	Vertical	Pass
4	5782.500	102.47	0.90	--	98.53	Peak	201.00	150	Vertical	N/A
4**	5782.500	94.39	0.90	--	-94.39	AV	201.00	150	Vertical	N/A
5	11597.500	49.60	-2.51	74.0	24.40	Peak	0.00	150	Vertical	Pass
5**	11597.500	39.50	-2.51	54.0	14.50	AV	0.00	150	Vertical	Pass
6	15705.500	50.86	-0.04	74.0	23.14	Peak	181.00	150	Vertical	Pass
6**	15705.500	40.55	-0.04	54.0	13.45	AV	181.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.500	38.79	-16.21	74.0	35.21	Peak	188.00	150	Horizontal	Pass
1**	1536.500	27.80	-16.21	54.0	26.20	AV	188.00	150	Horizontal	Pass
2	2853.750	45.92	-8.06	74.0	28.08	Peak	293.00	150	Horizontal	Pass
2**	2853.750	33.51	-8.06	54.0	20.49	AV	293.00	150	Horizontal	Pass
3	4294.000	49.08	-2.80	74.0	24.92	Peak	99.00	150	Horizontal	Pass
3**	4294.000	37.81	-2.80	54.0	16.19	AV	99.00	150	Horizontal	Pass
4	5750.000	98.33	0.96	--	2.67	Peak	101.00	150	Horizontal	N/A
4**	5750.000	90.68	0.96	--	-90.68	AV	101.00	150	Horizontal	N/A
5	11598.500	49.93	-2.52	74.0	24.07	Peak	48.00	150	Horizontal	Pass
5**	11598.500	39.70	-2.52	54.0	14.30	AV	48.00	150	Horizontal	Pass
6	15955.500	52.05	-0.52	74.0	21.95	Peak	165.00	150	Horizontal	Pass
6**	15955.500	40.10	-0.52	54.0	13.90	AV	165.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.750	39.05	-16.13	74.0	34.95	Peak	203.00	150	Vertical	Pass
1**	1529.750	27.66	-16.13	54.0	26.34	AV	203.00	150	Vertical	Pass
2	2824.250	46.32	-8.19	74.0	27.68	Peak	275.00	150	Vertical	Pass
2**	2824.250	33.05	-8.19	54.0	20.95	AV	275.00	150	Vertical	Pass
3	4351.000	49.11	-2.45	74.0	24.89	Peak	126.00	150	Vertical	Pass
3**	4351.000	37.90	-2.45	54.0	16.10	AV	126.00	150	Vertical	Pass
4	5753.500	100.87	1.00	--	117.13	Peak	218.00	150	Vertical	N/A
4**	5753.500	93.08	1.00	--	-93.08	AV	218.00	150	Vertical	N/A
5	12416.000	50.33	-1.52	74.0	23.67	Peak	267.00	150	Vertical	Pass
5**	12416.000	39.61	-1.52	54.0	14.39	AV	267.00	150	Vertical	Pass
6	16115.000	51.49	0.25	74.0	22.51	Peak	165.00	150	Vertical	Pass
6**	16115.000	41.41	0.25	54.0	12.59	AV	165.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.000	38.97	-16.09	74.0	35.03	Peak	309.00	150	Horizontal	Pass
1**	1575.000	27.75	-16.09	54.0	26.25	AV	309.00	150	Horizontal	Pass
2	2765.250	45.15	-8.83	74.0	28.85	Peak	212.00	150	Horizontal	Pass
2**	2765.250	32.91	-8.83	54.0	21.09	AV	212.00	150	Horizontal	Pass
3	3880.500	48.24	-2.70	74.0	25.76	Peak	307.00	150	Horizontal	Pass
3**	3880.500	36.16	-2.70	54.0	17.84	AV	307.00	150	Horizontal	Pass
4	5772.500	94.51	1.14	--	11.49	Peak	106.00	150	Horizontal	N/A
4**	5772.500	86.39	1.14	--	-86.39	AV	106.00	150	Horizontal	N/A
5	11568.000	49.97	-2.49	74.0	24.03	Peak	59.00	150	Horizontal	Pass
5**	11568.000	40.03	-2.49	54.0	13.97	AV	59.00	150	Horizontal	Pass
6	16105.000	52.23	0.31	74.0	21.77	Peak	90.00	150	Horizontal	Pass
6**	16105.000	41.19	0.31	54.0	12.81	AV	90.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.500	39.23	-16.21	74.0	34.77	Peak	64.00	150	Vertical	Pass
1**	1603.500	27.42	-16.21	54.0	26.58	AV	64.00	150	Vertical	Pass
2	2783.000	45.55	-8.28	74.0	28.45	Peak	254.00	150	Vertical	Pass
2**	2783.000	32.55	-8.28	54.0	21.45	AV	254.00	150	Vertical	Pass
3	4760.000	51.99	-0.95	74.0	22.01	Peak	97.00	150	Vertical	Pass
3**	4760.000	39.10	-0.95	54.0	14.90	AV	97.00	150	Vertical	Pass
4	5768.500	96.88	1.17	--	126.12	Peak	223.00	150	Vertical	N/A
4**	5768.500	87.68	1.17	--	-87.68	AV	223.00	150	Vertical	N/A
5	11029.500	49.55	-2.61	74.0	24.45	Peak	341.00	150	Vertical	Pass
5**	11029.500	38.50	-2.61	54.0	15.50	AV	341.00	150	Vertical	Pass
6	15862.000	50.61	-0.11	74.0	23.39	Peak	13.00	150	Vertical	Pass
6**	15862.000	40.67	-0.11	54.0	13.33	AV	13.00	150	Vertical	Pass


A.7 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Low	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass

	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass


Main Antenna:
Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.59	5.21	74.0	16.41	Peak	0.01	150	Vertical	Pass
1**	5150.000	45.18	5.21	54.0	8.82	AV	0.01	150	Vertical	Pass
2	5149.350	57.35	5.21	74.0	16.65	Peak	54.00	150	Vertical	Pass
2**	5149.350	45.05	5.21	54.0	8.95	AV	54.00	150	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.39	5.40	74.0	18.61	Peak	174.00	150	Vertical	Pass
1**	5350.000	45.00	5.40	54.0	9.00	AV	174.00	150	Vertical	Pass
2	5404.010	57.51	5.50	74.0	16.49	Peak	106.00	150	Vertical	Pass
2**	5404.010	45.15	5.50	54.0	8.85	AV	106.00	150	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.73	5.21	74.0	11.27	Peak	120.00	150	Vertical	Pass
1**	5150.000	48.26	5.21	54.0	5.74	AV	120.00	150	Vertical	Pass
2	5149.350	62.95	5.21	74.0	11.05	Peak	125.00	150	Vertical	Pass
2**	5149.350	47.80	5.21	54.0	6.20	AV	125.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.44	5.40	74.0	18.56	Peak	32.00	150	Horizontal	Pass
1**	5350.000	45.11	5.40	54.0	8.89	AV	32.00	150	Horizontal	Pass
2	5380.910	57.17	5.68	74.0	16.83	Peak	60.00	150	Horizontal	Pass
2**	5380.910	45.41	5.68	54.0	8.59	AV	60.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	67.66	5.21	74.0	6.34	Peak	41.01	150	Vertical	Pass
1**	5150.000	51.81	5.21	54.0	2.19	AV	41.01	150	Vertical	Pass
2	5149.350	69.23	5.21	74.0	4.77	Peak	81.00	150	Vertical	Pass
2**	5149.350	51.63	5.21	54.0	2.37	AV	81.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.96	5.40	74.0	18.04	Peak	114.00	150	Horizontal	Pass
1**	5350.000	45.17	5.40	54.0	8.83	AV	114.00	150	Horizontal	Pass
2	5362.980	57.48	5.67	74.0	16.52	Peak	138.00	150	Horizontal	Pass
2**	5362.980	45.63	5.67	54.0	8.37	AV	138.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.39	5.21	74.0	8.61	Peak	76.01	150	Vertical	Pass
1**	5150.000	50.96	5.21	54.0	3.04	AV	76.01	150	Vertical	Pass
2	5149.350	69.72	5.21	74.0	4.28	Peak	125.00	150	Vertical	Pass
2**	5149.350	50.49	5.21	54.0	3.51	AV	125.00	150	Vertical	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.49	5.21	74.0	18.51	Peak	100.98	150	Vertical	Pass
1**	5150.000	44.88	5.21	54.0	9.12	AV	100.98	150	Vertical	Pass
2	5099.300	56.52	5.45	74.0	17.48	Peak	155.00	150	Vertical	Pass
2**	5099.300	45.30	5.45	54.0	8.70	AV	155.00	150	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.77	5.40	74.0	15.23	Peak	102.00	150	Vertical	Pass
1**	5350.000	47.04	5.40	54.0	6.96	AV	102.00	150	Vertical	Pass
2	5350.110	63.09	5.40	74.0	10.91	Peak	64.00	150	Vertical	Pass
2**	5350.110	46.95	5.40	54.0	7.05	AV	64.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.73	5.21	74.0	19.27	Peak	359.98	150	Horizontal	Pass
1**	5150.000	45.02	5.21	54.0	8.98	AV	359.98	150	Horizontal	Pass
2	5055.750	57.07	5.15	74.0	16.93	Peak	294.00	150	Horizontal	Pass
2**	5055.750	45.28	5.15	54.0	8.72	AV	294.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.77	5.40	74.0	9.23	Peak	65.00	150	Vertical	Pass
1**	5350.000	50.88	5.40	54.0	3.12	AV	65.00	150	Vertical	Pass
2	5350.110	66.23	5.40	74.0	7.77	Peak	58.00	150	Vertical	Pass
2**	5350.110	50.87	5.40	54.0	3.13	AV	58.00	150	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.23	5.21	74.0	18.77	Peak	119.03	150	Horizontal	Pass
1**	5150.000	44.79	5.21	54.0	9.21	AV	119.03	150	Horizontal	Pass
2	5076.550	57.63	5.03	74.0	16.37	Peak	180.00	150	Horizontal	Pass
2**	5076.550	44.93	5.03	54.0	9.07	AV	180.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.23	5.40	74.0	9.77	Peak	63.00	150	Vertical	Pass
1**	5350.000	49.69	5.40	54.0	4.31	AV	63.00	150	Vertical	Pass
2	5350.330	66.53	5.41	74.0	7.47	Peak	68.00	150	Vertical	Pass
2**	5350.330	50.18	5.41	54.0	3.82	AV	68.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.21	5.40	74.0	8.79	Peak	62.00	150	Vertical	Pass
1**	5350.000	50.86	5.40	54.0	3.14	AV	62.00	150	Vertical	Pass
2	5350.770	69.80	5.42	74.0	4.20	Peak	58.00	150	Vertical	Pass
2**	5350.770	51.95	5.42	54.0	2.05	AV	58.00	150	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.56	5.38	68.2	12.64	Peak	88.59	150	Horizontal	Pass
1**	5460.000	45.38	5.38	54.0	8.62	AV	88.59	150	Horizontal	Pass
2	5469.400	61.29	5.80	68.2	6.91	Peak	126.00	150	Horizontal	Pass
2**	5469.400	46.00	5.80	--	-46.00	AV	126.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.15	6.57	68.2	3.05	Peak	252.00	150	Vertical	Pass
2	5726.125	66.65	6.54	68.2	1.55	Peak	72.00	150	Vertical	Pass

U-NII-2C 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.10	5.38	68.2	12.10	Peak	108.97	150	Vertical	Pass
1**	5460.000	45.55	5.38	54.0	8.45	AV	108.97	150	Vertical	Pass
2	5468.800	62.76	5.79	68.2	5.44	Peak	168.00	150	Vertical	Pass
2**	5468.800	47.46	5.79	--	-47.46	AV	168.00	150	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	66.44	6.57	68.2	1.76	Peak	234.00	150	Vertical	Pass
2	5725.875	66.91	6.55	68.2	1.29	Peak	260.00	150	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.54	5.38	68.2	10.66	Peak	136.93	150	Vertical	Pass
1**	5460.000	46.07	5.38	54.0	7.93	AV	136.93	150	Vertical	Pass
2	5469.640	65.37	5.80	68.2	2.83	Peak	123.00	150	Vertical	Pass
2**	5469.640	48.23	5.80	--	-48.23	AV	123.00	150	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.83	6.57	68.2	7.37	Peak	266.00	150	Vertical	Pass
2	5728.375	63.16	6.46	68.2	5.04	Peak	67.00	150	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.69	5.38	68.2	8.51	Peak	132.00	150	Horizontal	Pass
1**	5460.000	48.63	5.38	54.0	5.37	AV	132.00	150	Horizontal	Pass
2	5468.440	66.85	5.76	68.2	1.35	Peak	127.00	150	Horizontal	Pass
2**	5468.440	49.08	5.76	--	-49.08	AV	127.00	150	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.66	6.57	68.2	7.54	Peak	246.00	150	Vertical	Pass
2	5729.750	62.79	6.38	68.2	5.41	Peak	68.00	150	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.64	5.94	68.2	11.56	Peak	0.00	150	Horizontal	Pass
2	5647.750	58.40	5.95	68.2	9.80	Peak	246.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.33	7.83	68.2	10.87	Peak	301.90	150	Vertical	Pass
2	5981.100	59.38	7.46	68.2	8.82	Peak	227.00	150	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.84	5.94	68.2	11.36	Peak	231.06	150	Vertical	Pass
2	5648.625	58.76	5.96	68.2	9.44	Peak	204.00	150	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.97	7.83	68.2	11.23	Peak	118.29	150	Horizontal	Pass
2	5990.700	59.73	7.96	68.2	8.47	Peak	59.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.83	5.94	68.2	11.37	Peak	347.64	150	Horizontal	Pass
2	5647.000	58.69	5.95	68.2	9.51	Peak	351.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.36	7.83	68.2	10.84	Peak	206.92	150	Horizontal	Pass
2	5988.600	59.62	7.85	68.2	8.58	Peak	360.00	150	Horizontal	Pass


U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.25	5.94	68.2	8.95	Peak	73.22	150	Vertical	Pass
2	5642.875	60.00	5.99	68.2	8.20	Peak	65.00	150	Vertical	Pass


Aux. Antenna:
Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.51	5.21	74.0	14.49	Peak	87.00	150	Horizontal	Pass
1**	5150.000	47.61	5.21	54.0	6.39	AV	87.00	150	Horizontal	Pass
2	5148.050	62.14	5.26	74.0	11.86	Peak	144.00	150	Horizontal	Pass
2**	5148.050	46.91	5.26	54.0	7.09	AV	144.00	150	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.93	5.40	74.0	18.07	Peak	360.00	150	Vertical	Pass
1**	5350.000	45.08	5.40	54.0	8.92	AV	360.00	150	Vertical	Pass
2	5442.620	57.23	5.53	74.0	16.77	Peak	272.00	150	Vertical	Pass
2**	5442.620	45.18	5.53	54.0	8.82	AV	272.00	150	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.81	5.21	74.0	9.19	Peak	100.00	150	Vertical	Pass
1**	5150.000	50.62	5.21	54.0	3.38	AV	100.00	150	Vertical	Pass
2	5148.050	64.42	5.26	74.0	9.58	Peak	100.00	150	Vertical	Pass
2**	5148.050	49.30	5.26	54.0	4.70	AV	100.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.17	5.40	74.0	18.83	Peak	327.00	150	Horizontal	Pass
1**	5350.000	45.18	5.40	54.0	8.82	AV	327.00	150	Horizontal	Pass
2	5354.840	57.32	5.53	74.0	16.68	Peak	0.00	150	Horizontal	Pass
2**	5354.840	45.35	5.53	54.0	8.65	AV	0.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.73	5.21	74.0	7.27	Peak	132.99	150	Horizontal	Pass
1**	5150.000	51.05	5.21	54.0	2.95	AV	132.99	150	Horizontal	Pass
2	5147.400	67.98	5.29	74.0	6.02	Peak	137.00	150	Horizontal	Pass
2**	5147.400	50.15	5.29	54.0	3.85	AV	137.00	150	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.04	5.40	74.0	18.96	Peak	0.00	150	Vertical	Pass
1**	5350.000	45.32	5.40	54.0	8.68	AV	0.00	150	Vertical	Pass
2	5360.780	57.37	5.70	74.0	16.63	Peak	315.00	150	Vertical	Pass
2**	5360.780	45.43	5.70	54.0	8.57	AV	315.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	67.34	5.21	74.0	6.66	Peak	84.00	150	Horizontal	Pass
1**	5150.000	52.32	5.21	54.0	1.68	AV	84.00	150	Horizontal	Pass
2	5124.650	68.39	5.17	74.0	5.61	Peak	88.00	150	Horizontal	Pass
2**	5124.650	49.51	5.17	54.0	4.49	AV	88.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.92	5.21	74.0	19.08	Peak	228.98	150	Vertical	Pass
1**	5150.000	44.86	5.21	54.0	9.14	AV	228.98	150	Vertical	Pass
2	5058.350	56.82	5.14	74.0	17.18	Peak	360.00	150	Vertical	Pass
2**	5058.350	45.15	5.14	54.0	8.85	AV	360.00	150	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.72	5.40	74.0	10.28	Peak	111.00	150	Vertical	Pass
1**	5350.000	48.07	5.40	54.0	5.93	AV	111.00	150	Vertical	Pass
2	5350.440	65.43	5.41	74.0	8.57	Peak	114.00	150	Vertical	Pass
2**	5350.440	48.41	5.41	54.0	5.59	AV	114.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.07	5.21	74.0	18.93	Peak	6.04	150	Horizontal	Pass
1**	5150.000	44.86	5.21	54.0	9.14	AV	6.04	150	Horizontal	Pass
2	5070.700	57.48	5.21	74.0	16.52	Peak	0.00	150	Horizontal	Pass
2**	5070.700	45.19	5.21	54.0	8.81	AV	0.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.74	5.40	74.0	7.26	Peak	114.00	150	Vertical	Pass
1**	5350.000	52.13	5.40	54.0	1.87	AV	114.00	150	Vertical	Pass
2	5352.090	70.75	5.46	74.0	3.25	Peak	93.00	150	Vertical	Pass
2**	5352.090	50.81	5.46	54.0	3.19	AV	93.00	150	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.28	5.21	74.0	18.72	Peak	0.07	150	Horizontal	Pass
1**	5150.000	44.65	5.21	54.0	9.35	AV	0.07	150	Horizontal	Pass
2	5077.200	56.39	5.01	74.0	17.61	Peak	239.00	150	Horizontal	Pass
2**	5077.200	44.96	5.01	54.0	9.04	AV	239.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.82	5.40	74.0	7.18	Peak	131.00	150	Horizontal	Pass
1**	5350.000	52.21	5.40	54.0	1.79	AV	131.00	150	Horizontal	Pass
2	5353.300	69.08	5.48	74.0	4.92	Peak	84.00	150	Horizontal	Pass
2**	5353.300	50.96	5.48	54.0	3.04	AV	84.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.29	5.40	74.0	10.71	Peak	227.00	150	Horizontal	Pass
1**	5350.000	50.77	5.40	54.0	3.23	AV	227.00	150	Horizontal	Pass
2	5353.850	68.27	5.49	74.0	5.73	Peak	77.00	150	Horizontal	Pass
2**	5353.850	50.38	5.49	54.0	3.62	AV	77.00	150	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.42	5.38	68.2	9.78	Peak	123.30	150	Horizontal	Pass
1**	5460.000	46.05	5.38	54.0	7.95	AV	123.30	150	Horizontal	Pass
2	5469.400	65.28	5.80	68.2	2.92	Peak	89.00	150	Horizontal	Pass
2**	5469.400	48.39	5.80	--	-48.39	AV	89.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.37	6.57	68.2	4.83	Peak	299.00	150	Vertical	Pass
2	5725.125	65.43	6.57	68.2	2.77	Peak	304.00	150	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.96	5.38	68.2	8.24	Peak	252.67	150	Vertical	Pass
1**	5460.000	46.53	5.38	54.0	7.47	AV	252.67	150	Vertical	Pass
2	5468.320	65.10	5.75	68.2	3.10	Peak	254.00	150	Vertical	Pass
2**	5468.320	48.85	5.75	--	-48.85	AV	254.00	150	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.94	6.57	68.2	2.26	Peak	279.00	150	Vertical	Pass
2	5725.625	65.72	6.56	68.2	2.48	Peak	246.00	150	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.88	5.38	68.2	6.32	Peak	141.33	150	Horizontal	Pass
1**	5460.000	48.66	5.38	54.0	5.34	AV	141.33	150	Horizontal	Pass
2	5467.240	66.96	5.66	68.2	1.24	Peak	150.00	150	Horizontal	Pass
2**	5467.240	50.69	5.66	--	-50.69	AV	150.00	150	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.43	6.57	68.2	5.77	Peak	292.00	150	Vertical	Pass
2	5725.875	66.31	6.55	68.2	1.89	Peak	289.00	150	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	62.11	5.38	68.2	6.09	Peak	100.70	150	Horizontal	Pass
1**	5460.000	48.68	5.38	54.0	5.32	AV	100.70	150	Horizontal	Pass
2	5467.720	66.16	5.70	68.2	2.04	Peak	145.00	150	Horizontal	Pass
2**	5467.720	49.29	5.70	--	-49.29	AV	145.00	150	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.02	6.57	68.2	5.18	Peak	251.00	150	Vertical	Pass
2	5726.125	65.26	6.54	68.2	2.94	Peak	307.00	150	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.97	5.94	68.2	11.23	Peak	0.25	150	Horizontal	Pass
2	5645.375	58.73	6.02	68.2	9.47	Peak	353.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.20	7.83	68.2	11.00	Peak	0.00	150	Vertical	Pass
2	5968.950	59.74	7.58	68.2	8.46	Peak	285.00	150	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.20	5.94	68.2	11.00	Peak	265.02	150	Vertical	Pass
2	5639.375	58.69	5.90	68.2	9.51	Peak	325.00	150	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.53	7.83	68.2	11.67	Peak	93.07	150	Vertical	Pass
2	5995.650	59.54	8.00	68.2	8.66	Peak	158.00	150	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.60	5.94	68.2	11.60	Peak	268.01	150	Vertical	Pass
2	5629.625	58.41	5.82	68.2	9.79	Peak	276.00	150	Vertical	Pass

U-NII-3 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.99	7.83	68.2	11.21	Peak	189.97	150	Horizontal	Pass
2	5990.250	59.81	7.96	68.2	8.39	Peak	92.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	63.14	5.94	68.2	5.06	Peak	261.02	150	Vertical	Pass
2	5647.375	65.70	5.95	68.2	2.50	Peak	253.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2461151-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2461151-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2461151-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--