

### Test Data


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	ANT14	-3.448	30	Pass
NVNT	BLE	2442	ANT14	-2.55	30	Pass
NVNT	BLE	2480	ANT14	-3.009	30	Pass



			Test Grap	ohs			
		Power	NVNT BLE 24	02MHz ANT14			
Spectrum Analyzer 1 Swept SA	• +						
KEYSIGHT Input: RF R T ↔ Coupling: DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run	1 2 3 4 5 6 M W W W W W P N N N N N		
1 Spectrum v Scale/Div 10 dB			Ref LvI Offset 2 Ref Level 20.00			Mkr1 2.402	2 083 2 GHz -3.45 dBm
Log			ľ				
0.00				<u>1</u>			
-10.0							
-20.0							
-30.0							
-40.0							
-60.0							
-70.0							
Center 2.402000 GHz #Res BW 2.0 MHz			#Video BW 6.0	0 MHz			Span 8.000 MHz s ms (10001 pts)
	<b>?</b> Jul 15, 2024 11:08:25 PM						
	- 11.00.201 III <u>-</u>						
		Power	NVNT BLE 24	42MHz ANT14			
Spectrum Analyzer 1	· +	Power	NVNT BLE 24	42MHz ANT14			
Swept SA       KEYSIGHT       R T + Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	Power #Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	42MHz ANT14 Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run	123456 M₩₩₩₩₩₩₩ PNNNNN		
Swept SA       KEYSIGHT       R     T       I     Imput: RF       Coupling: DC       Align: Auto       I     Spectrum       Y       Scale/Div 10 dB	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	l 988 0 GHz -2.55 dBm
Swept SA KEYSIGHT R T I Spectrum Scale/Div 10 dB Swept SA Input: RF Coupling: DC Align: Auto V Scale/Div 10 dB	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA       KEYSIGHT       R     T       I     Imput: RF       Coupling: DC       Align: Auto       I     Spectrum       Y       Scale/Div 10 dB	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA         KEYSIGHT         R T ↔         Coupling: DC         Align: Auto         1 Spectrum         Scale/Div 10 dB         Log         10.0	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA KEYSIGHT R T I Spectrum Scale/Div 10 dB Log 1 0 0 0 00 Cov C	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA         Input: RF           R         T         →         Auto           Log              1 Spectrum         ▼         Scale/Div 10 dB            Log              10.0              -20.0	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA         Input: RF           R         T         →→         Coupling: DC Align: Auto           I         Spectrum         ▼           Scale/Div 10 dB         0.00         0.00           -10.0	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA         Input: RF:           R         T          Auto           I Spectrum         V         Scale/Div 10 dB         V           10.0              -10.0              -30.0	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA         Input: RF           R         T          Auto           1         Spectrum         v         Scale/Div 10 dB         0           100               -20.0               -20.0               -20.0               -20.0	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \leftrightsquigarrow \Downarrow \Downarrow \Downarrow \Downarrow \Downarrow$	Mkr1 2.441	
Swept SA         KEYSIGHT         R       T         I       Spectrum         I       Spectrum         Scale/Div 10 dB         Log         10.0         -10.0         -20.0         -30.0         -40.0         -50.0         -60.0         -70.0         Center 2.442000 GHz	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \nleftrightarrow \Downarrow \Downarrow \Downarrow \Downarrow$		-2.55 dBm
Swept SA         Input: RF         Coupling: DC           R         T          Auto           1         Spectrum         •         Scale/Div 10 dB           Log              10.0              -10.0              -20.0              -30.0	Input Z: 50 Ω Corr CCorr	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref Level 20.00	Avg Type: Log-Power Avg Hold: 500/500 Trig: Free Run 2.58 dB 0 dBm	$M \nleftrightarrow \Downarrow \Downarrow \Downarrow \Downarrow$		-2.55 dBm







### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	ANT14	0.661	0.5	Pass
NVNT	BLE	2442	ANT14	0.663	0.5	Pass
NVNT	BLE	2480	ANT14	0.662	0.5	Pass







Spectru Occupie	im Analy ed BW	zer 1		• +								
KEYS R T	ight ⊶	Input: R Coupling Align: A	g: DC	Input Z: 5 Corr CCo Freq Ref:	rr	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: Radio Std:		Ηz		
1 Graph			•				Ref LvI Offset 2	2.60 dB		Μ	kr3 2.4803	33000 GHz
	Div 10.0	dB					Ref Value 22.60	) dBm				-9.15 dBm
Log 12.60 -7.40						21			3			
-17.4 - -27.4 - -37.4 -												
-47.4 — -57.4 —												
-67.4 Center #Res B							#Video BW 300	.00 kHz			Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metric	s		v									
		Occ	upied Band									
				1.0540	MHz				Total Power		3.01 dBm	
			ismit Freq Bandwidtl			2.001 kHz 661.7 kHz			% of OBW Pow x dB	ver	99.00 % -6.00 dB	
					0004							
	5		]?	Jul 15, 11:03:3	2024 7 PM							



# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	ANT14	1.022
NVNT	BLE	2442	ANT14	1.021
NVNT	BLE	2480	ANT14	1.022







Spectrum Anal Occupied BW		• +						
KEYSIGHT R T ↔→→	Input: RF Coupling: DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 2.480000 Avg Hold: 1000/1000 Radio Std: None	000 GHz		
1 Graph	▼			Ref LvI Offset 2				
Scale/Div 10.0	) dB			Ref Value 22.60	dBm	•		
Log 12.6								
2.60								
-7.40				$\sim$	~~~~			
-17.4			- Journal					
-27.4								
-37.4		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						
-57.4								
-67.4	<u> </u>							
Center 2.4800	00 GHz		↓	#Video BW 91.0	00 kHz	<u> </u>		Span 3 MHz
#Res BW 30.0							Sweep 3.33 r	ns (10001 pts)
2 Metrics	•							
	Occupied Bar							
		1.0217 MHz			Total Pow	er	3.91 dBm	
	Transmit Free		875 Hz		% of OBV	V Power	99.00 %	
	x dB Bandwid	ith	1.279 MHz		x dB		-26.00 dB	
<u> ま い </u>	C □ ?	Jul 15, 2024 11:03:23 PM	$\Box$					



# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	ANT14	-10.047	8	Pass
NVNT	BLE	2442	ANT14	-9.098	8	Pass
NVNT	BLE	2480	ANT14	-9.572	8	Pass












# Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	ANT14	-53.03	-20	Pass
NVNT	BLE	2480	ANT14	-52.56	-20	Pass



			Test Graph	IS		
		Band Edge	NVNT BLE 240	2MHz ANT14 R	ef	
Spectrum Analyzer 1 Swept SA	• +					
KEYSIGHT     Input: RF       R     T     ↔       Coupling: DC     Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Powe Avg Hold: 300/300 Trig: Free Run	ar 1 2 3 4 5 6 M₩₩₩₩₩₩ P N N N N N	
1 Spectrum v Scale/Div 10 dB			Ref LvI Offset 2. Ref Level 20.00			Mkr1 2.401 752 GHz -3.80 dBm
Log			Ĭ			
0.00			1_			
-10.0			, jim	~		
-20.0						
-30.0						
-40.0						
-50.0	1	and the second			hay and	
-60.0 -70.0					^	and and a second a part of the former and a
Center 2.402000 GHz			#Video BW 300	kU7		Span 8.000 MHz
#Res BW 100 kHz	Jul 15, 2024 🦲					Sweep 1.00 ms (1001 pts)
	Jul 15, 2024 11:09:37 PM					
r		and Edge N∖	NT BLE 2402N	1Hz ANT14 Emis	sion	
Spectrum Analyzer 1 Swept SA	<b>• +</b>	// All		A		
KEYSIGHT Input: RF R T ↔ Goupling: DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Powe Avg Hold: 300/300 Trig: Free Run	ar 123456 M₩₩₩₩₩₩₩ PNNNNN	
1 Spectrum v Scale/Div 10 dB			Ref LvI Offset 2. Ref Level 20.00			Mkr1 2.401 8 GHz -4.05 dBm
Log 10.0						
0.00						DL1-23.99 dBm
-10.0 -20.0 -30.0 -40.0 -50.0 -60.0	unter an halomana	4.	en "Atten Aber de Neto-prove	hallower line operation	Martine Distance Carrier	
-10.0 -20.0 -30.0 -40.0 -50.0		4 average the standard	#Video BW 300	Ang The ang A		
-10 0 -20 0 -30 0 -30 0 -40 0 -50 0 -60 0 -70 0 Start 2.30600 GHz #Res BW 100 kHz		4 we from the strands of the sta	#Video BW 300	Austranum Anny angust - Annu a Annu kHz	HALAJAN JANA MANA MANA MANA MANA MANA MANA	
-10.0 -20.0 -30.0 -30.0 -50.0 -50.0 -50.0 -60.0 -70.0 Start 2.30600 GHz #Res BW 100 kHz 5 Marker Table Mode Trace Scale			Y	kHz Function	Function Width	Stop 2.40600 GHz
-10 0 -20 0 -30 0 -30 0 -40 0 -50 0 -60 0 -70 0 Start 2.30600 GHz #Res BW 100 kHz 5 Marker Table v Mode Trace Scale 1 N 1 f 2 N 1 f	× 2.4	01 8 GHz 00 0 GHz	Y -4.048 dBm -58.90 dBm		Function Width	Stop 2.40600 GHz Sweep 9.60 ms (1001 pts)
-10.0 -20.0 -30.0 -30.0 -40.0 -50.0 -50.0 -70.0 Start 2.30600 GHz #Res BW 100 kHz 5 Marker Table Mode Trace Scale 1 N 1 f 3 N 1 f 4 N 1 f 5 S	X 2.4 2.4 2.4 2.4	of 8 GHz	Y -4.048 dBm		Function Width	Stop 2.40600 GHz Sweep 9.60 ms (1001 pts)
-10.0 -20.0 -30.0 -40.0 -5	X 2.4 2.3 2.3 Jul 15, 2024	01 8 GHz 00 0 GHz 90 0 GHz 34 5 GHz	Y -4.048 dBm -58.90 dBm -59.73 dBm		Function Width	Stop 2.40600 GHz Sweep 9.60 ms (1001 pts)
-10.0 -20.0 -30.0 -30.0 -40.0 -50.0 -50.0 -70.0 Start 2.30600 GHz #Res BW 100 kHz 5 Marker Table Mode Trace Scale 1 N 1 f 3 N 1 f 4 N 1 f 5 S	X 24 23 23 101 15 2024	01 8 GHz 00 0 GHz 90 0 GHz 34 5 GHz	Y -4.048 dBm -58.90 dBm -59.73 dBm -56.83 dBm			Stop 2.40600 GHz Sweep 9.60 ms (1001 pts)









# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	ANT14	-45.77	-20	Pass
NVNT	BLE	2442	ANT14	-46.63	-20	Pass
NVNT	BLE	2480	ANT14	-46.37	-20	Pass



			Test Graph	าร			
		Tx. Spurious	NVNT BLE 24	02MHz ANT14 Re	ef		
Spectrum Analyzer 1 Swept SA	• +						
KEYSIGHT Input: RF R T ↔ Coupling: DC Align: Auto	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run	1 2 3 4 5 6 M₩₩₩₩₩₩ P N N N N N		
1 Spectrum v Scale/Div 10 dB			Ref LvI Offset 2. Ref Level 20.00			Mkr1 2.401	746 5 GHz -3.82 dBm
Log							
0.00		1					
-10.0				Juliu ali	mm		
-20.0						- And	
-30.0							Row Marine
-40.0							<u>```</u>
-50.0							
-60.0							
Center 2.4020000 GHz			#Video BW 300				pan 1.500 MHz
#Res BW 100 kHz	Jul 15, 2024 🦲		#1400 211 000			Sweep 1.00	) ms (1001 pts)
1002?	_ 11:09:49 PM ∑						
		. Spurious N	VNT BLE 2402	MHz ANT14 Emis	sion		
Spectrum Analyzer 1 Swept SA	• +						
		#Atten: 30 dB	VNT BLE 2402 PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	MHz ANT14 Emiss Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run	123456 M ** ** ** P N N N N		
Swept SA       KEYSIGHT       R T       Align: Auto       1 Spectrum	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2.	Avg Type: Log-Power Avg]Hold: 10/10 Trig: Free Run 56 dB	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩	Mkr1	2.402 GHz -4.90 dBm
Swept SA KEYSIGHT Input: RF R T XV 1 Spectrum Scale/Div 10 dB Log 10.0	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Power Avg]Hold: 10/10 Trig: Free Run 56 dB	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩	Mkr1	
Swept SA KEYSIGHT Input: RF R T Align: Auto VV 1 Spectrum Scale/Div 10 dB Log 10.0 0.00 -10.0	Input Z: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2.	Avg Type: Log-Power Avg]Hold: 10/10 Trig: Free Run 56 dB	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩	Mkr1	-4.90 dBm
Swept SA KEYSIGHT Input: RF R T $\rightarrow$ Coupling: DC Align: Auto VV 1 Spectrum V Scale/Div 10 dB Log 0.00	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2.	Avg Type: Log-Power Avg]Hold: 10/10 Trig: Free Run 56 dB	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩	Mkr1	-4.90 dBm
Swept SA         Input: RF           R         T            I Spectrum         V           1 Spectrum         V           Scale/Div 10 dB            Log            10.0            -30.0            -50.0            -60.0	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00	Avg Type: Log-Power Avg]Hold: 10/10 Trig: Free Run 56 dB	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩	Mkr1	-4.90 dBm
Swept SA         Input: RF           R         T            I Spectrum         V           Scale/Div 10 dB            Log            10.0            -10.0            -30.0            -50.0            -70.0	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00	Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run 56 dB dBm	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩		-4.90 dBm
Swept SA         Input: RF           R         T            INV         Input: RF         Coupling: DC           Align: Auto             INV         Scale/Div 10 dB            Log             10.0             -20.0             -30.0             -30.0	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00	Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run 56 dB dBm	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩		-4.90 dBm
Swept SA KEYSIGHT R T → Point: RF Coupling: DC Align: Auto I Spectrum V Scale/Div 10 dB Log 10.0 0.00 -10.0 -20.0 -30.0 -40.0 -50.0 -70.0 Start 30 MHz #Res EW 100 kHz 5 Marker Table V Mode Trace Scale	Linput Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00	Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run 56 dB dBm	<b>1</b> 2 3 4 5 6 M ₩ ₩ ₩ ₩ ₩		-4.90 dBm DL1-23 82 dBm 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Swept SA         KEYSIGHT R T ··· R         R T ··· R       Coupling DC Align: Auto         1 Spectrum ·       ·         Scale/Div 10 dB       ·         Log 10.0       ·       ·         -0.0       ·       ·         -30.0       ·       ·         -30.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -30.0       ·       ·         -20.0       ·       ·         -20.0       ·       ·         -20.0       ·       ·         -20.0       ·       · </td <td>Linput Z: 50 Ω Corr CCorr Freq Ref: Int (S)</td> <td>#Atten: 30 dB</td> <td>PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00 # #Video BW 300 #Video BW 300</td> <td>Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run 56 dB dBm</td> <td></td> <td>Sweep ~2.</td> <td>-4.90 dBm DL1-23 82 dBm 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5</td>	Linput Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00 # #Video BW 300 #Video BW 300	Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run 56 dB dBm		Sweep ~2.	-4.90 dBm DL1-23 82 dBm 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Swept SA         Input: RF           R         T          Coupling: DC           Align: Auto         I         Spectrum         I           1 Spectrum         I         Spectrum         I           Scale/Div 10 dB         I         I         I           10.0         I         I         I         I           -200         I         I         I         I           -300         I         I         I         I         I           -300         I         I         I         I         I         I           -300         I         I         I         I         I         I         I         I	Linput Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00 #Video BW 300 #Video BW 300	Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run 56 dB dBm		Sweep ~2.	-4.90 dBm DL1-23 82 dBm 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Swept SA         Input: RF Coupling: DC Align: Auto         1 Spectrum       •         Scale/Div 10 dB       •         Log       •         10.0       •         -200       •         -30.0       •         -40.0       •         -50.0       •         -70.0       •         Start 30 MHz       *         #Res BW 100 kHz       *         5 Marker Table       •         Mode       Trace         2       N       1         4       N       1       f	Length Line Lange State	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2. Ref Level 20.00 # # Video BW 300 * * * * * * * * * * * * * * * * * *	Avg Type: Log-Power Avg Hold: 10/10 Trig: Free Run 56 dB dBm		Sweep ~2.	-4.90 dBm





