


Spurious Emissions at Antenna Terminal


Channel

1.4MHz Bandwidth QPSK

Lowest




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:14:29




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:14:54

Middle




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:17:34




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:18:05

Highest



ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:19:11




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:19:42

Spurious Emissions at Antenna Terminal


Channel

3MHz Bandwidth QPSK

Lowest




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:20:57




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:21:19

Middle




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:22:00




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:22:22

Highest



ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:23:07




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:23:35

Spurious Emissions at Antenna Terminal


Channel

5MHz Bandwidth QPSK

Lowest




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:24:34




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:24:59

Middle




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:26:20




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:26:45

Highest



ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:27:54




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:28:19

Spurious Emissions at Antenna Terminal


Channel

10MHz Bandwidth QPSK

Lowest




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:29:43




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:13:09

Middle




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:10:50




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:13:09

Highest




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:31:53




ProjectNo.:2402S71481E Tester:Loge Long
Date: 26.APR.2024 02:13:21

Out of band emission, Band Edge




Out of band emission, Band Edge




Out of band emission, Band Edge

Mode	Lowest-RB 1#0	Highest-RB 1#Max
16QAM 1.4MHz	<p>ProjectNo.:2402S71481E Tester:Loge Long Date: 26.APR.2024 00:14:18</p>	<p>ProjectNo.:2402S71481E Tester:Loge Long Date: 26.APR.2024 00:14:46</p>
16QAM 3MHz	<p>ProjectNo.:2402S71481E Tester:Loge Long Date: 26.APR.2024 00:15:12</p>	<p>ProjectNo.:2402S71481E Tester:Loge Long Date: 26.APR.2024 00:15:11</p>
16QAM 5MHz	<p>ProjectNo.:2402S71481E Tester:Loge Long Date: 26.APR.2024 01:03:17</p>	<p>ProjectNo.:2402S71481E Tester:Loge Long Date: 26.APR.2024 01:03:42</p>


Out of band emission, Band Edge



Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge

Mode	Lowest-Full RB	Highest-Full RB
16QAM 1.4MHz		
16QAM 3MHz		
16QAM 5MHz		

Out of band emission, Band Edge



5.9 Antenna Port Test Data and Results for LTE Band 7

Serial Number:	OSEB119574-2	Test Date:	2024/5/5
Test Site:	RF	Test Mode:	Transmitting
Tester:	Karl Liang, Loge Long	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.5	Relative Humidity: (%)	64	ATM Pressure: (kPa)	100.3
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26
Micro-Coax	Coaxial Cable	UFB205A	323308-024	2024/1/2	2025/1/1
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM502	2023/9/10	2024/9/9
Minl-Clrucits	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/2/25	2025/2/24
R&S	Wideband Radio Communication Tester	CMW500	144976	2023/10/18	2024/10/17
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
All-sun	Clamp Meter	EM305A	8348897	2023/8/3	2024/8/2
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	2502.5	2535	2567.5
10MHz	2505	2535	2565
15MHz	2507.5	2535	2562.5
20MHz	2510	2535	2560

Test Data:

FCC §2.1046; § 27.50(h)(2)

RF Output Power:

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	14.71	14.6	14.66	11.71	33
	RB1#13	14.69	14.58	14.68		
	RB1#24	14.71	14.59	14.69		
	RB15#0	13.76	13.69	13.77		
	RB15#10	13.73	13.62	13.66		
	RB25#0	13.76	13.63	13.73		
5MHz 16QAM	RB1#0	14.08	13.76	13.58	11.08	33
	RB1#13	14.04	13.74	13.61		
	RB1#24	14.04	13.73	13.64		
	RB15#0	12.69	12.7	12.8		
	RB15#10	12.72	12.62	12.68		
	RB25#0	12.74	12.66	12.78		
10MHz QPSK	RB1#0	14.65	14.6	14.63	11.7	33
	RB1#25	14.65	14.63	14.69		
	RB1#49	14.63	14.61	14.7		
	RB25#0	13.65	13.76	13.74		
	RB25#25	13.71	13.73	13.69		
	RB50#0	13.73	13.73	13.71		
10MHz 16QAM	RB1#0	13.68	14.31	13.79	11.34	33
	RB1#25	13.72	14.34	13.86		
	RB1#49	13.66	14.32	13.85		
	RB25#0	12.75	12.81	12.74		
	RB25#25	12.81	12.73	12.72		
	RB50#0	12.74	12.73	12.73		
15MHz QPSK	RB1#0	14.56	14.55	14.52	11.6	33
	RB1#38	14.6	14.6	14.59		
	RB1#74	14.53	14.55	14.58		
	RB36#0	13.64	13.69	13.63		
	RB36#39	13.7	13.65	13.66		
	RB75#0	13.7	13.73	13.69		
15MHz 16QAM	RB1#0	14.1	14.3	13.74	11.32	33
	RB1#38	14.1	14.32	13.79		
	RB1#74	14.05	14.26	13.79		
	RB36#0	12.67	12.7	12.65		
	RB36#39	12.62	12.64	12.71		
	RB75#0	12.66	12.7	12.69		

20MHz QPSK	RB1#0	14.53	14.61	14.63	11.71	33
	RB1#50	14.61	14.71	14.66		
	RB1#99	14.51	14.57	14.65		
	RB50#0	13.68	13.77	13.76		
	RB50#50	13.62	13.69	13.64		
	RB100#0	13.64	13.71	13.65		
20MHz 16QAM	RB1#0	14.15	14	13.9	11.21	33
	RB1#50	14.21	14.07	13.92		
	RB1#99	14.16	13.97	13.91		
	RB50#0	12.65	12.75	12.72		
	RB50#50	12.65	12.67	12.62		
	RB100#0	12.59	12.74	12.64		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)

Result: **Pass**

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	5.94	6.2	6.32	13
	RB100#0	4.38	4.43	4.41	13
20MHz 16QAM	RB1#0	6.32	6.81	7.45	13
	RB100#0	5.97	6	6.03	13

Result: **Pass**

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.511	4.491	4.531	5	4.96	5
5MHz 16QAM	4.531	4.531	4.511	4.98	5	4.96
10MHz QPSK	8.942	8.942	8.942	9.68	9.6	9.68
10MHz 16QAM	8.942	8.942	8.942	9.64	9.68	9.68
15MHz QPSK	13.473	13.473	13.473	14.88	14.88	14.76
15MHz 16QAM	13.473	13.473	13.473	14.7	14.76	14.76
20MHz QPSK	17.964	17.964	17.884	19.28	19.6	19.36
20MHz 16QAM	17.964	17.964	17.964	19.44	19.36	19.36

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, § 27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.


FCC §2.1051, § 27.53:Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §27.54: Frequency Stability						
Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.91	2501.028	2500.00	2568.915	2570
	-20	3.91	2501.055	2500.00	2568.924	2570
	-10	3.91	2501.034	2500.00	2568.936	2570
	0	3.91	2501.037	2500.00	2568.939	2570
	10	3.91	2501.034	2500.00	2568.924	2570
	20	3.91	2501.058	2500.00	2568.942	2570
	30	3.91	2501.073	2500.00	2568.966	2570
	40	3.91	2501.061	2500.00	2568.948	2570
Frequency Stability vs. Voltage	20	3.45	2501.061	2500.00	2568.957	2570
	20	4.5	2501.085	2500.00	2568.945	2570
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.91	2501.043	2500.00	2569.007	2570
	-20	3.91	2501.055	2500.00	2568.998	2570
	-10	3.91	2501.049	2500.00	2568.998	2570
	0	3.91	2501.031	2500.00	2569.010	2570
	10	3.91	2501.052	2500.00	2569.019	2570
	20	3.91	2501.058	2500.00	2569.022	2570
	30	3.91	2501.079	2500.00	2569.046	2570
	40	3.91	2501.082	2500.00	2569.025	2570
Frequency Stability vs. Voltage	20	3.45	2501.079	2500.00	2569.046	2570
	20	4.5	2501.061	2500.00	2569.025	2570
					Result:	Pass

Test Plots:

Occupied Bandwidth





Occupied Bandwidth

Channel

10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:13:49

ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:14:16



Middle



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:14:50

ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:15:21

Highest



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:15:49

ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:16:22



Occupied Bandwidth

Channel

15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:18:17

ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:18:44



Middle



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:19:08

ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:19:35

Highest



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:20:05

ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 16:20:38

Occupied Bandwidth


Channel	20MHz Bandwidth QPSK	20MHz Bandwidth 16QAM																																																																						
Lowest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.5004 GHz</td> <td>-19.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5010579 GHz</td> <td>0.93 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.519022 GHz</td> <td>2.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.28 MHz</td> <td>0.85 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.5004 GHz	-19.94 dBm			T1	1		2.5010579 GHz	0.93 dBm	Occ Bw	17.964071856 MHz	T2	1		2.519022 GHz	2.73 dBm			D1	M1	1	19.28 MHz	0.85 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.50024 GHz</td> <td>-21.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5010579 GHz</td> <td>0.60 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.519022 GHz</td> <td>0.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.44 MHz</td> <td>0.89 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.50024 GHz	-21.93 dBm			T1	1		2.5010579 GHz	0.60 dBm	Occ Bw	17.964071856 MHz	T2	1		2.519022 GHz	0.41 dBm			D1	M1	1	19.44 MHz	0.89 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.5004 GHz	-19.94 dBm																																																																				
T1	1		2.5010579 GHz	0.93 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.519022 GHz	2.73 dBm																																																																				
D1	M1	1	19.28 MHz	0.85 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.50024 GHz	-21.93 dBm																																																																				
T1	1		2.5010579 GHz	0.60 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.519022 GHz	0.41 dBm																																																																				
D1	M1	1	19.44 MHz	0.89 dB																																																																				
Middle	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.52524 GHz</td> <td>-21.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5260579 GHz</td> <td>2.40 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.544022 GHz</td> <td>1.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.6 MHz</td> <td>0.59 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.52524 GHz	-21.13 dBm			T1	1		2.5260579 GHz	2.40 dBm	Occ Bw	17.964071856 MHz	T2	1		2.544022 GHz	1.13 dBm			D1	M1	1	19.6 MHz	0.59 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.52524 GHz</td> <td>-20.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5260579 GHz</td> <td>0.88 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.544022 GHz</td> <td>0.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.36 MHz</td> <td>0.03 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.52524 GHz	-20.89 dBm			T1	1		2.5260579 GHz	0.88 dBm	Occ Bw	17.964071856 MHz	T2	1		2.544022 GHz	0.42 dBm			D1	M1	1	19.36 MHz	0.03 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.52524 GHz	-21.13 dBm																																																																				
T1	1		2.5260579 GHz	2.40 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.544022 GHz	1.13 dBm																																																																				
D1	M1	1	19.6 MHz	0.59 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.52524 GHz	-20.89 dBm																																																																				
T1	1		2.5260579 GHz	0.88 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.544022 GHz	0.42 dBm																																																																				
D1	M1	1	19.36 MHz	0.03 dB																																																																				
Highest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.55032 GHz</td> <td>-20.37 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5510579 GHz</td> <td>2.65 dBm</td> <td>Occ Bw</td> <td>17.884231537 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.5689421 GHz</td> <td>1.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.36 MHz</td> <td>-0.58 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.55032 GHz	-20.37 dBm			T1	1		2.5510579 GHz	2.65 dBm	Occ Bw	17.884231537 MHz	T2	1		2.5689421 GHz	1.81 dBm			D1	M1	1	19.36 MHz	-0.58 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.55032 GHz</td> <td>-21.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5510579 GHz</td> <td>0.71 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.569022 GHz</td> <td>1.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.36 MHz</td> <td>0.22 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.55032 GHz	-21.87 dBm			T1	1		2.5510579 GHz	0.71 dBm	Occ Bw	17.964071856 MHz	T2	1		2.569022 GHz	1.08 dBm			D1	M1	1	19.36 MHz	0.22 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.55032 GHz	-20.37 dBm																																																																				
T1	1		2.5510579 GHz	2.65 dBm	Occ Bw	17.884231537 MHz																																																																		
T2	1		2.5689421 GHz	1.81 dBm																																																																				
D1	M1	1	19.36 MHz	-0.58 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.55032 GHz	-21.87 dBm																																																																				
T1	1		2.5510579 GHz	0.71 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.569022 GHz	1.08 dBm																																																																				
D1	M1	1	19.36 MHz	0.22 dB																																																																				

Spurious Emissions at Antenna Terminal


Channel

5MHz Bandwidth QPSK

Lowest




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:06:29




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:06:48

Middle




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:07:24




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:07:52

Highest



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:08:17




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:08:39

Spurious Emissions at Antenna Terminal


Channel

10MHz Bandwidth QPSK

Lowest




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:10:22




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:10:41

Middle




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:11:17




ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:11:45

Highest



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:12:17



ProjectNo.:2402S71481E Tester:Karl Liang
Date: 5.MAY.2024 18:12:45

Spurious Emissions at Antenna Terminal

