




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant1	-2.933	30	Pass
NVNT	BLE	2442	Ant1	-1.992	30	Pass
NVNT	BLE	2478	Ant1	-2.345	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant1	1.148	0.5	Pass
NVNT	BLE	2442	Ant1	1.13	0.5	Pass
NVNT	BLE	2478	Ant1	1.213	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant1	2.073	
NVNT	BLE	2442	Ant1	2.075	
NVNT	BLE	2478	Ant1	2.076	















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant1	-20.267	8	Pass
NVNT	BLE	2442	Ant1	-19.335	8	Pass
NVNT	BLE	2478	Ant1	-19.707	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant1	-52.04	-20	Pass
NVNT	BLE	2478	Ant1	-54.27	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant1	-44.92	-20	Pass
NVNT	BLE	2442	Ant1	-46.06	-20	Pass
NVNT	BLE	2478	Ant1	-45.16	-20	Pass









Tx. Spurious NVNT BLE 2478MHz Ant1 Ref

-48.71 dBm

26.103 GHz

Jun 27, 2024 5:42:53 AM



