




#### **Test Data**

# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.237	30	Pass
NVNT	BLE	2442	Ant1	-2.062	30	Pass
NVNT	BLE	2480	Ant1	-2.295	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.681	0.5	Pass
NVNT	BLE	2442	Ant1	0.682	0.5	Pass
NVNT	BLE	2480	Ant1	0.681	0.5	Pass














## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.053	
NVNT	BLE	2442	Ant1	1.054	
NVNT	BLE	2480	Ant1	1.054	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-9.554	8	Pass
NVNT	BLE	2442	Ant1	-8.384	8	Pass
NVNT	BLE	2480	Ant1	-8.629	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.02	-20	Pass
NVNT	BLE	2480	Ant1	-50.64	-20	Pass














# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.93	-20	Pass
NVNT	BLE	2442	Ant1	-45.14	-20	Pass
NVNT	BLE	2480	Ant1	-43.31	-20	Pass









Trace Scale Function **Function Width** Function Value Mode -5.447 dBm 4.874 GHz 7.171 GHz 9.768 GHz -52.98 dBm -54.42 dBm -53.38 dBm N N 3 4 5 6 N 23.926 GHz -50.60 dBm Jun 30, 2024 9:47:37 PM 

Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

5 Marker Table



