




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	ANT14	-3.408	30	Pass
NVNT	BLE	2442	ANT14	-2.527	30	Pass
NVNT	BLE	2478	ANT14	-2.847	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	ANT14	1.123	0.5	Pass
NVNT	BLE	2442	ANT14	1.126	0.5	Pass
NVNT	BLE	2478	ANT14	1.148	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	ANT14	2.07	
NVNT	BLE	2442	ANT14	2.065	
NVNT	BLE	2478	ANT14	2.068	









Tel: +86-755-23118282, Fax: +86-755-23116366






Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	ANT14	-20.64	8	Pass
NVNT	BLE	2442	ANT14	-19.743	8	Pass
NVNT	BLE	2478	ANT14	-20.098	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	ANT14	-51.98	-20	Pass
NVNT	BLE	2478	ANT14	-52.69	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	ANT14	-43.55	-20	Pass
NVNT	BLE	2442	ANT14	-45.56	-20	Pass
NVNT	BLE	2478	ANT14	-44.48	-20	Pass











