


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	ANT14	-3.446	30	Pass
NVNT	BLE	2442	ANT14	-2.545	30	Pass
NVNT	BLE	2480	ANT14	-2.999	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	ANT14	0.68	0.5	Pass
NVNT	BLE	2442	ANT14	0.681	0.5	Pass
NVNT	BLE	2480	ANT14	0.68	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	ANT14	1.056	
NVNT	BLE	2442	ANT14	1.055	
NVNT	BLE	2480	ANT14	1.056	













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	ANT14	-9.913	8	Pass
NVNT	BLE	2442	ANT14	-9.002	8	Pass
NVNT	BLE	2480	ANT14	-9.436	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	ANT14	-49.69	-20	Pass
NVNT	BLE	2480	ANT14	-50.18	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	ANT14	-43.2	-20	Pass
NVNT	BLE	2442	ANT14	-43.82	-20	Pass
NVNT	BLE	2480	ANT14	-43.35	-20	Pass











