

Annex A.2 Peak to Average Ratio

1. WCDMA_Band2

1.7. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:9262)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.4	0.1	3	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1852.40000 Ref. Level: 30.00 Connector:RF2COM


Statistic Count		Probability	
Sample Count	999512	10,000%	1.688 dB
Sample Time	40.000 ms	1,0000%	2.484 dB
Avg Power	15.021 dBm	0,1000%	3.000 dB
Max Power	18.518 dBm	0,0010%	3.375 dB
PAR	3.497 dB	0,0001%	3.469 dB

Go To Local | Show Remote Screen

1.8. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:9400)




1.9. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:9538)




2. WCDMA_Band4


2.7. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:1312)



2.8. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:1412)




2.9. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:1513)




3. WCDMA_Band5


3.7. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:4132)



3.8. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:4182)




3.9. WCDMA Peak to Average Ratio_Part22-24-27(NTNV)(Channel:4233)




1. LTE_Band2


1.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




1.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




1.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




1.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




1.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



1.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




2. LTE_Band4


2.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




2.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




2.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




2.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




2.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




2.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




2.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




2.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




2.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




2.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



2.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




2.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




3. LTE_Band5


3.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




3.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




3.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




3.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




3.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




3.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




3.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




3.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




3.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




3.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



3.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




3.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




4. LTE_Band7


4.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5. LTE_Band12


5.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




5.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




5.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




5.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




5.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



5.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6. LTE_Band13

6.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	3.14	13	Pass




6.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7. LTE_Band17


7.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




7.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




7.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



7.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8. LTE_Band25


8.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




8.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




8.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



8.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




9. LTE_Band26(part22)


9.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




9.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




9.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




9.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




9.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



9.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




1. LTE_Band26(part90)


1.1. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.2. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



1.3. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.4. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10. LTE_Band66


10.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




10.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




10.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



10.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11. LTE_Band38


11.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




11.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




11.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



11.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12. LTE_Band41 full


12.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




12.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




12.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



12.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



1. CA_2C

1.21. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:18808|18925, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



1.22. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:18808|18925, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880.4	0.1	6.94	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1880.40000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	998512	10,000%	3.422 dB
Sample Time	9.990 ms	1,0000%	5.625 dB
Avg Power	11.966 dBm	0,1000%	6.938 dB
Max Power	21.191 dBm	0,0010%	8.813 dB
PAR	9.226 dB	0,0001%	9.141 dB

Go To Local | Show Remote Screen

1.23. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:18875|18992, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1879.6	0.1	6.47	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1879.60000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	999514	10,000%	3.281 dB
Sample Time	10.000 ms	1,0000%	5.250 dB
Avg Power	13.020 dBm	0,1000%	6.469 dB
Max Power	21.589 dBm	0,0010%	7.922 dB
PAR	8.569 dB	0,0001%	8.297 dB

Go To Local | Show Remote Screen

1.24. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:18875|18992, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1879.6	0.1	6.98	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 1879.60000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count		Probability	
Sample Count	998512	10,000%	3.469 dB
Sample Time	9.990 ms	1,0000%	5.672 dB
Avg Power	12.015 dBm	0,1000%	6.984 dB
Max Power	21.088 dBm	0,0010%	8.578 dB
PAR	9.072 dB	0,0001%	9.047 dB

Go To Local
Show Remote Screen

1.25. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:18806|18950, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880.3	0.1	6.37	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS


Frequency: 1880.30000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count		Probability	
Sample Count	999512	10,000%	3.234 dB
Sample Time	10.000 ms	1,0000%	5.156 dB
Avg Power	12.959 dBm	0,1000%	6.375 dB
Max Power	21.609 dBm	0,0010%	7.266 dB
PAR	8.650 dB	0,0001%	8.484 dB

Go To Local
Show Remote Screen

**1.26. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6,
Channel:18806|18950, Bandwidth:10|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



1.27. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:18851|18995, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1879.8	0.1	6.47	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1879.80000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	999514	10,000%	3.328 dB
Sample Time	10.000 ms	1,0000%	5.297 dB
Avg Power	12.966 dBm	0,1000%	6.469 dB
Max Power	21.328 dBm	0,0010%	8.016 dB
PAR	8.362 dB	0,0001%	8.250 dB

Go To Local | Show Remote Screen

**1.28. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8,
Channel:18851|18995, Bandwidth:20|10MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



1.29. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:18829|18949, Bandwidth:10|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880.15	0.1	6.42	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1880.15000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	999514	10.000 ms	13.012 dBm	21.438 dBm	8.425 dB

Probability	Value
10,000%	3.281 dB
1,0000%	5.203 dB
0,1000%	6.422 dB
0,0100%	7.359 dB
0,0010%	7.969 dB
0,0001%	8.297 dB

Go To Local | Show Remote Screen

1.30. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:18829|18949, Bandwidth:10|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880.15	0.1	6.98	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1880.15000 Ref. Level: 30.00 Connector:RF4COM

GPRF

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display

Statistic Count	Value
Sample Count	998512
Sample Time	9.990 ms
Avg Power	12.004 dBm
Max Power	21.194 dBm
PAR	9.190 dB

Probability	Value
10,000%	3.422 dB
1,0000%	5.625 dB
0,1000%	6.984 dB
0,0100%	7.922 dB
0,0010%	8.578 dB
0,0001%	9.047 dB

Go To Local

Show Remote Screen

1.31. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:18851|18971, Bandwidth:15|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1879.85	0.1	6.56	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1879.85000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	999512	10.000 ms	13.042 dBm	21.992 dBm	8.951 dB

Probability	Value
10,000%	3.281 dB
1,0000%	5.297 dB
0,1000%	6.563 dB
0,0100%	7.547 dB
0,0010%	8.109 dB
0,0001%	8.672 dB

Go To Local | Show Remote Screen

1.32. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:18851|18971, Bandwidth:15|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1879.85	0.1	7.03	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1879.85000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	998512	10,000%	3.469 dB
Sample Time	9.990 ms	1,0000%	5.719 dB
Avg Power	12.001 dBm	0,1000%	7.031 dB
Max Power	21.506 dBm	0,0010%	8.672 dB
PAR	9.505 dB	0,0001%	9.188 dB

Go To Local | Show Remote Screen

1.33. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:13, Channel:18825|18975, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



1.34. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:14, Channel:18825|18975, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	7.12	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 1880.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	998512	10,000%	3.469 dB
Sample Time	9.990 ms	1,0000%	5.719 dB
Avg Power	11.939 dBm	0,1000%	7.125 dB
Max Power	21.243 dBm	0,0010%	9.000 dB
PAR	9.303 dB	0,0001%	9.281 dB

Go To Local | Show Remote Screen