

# Appendix GSM 850 and DCS1900

Report No. ENS2204150045W00207R Page 14 and 16  
Appendix A: Effective (Isotropic) Radiated Power Output Data

Report No. ENS2204150045W00207R Page 26  
Appendix B: Peak-to-Average Ratio

Report No. ENS2204150045W00207R Page 18  
Appendix C: 26dB Bandwidth and Occupied Bandwidth

Report No. ENS2204150045W00207R Page 19  
Appendix D: Band Edge

Report No. ENS2204150045W00207R Page 20  
Appendix E: Conducted Spurious Emission

Report No. ENS2204150045W00207R Page 25  
Appendix F: Frequency Stability

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

Band	Channel	PCL	Slot	Power(dBm)	Limit(dBm)	Verdict
GPRS850	128	3	1	32.79	38.5	PASS
GPRS850	128	3	2	31.70	38.5	PASS
GPRS850	128	3	3	30.84	38.5	PASS
GPRS850	128	3	4	29.45	38.5	PASS
GPRS850	190	3	1	32.12	38.5	PASS
GPRS850	190	3	2	31.44	38.5	PASS
GPRS850	190	3	3	30.24	38.5	PASS
GPRS850	190	3	4	29.86	38.5	PASS
GPRS850	251	3	1	32.40	38.5	PASS
GPRS850	251	3	2	31.49	38.5	PASS
GPRS850	251	3	3	30.49	38.5	PASS
GPRS850	251	3	4	29.32	38.5	PASS
GPRS1900	512	3	1	28.57	33	PASS
GPRS1900	512	3	2	27.38	33	PASS
GPRS1900	512	3	3	26.95	33	PASS
GPRS1900	512	3	4	25.78	33	PASS
GPRS1900	661	3	1	28.32	33	PASS
GPRS1900	661	3	2	27.12	33	PASS
GPRS1900	661	3	3	26.62	33	PASS
GPRS1900	661	3	4	25.46	33	PASS
GPRS1900	810	3	1	28.38	33	PASS
GPRS1900	810	3	2	27.27	33	PASS
GPRS1900	810	3	3	26.11	33	PASS
GPRS1900	810	3	4	25.69	33	PASS


Band	Channel	PCL	Slot	Power(dBm)	Limit(dBm)	Verdict
EGPRS850	128	6	1	26.87	38.5	PASS
EGPRS850	128	6	2	26.64	38.5	PASS
EGPRS850	128	6	3	24.25	38.5	PASS
EGPRS850	128	6	4	22.51	38.5	PASS
EGPRS850	190	6	1	27.11	38.5	PASS
EGPRS850	190	6	2	26.98	38.5	PASS
EGPRS850	190	6	3	24.62	38.5	PASS
EGPRS850	190	6	4	22.88	38.5	PASS
EGPRS850	251	6	1	27.40	38.5	PASS
EGPRS850	251	6	2	26.25	38.5	PASS
EGPRS850	251	6	3	24.91	38.5	PASS
EGPRS850	251	6	4	23.24	38.5	PASS
EGPRS1900	512	5	1	24.60	33	PASS
EGPRS1900	512	5	2	22.28	33	PASS
EGPRS1900	512	5	3	21.89	33	PASS
EGPRS1900	512	5	4	20.66	33	PASS
EGPRS1900	661	5	1	24.21	33	PASS
EGPRS1900	661	5	2	22.96	33	PASS
EGPRS1900	661	5	3	21.63	33	PASS
EGPRS1900	661	5	4	20.32	33	PASS
EGPRS1900	810	5	1	24.35	33	PASS
EGPRS1900	810	5	2	22.13	33	PASS
EGPRS1900	810	5	3	21.77	33	PASS
EGPRS1900	810	5	4	20.53	33	PASS

## Appendix B: Peak-to-Average Ratio (CCDF)


### Test Result

Band	Channel	PCL	Result(dB)	Limit(dB)	Verdict
GPRS850	128	3	0.12	13	PASS
GPRS850	190	3	0.12	13	PASS
GPRS850	251	3	0.13	13	PASS
EGPRS850	128	6	3.23	13	PASS
EGPRS850	190	6	3.25	13	PASS
EGPRS850	251	6	3.17	13	PASS
GPRS1900	512	3	0.78	13	PASS
GPRS1900	661	3	0.76	13	PASS
GPRS1900	810	3	0.73	13	PASS
EGPRS1900	512	5	4.16	13	PASS
EGPRS1900	661	5	3.86	13	PASS
EGPRS1900	810	5	4.01	13	PASS


## Test Graphs



GPRS850-128-3



GPRS850-190-3




GPRS850-251-3




EGPRS850-128-8



EGPRS850-190-8



EGPRS850-251-8



GPRS1900-512-0



GPRS1900-661-0



GPRS1900-810-0



EGPRS1900-512-2



EGPRS1900-661-2



EGPRS1900-810-2




## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

Band	Channel	PCL	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GPRS850	128	3	0.24072	0.3085	---	PASS
GPRS850	190	3	0.24544	0.3092	---	PASS
GPRS850	251	3	0.24670	0.3087	---	PASS
EGPRS850	128	6	0.24521	0.3066	---	PASS
EGPRS850	190	6	0.25465	0.3032	---	PASS
EGPRS850	251	6	0.24939	0.3007	---	PASS
GPRS1900	512	3	0.24397	0.3117	---	PASS
GPRS1900	661	3	0.24339	0.3108	---	PASS
GPRS1900	810	3	0.24435	0.3114	---	PASS
EGPRS1900	512	5	0.24271	0.3093	---	PASS
EGPRS1900	661	5	0.24222	0.3095	---	PASS
EGPRS1900	810	5	0.24160	0.3005	---	PASS


## Test Graphs




GPRS850-128-3-0.3085




GPRS850-190-3-0.3092




## GPRS850-251-3-0.3087




## EGPRS850-128-8-0.3066




## EGPRS850-190-8-0.3032




## EGPRS850-251-8-0.3007



GPRS1900-512-0-0.3117



GPRS1900-661-0-0.3108




GPRS1900-810-0-0.3114



EGPRS1900-512-2-0.3093



EGPRS1900-661-2-0.3095



EGPRS1900-810-2-0.3005


## Appendix D: Band Edge

### Test Result


Band	Channel	PCL	Freq (MHz)	Result (dBm)	Limit(dBm)	Verdict
GPRS850	128	3	823.99	-14.88	-13	PASS
GPRS850	251	3	849.03	-14.82	-13	PASS
EGPRS850	128	6	824.00	-20.00	-13	PASS
EGPRS850	251	6	849.00	-18.31	-13	PASS
GPRS1900	512	3	1849.98	-25.48	-13	PASS
GPRS1900	810	3	1910.02	-23.88	-13	PASS
EGPRS1900	512	5	1850.00	-27.61	-13	PASS
EGPRS1900	810	5	1910.01	-29.33	-13	PASS




## Test Graphs




GPRS850-128-3



GPRS850-251-3




EGPRS850-128-8



EGPRS850-251-8




GPRS1900-512-0




GPRS1900-810-0





EGPRS1900-512-2



EGPRS1900-810-2

## Appendix E: Conducted Spurious Emission


### Test Result

Band	Channel	PCL	Frequency Range(MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GPRS850	128	3	0.009~0.15MHz	0.01	-50.25	-43	PASS
GPRS850	128	3	0.15~30MHz	0.21	-41.7	-33	PASS
GPRS850	128	3	30~1000MHz	199.49	-30.95	-23	PASS
GPRS850	128	3	1000~3000MHz	2153	-29.68	-13	PASS
GPRS850	128	3	3000~10000MHz	3838.37	-37.84	-13	PASS
GPRS850	190	3	0.009~0.15MHz	0.11	-66.84	-43	PASS
GPRS850	190	3	0.15~30MHz	0.15	-70.51	-33	PASS
GPRS850	190	3	30~1000MHz	195.06	-41.2	-23	PASS
GPRS850	190	3	1000~3000MHz	2153	-39.56	-13	PASS
GPRS850	190	3	3000~10000MHz	3823.67	-37.86	-13	PASS
GPRS850	251	3	0.009~0.15MHz	0.11	-66.14	-43	PASS
GPRS850	251	3	0.15~30MHz	0.15	-71.2	-33	PASS
GPRS850	251	3	30~1000MHz	204.92	-40.39	-23	PASS
GPRS850	251	3	1000~3000MHz	2556.6	-39.31	-13	PASS
GPRS850	251	3	3000~10000MHz	3818.77	-37.84	-13	PASS
GPRS1900	512	3	0.009~0.15MHz	0.01	-57.76	-43	PASS
GPRS1900	512	3	0.15~30MHz	13.56	-64.06	-33	PASS
GPRS1900	512	3	30~1000MHz	176.79	-41.56	-23	PASS
GPRS1900	512	3	1000~3000MHz	2432.33	-41.85	-13	PASS
GPRS1900	512	3	3000~18000MHz	3196.5	-40.39	-13	PASS
GPRS1900	661	3	0.009~0.15MHz	0.01	-69.04	-43	PASS
GPRS1900	661	3	0.15~30MHz	0.15	-78.16	-33	PASS
GPRS1900	661	3	30~1000MHz	183.52	-41.32	-23	PASS
GPRS1900	661	3	1000~3000MHz	2148	-42.67	-13	PASS
GPRS1900	661	3	3000~18000MHz	3237.5	-40.35	-13	PASS
GPRS1900	810	3	0.009~0.15MHz	0.01	-68.47	-43	PASS
GPRS1900	810	3	0.15~30MHz	0.15	-78.62	-33	PASS
GPRS1900	810	3	30~1000MHz	185.1	-41.13	-23	PASS
GPRS1900	810	3	1000~3000MHz	2073.8	-42.59	-13	PASS
GPRS1900	810	3	3000~18000MHz	3114.5	-40.32	-13	PASS


## Test Graphs



GPRS850-128-3-0.009~0.15MHz



GPRS850-128-3-0.15~30MHz



GPRS850-128-3-30~1000MHz



GPRS850-128-3-1000~3000MHz




GPRS850-128-3-3000~10000MHz



GPRS850-190-3-0.009~0.15MHz



GPRS850-190-3-0.15~30MHz



GPRS850-190-3-30~1000MHz



GPRS850-190-3-1000~3000MHz




GPRS850-190-3-3000~10000MHz



GPRS850-251-3-0.009~0.15MHz



GPRS850-251-3-0.15~30MHz




GPRS850-251-3-30~1000MHz




GPRS850-251-3-1000~3000MHz




GPRS850-251-3-3000~10000MHz



GPRS1900-512-0-0.009~0.15MHz



GPRS1900-512-0-0.15~30MHz



GPRS1900-512-0-30~1000MHz






GPRS1900-512-0-1000~3000MHz



GPRS1900-512-0-3000~18000MHz



GPRS1900-661-0-0.009~0.15MHz



GPRS1900-661-0-0.15~30MHz




GPRS1900-661-0-30~1000MHz



GPRS1900-661-0-1000~3000MHz




GPRS1900-661-0-3000~18000MHz



GPRS1900-810-0-0.009~0.15MHz



GPRS1900-810-0-0.15~30MHz



GPRS1900-810-0-30~1000MHz



GPRS1900-810-0-1000~3000MHz



GPRS1900-810-0-3000~18000MHz

## Appendix F: Frequency Stability

### Test Result

Voltage								
Band	Channel	PCL	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	3	VL	NT	-1.58	-0.001917	±2.5	PASS
GPRS850	128	3	VN	NT	-2.36	-0.002863	±2.5	PASS
GPRS850	128	3	VH	NT	-0.36	-0.000437	±2.5	PASS
GPRS850	190	3	VL	NT	-2.62	-0.003132	±2.5	PASS
GPRS850	190	3	VN	NT	-1.42	-0.001697	±2.5	PASS
GPRS850	190	3	VH	NT	-1.61	-0.001924	±2.5	PASS
GPRS850	251	3	VL	NT	-0.29	-0.000342	±2.5	PASS
GPRS850	251	3	VN	NT	0.03	0.000035	±2.5	PASS
GPRS850	251	3	VH	NT	-0.32	-0.000377	±2.5	PASS
EGPRS850	128	6	VL	NT	19.37	0.023502	±2.5	PASS
EGPRS850	128	6	VN	NT	19.24	0.023344	±2.5	PASS
EGPRS850	128	6	VH	NT	20.15	0.024448	±2.5	PASS
EGPRS850	190	6	VL	NT	17.14	0.020488	±2.5	PASS
EGPRS850	190	6	VN	NT	15.79	0.018874	±2.5	PASS
EGPRS850	190	6	VH	NT	16.63	0.019878	±2.5	PASS
EGPRS850	251	6	VL	NT	19.08	0.022479	±2.5	PASS
EGPRS850	251	6	VN	NT	17.85	0.021030	±2.5	PASS
EGPRS850	251	6	VH	NT	17.01	0.020040	±2.5	PASS
GPRS1900	512	3	VL	NT	-9.10	-0.004918	±2.5	PASS
GPRS1900	512	3	VN	NT	-4.78	-0.002584	±2.5	PASS
GPRS1900	512	3	VH	NT	-6.55	-0.003540	±2.5	PASS
GPRS1900	661	3	VL	NT	0.48	0.000255	±2.5	PASS
GPRS1900	661	3	VN	NT	2.13	0.001133	±2.5	PASS

GPRS1900	661	3	VH	NT	-1.42	-0.000755	±2.5	PASS
GPRS1900	810	3	VL	NT	-7.04	-0.003686	±2.5	PASS
GPRS1900	810	3	VN	NT	-7.30	-0.003822	±2.5	PASS
GPRS1900	810	3	VH	NT	-4.91	-0.002571	±2.5	PASS
EGPRS1900	512	5	VL	NT	2.16	0.001167	±2.5	PASS
EGPRS1900	512	5	VN	NT	-0.52	-0.000281	±2.5	PASS
EGPRS1900	512	5	VH	NT	-0.19	-0.000103	±2.5	PASS
EGPRS1900	661	5	VL	NT	6.23	0.003314	±2.5	PASS
EGPRS1900	661	5	VN	NT	5.36	0.002851	±2.5	PASS
EGPRS1900	661	5	VH	NT	5.97	0.003176	±2.5	PASS
EGPRS1900	810	5	VL	NT	2.74	0.001435	±2.5	PASS
EGPRS1900	810	5	VN	NT	5.59	0.002927	±2.5	PASS
EGPRS1900	810	5	VH	NT	5.68	0.002974	±2.5	PASS

Temperature								
Band	Channel	PCL	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	3	NV	-30	-1.74	-0.002111	±2.5	PASS
GPRS850	128	3	NV	-20	0.32	0.000388	±2.5	PASS
GPRS850	128	3	NV	-10	-0.94	-0.001140	±2.5	PASS
GPRS850	128	3	NV	0	0.00	0.000000	±2.5	PASS
GPRS850	128	3	NV	10	-0.74	-0.000898	±2.5	PASS
GPRS850	128	3	NV	20	-0.58	-0.000704	±2.5	PASS
GPRS850	128	3	NV	30	0.13	0.000158	±2.5	PASS
GPRS850	128	3	NV	40	-2.10	-0.002548	±2.5	PASS
GPRS850	128	3	NV	50	-1.65	-0.002002	±2.5	PASS
GPRS850	190	3	NV	-30	-2.68	-0.003203	±2.5	PASS
GPRS850	190	3	NV	-20	-0.48	-0.000574	±2.5	PASS
GPRS850	190	3	NV	-10	-1.16	-0.001387	±2.5	PASS
GPRS850	190	3	NV	0	-2.39	-0.002857	±2.5	PASS
GPRS850	190	3	NV	10	-0.84	-0.001004	±2.5	PASS
GPRS850	190	3	NV	20	-1.87	-0.002235	±2.5	PASS
GPRS850	190	3	NV	30	-1.87	-0.002235	±2.5	PASS
GPRS850	190	3	NV	40	-2.10	-0.002510	±2.5	PASS
GPRS850	190	3	NV	50	-1.74	-0.002080	±2.5	PASS
GPRS850	251	3	NV	-30	0.48	0.000566	±2.5	PASS
GPRS850	251	3	NV	-20	-1.16	-0.001367	±2.5	PASS
GPRS850	251	3	NV	-10	0.61	0.000719	±2.5	PASS
GPRS850	251	3	NV	0	0.10	0.000118	±2.5	PASS
GPRS850	251	3	NV	10	-0.29	-0.000342	±2.5	PASS
GPRS850	251	3	NV	20	-0.39	-0.000459	±2.5	PASS
GPRS850	251	3	NV	30	-0.55	-0.000648	±2.5	PASS
GPRS850	251	3	NV	40	0.39	0.000459	±2.5	PASS
GPRS850	251	3	NV	50	-1.32	-0.001555	±2.5	PASS
EGPRS850	128	6	NV	-30	19.34	0.023465	±2.5	PASS
EGPRS850	128	6	NV	-20	17.11	0.020760	±2.5	PASS
EGPRS850	128	6	NV	-10	17.47	0.021196	±2.5	PASS

EGPRS85 0	128	6	NV	0	20.47	0.024836	±2.5	PASS
EGPRS85 0	128	6	NV	10	14.63	0.017751	±2.5	PASS
EGPRS85 0	128	6	NV	20	18.37	0.022288	±2.5	PASS
EGPRS85 0	128	6	NV	30	19.08	0.023150	±2.5	PASS
EGPRS85 0	128	6	NV	40	20.63	0.025030	±2.5	PASS
EGPRS85 0	128	6	NV	50	20.63	0.025030	±2.5	PASS
EGPRS85 0	190	6	NV	-30	18.21	0.021767	±2.5	PASS
EGPRS85 0	190	6	NV	-20	17.69	0.021145	±2.5	PASS
EGPRS85 0	190	6	NV	-10	16.05	0.019185	±2.5	PASS
EGPRS85 0	190	8	NV	0	19.86	0.023739	±2.5	PASS
EGPRS85 0	190	6	NV	10	20.40	0.024384	±2.5	PASS
EGPRS85 0	190	6	NV	20	15.34	0.018336	±2.5	PASS
EGPRS85 0	190	6	NV	30	14.46	0.017284	±2.5	PASS
EGPRS85 0	190	6	NV	40	13.33	0.015934	±2.5	PASS
EGPRS85 0	190	6	NV	50	19.53	0.023344	±2.5	PASS
EGPRS85 0	251	6	NV	-30	15.59	0.018367	±2.5	PASS
EGPRS85 0	251	6	NV	-20	14.24	0.016777	±2.5	PASS
EGPRS85 0	251	6	NV	-10	16.63	0.019592	±2.5	PASS
EGPRS85	251	6	NV	0	14.63	0.017236	±2.5	PASS



0								
EGPRS85 0	251	6	NV	10	15.92	0.018756	±2.5	PASS
EGPRS85 0	251	6	NV	20	16.01	0.018862	±2.5	PASS
EGPRS85 0	251	6	NV	30	14.92	0.017578	±2.5	PASS
EGPRS85 0	251	6	NV	40	17.53	0.020653	±2.5	PASS
EGPRS85 0	251	6	NV	50	14.14	0.016659	±2.5	PASS
GPRS1900	512	3	NV	-30	-6.68	-0.003610	±2.5	PASS
GPRS1900	512	3	NV	-20	-7.14	-0.003859	±2.5	PASS
GPRS1900	512	3	NV	-10	-6.04	-0.003265	±2.5	PASS
GPRS1900	512	3	NV	0	-9.46	-0.005113	±2.5	PASS
GPRS1900	512	3	NV	10	-5.55	-0.003000	±2.5	PASS
GPRS1900	512	3	NV	20	-3.84	-0.002075	±2.5	PASS
GPRS1900	512	3	NV	30	-6.84	-0.003697	±2.5	PASS
GPRS1900	512	3	NV	40	-2.65	-0.001432	±2.5	PASS
GPRS1900	512	3	NV	50	-5.78	-0.003124	±2.5	PASS
GPRS1900	661	3	NV	-30	-4.23	-0.002250	±2.5	PASS
GPRS1900	661	3	NV	-20	-0.32	-0.000170	±2.5	PASS
GPRS1900	661	3	NV	-10	0.00	0.000000	±2.5	PASS
GPRS1900	661	3	NV	0	2.39	0.001271	±2.5	PASS
GPRS1900	661	3	NV	10	-3.13	-0.001665	±2.5	PASS
GPRS1900	661	3	NV	20	-1.26	-0.000670	±2.5	PASS
GPRS1900	661	3	NV	30	3.81	0.002027	±2.5	PASS
GPRS1900	661	3	NV	40	2.03	0.001080	±2.5	PASS
GPRS1900	661	3	NV	50	-1.81	-0.000963	±2.5	PASS
GPRS1900	810	3	NV	-30	-5.94	-0.003110	±2.5	PASS
GPRS1900	810	3	NV	-20	-6.10	-0.003194	±2.5	PASS
GPRS1900	810	3	NV	-10	-5.07	-0.002655	±2.5	PASS
GPRS1900	810	3	NV	0	-4.42	-0.002314	±2.5	PASS
GPRS1900	810	3	NV	10	-8.04	-0.004210	±2.5	PASS
GPRS1900	810	3	NV	20	-7.68	-0.004021	±2.5	PASS
GPRS1900	810	3	NV	30	-3.94	-0.002063	±2.5	PASS

GPRS1900	810	3	NV	40	-2.23	-0.001168	±2.5	PASS
GPRS1900	810	3	NV	50	-3.94	-0.002063	±2.5	PASS
EGPRS1900	512	5	NV	-30	0.68	0.000368	±2.5	PASS
EGPRS1900	512	5	NV	-20	-1.39	-0.000751	±2.5	PASS
EGPRS1900	512	5	NV	-10	0.00	0.000000	±2.5	PASS
EGPRS1900	512	5	NV	0	-0.48	-0.000259	±2.5	PASS
EGPRS1900	512	5	NV	10	0.16	0.000086	±2.5	PASS
EGPRS1900	512	5	NV	20	-1.23	-0.000665	±2.5	PASS
EGPRS1900	512	5	NV	30	4.33	0.002340	±2.5	PASS
EGPRS1900	512	5	NV	40	-1.94	-0.001049	±2.5	PASS
EGPRS1900	512	5	NV	50	3.68	0.001989	±2.5	PASS
EGPRS1900	661	5	NV	-30	9.43	0.005016	±2.5	PASS
EGPRS1900	661	5	NV	-20	2.29	0.001218	±2.5	PASS
EGPRS1900	661	5	NV	-10	4.94	0.002628	±2.5	PASS
EGPRS1900	661	5	NV	0	4.65	0.002473	±2.5	PASS
EGPRS1900	661	5	NV	10	1.45	0.000771	±2.5	PASS
EGPRS1900	661	5	NV	20	1.94	0.001032	±2.5	PASS
EGPRS1900	661	5	NV	30	6.88	0.003660	±2.5	PASS
EGPRS1900	661	5	NV	40	7.14	0.003798	±2.5	PASS
EGPRS1900	661	5	NV	50	5.10	0.002713	±2.5	PASS

00								
EGPRS19 00	810	5	NV	-30	5.33	0.002791	±2.5	PASS
EGPRS19 00	810	5	NV	-20	4.78	0.002503	±2.5	PASS
EGPRS19 00	810	5	NV	-10	4.58	0.002398	±2.5	PASS
EGPRS19 00	810	5	NV	0	6.55	0.003430	±2.5	PASS
EGPRS19 00	810	5	NV	10	3.07	0.001607	±2.5	PASS
EGPRS19 00	810	5	NV	20	4.65	0.002435	±2.5	PASS
EGPRS19 00	810	5	NV	30	3.91	0.002047	±2.5	PASS
EGPRS19 00	810	5	NV	40	1.58	0.000827	±2.5	PASS
EGPRS19 00	810	5	NV	50	1.07	0.000560	±2.5	PASS

----- The End -----