





Band5-4233-4-1000~3000MHz




Band5-4233-4-0.15~30MHz




Band5-4233-4-30~1000MHz




Band5-4233-5-10000~18000MHz



Band5-4233-5-0.009~0.15MHz



Band5-4233-5-0.15~30MHz



Band5-4233-5-30~1000MHz



Band5-4233-5-1000~3000MHz



Band5-4233-5-3000~10000MHz

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VL	NT	-0.31	-0.000375	±2.5	PASS
Band5	4132	VN	NT	-0.44	-0.000532	±2.5	PASS
Band5	4132	VH	NT	-0.19	-0.000230	±2.5	PASS
Band5	4183	VL	NT	-0.24	-0.000287	±2.5	PASS
Band5	4183	VN	NT	-0.19	-0.000227	±2.5	PASS
Band5	4183	VH	NT	-0.16	-0.000191	±2.5	PASS
Band5	4233	VL	NT	0.04	0.000047	±2.5	PASS
Band5	4233	VN	NT	0.30	0.000354	±2.5	PASS
Band5	4233	VH	NT	0.05	0.000059	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-0.14	-0.000169	±2.5	PASS
Band5	4132	NV	-20	-0.26	-0.000315	±2.5	PASS
Band5	4132	NV	-10	-0.34	-0.000411	±2.5	PASS
Band5	4132	NV	0	-0.22	-0.000266	±2.5	PASS
Band5	4132	NV	10	-0.69	-0.000835	±2.5	PASS
Band5	4132	NV	20	-0.05	-0.000061	±2.5	PASS
Band5	4132	NV	30	-0.09	-0.000109	±2.5	PASS
Band5	4132	NV	40	-0.11	-0.000133	±2.5	PASS
Band5	4132	NV	50	0.06	0.000073	±2.5	PASS
Band5	4183	NV	-30	-0.29	-0.000347	±2.5	PASS
Band5	4183	NV	-20	-0.49	-0.000586	±2.5	PASS
Band5	4183	NV	-10	0.29	0.000347	±2.5	PASS
Band5	4183	NV	0	0.09	0.000108	±2.5	PASS
Band5	4183	NV	10	-0.24	-0.000287	±2.5	PASS
Band5	4183	NV	20	-0.11	-0.000131	±2.5	PASS
Band5	4183	NV	30	-0.06	-0.000072	±2.5	PASS
Band5	4183	NV	40	-0.06	-0.000072	±2.5	PASS
Band5	4183	NV	50	-0.01	-0.000012	±2.5	PASS

Band5	4233	NV	-30	0.33	0.000390	±2.5	PASS
Band5	4233	NV	-20	-0.01	-0.000012	±2.5	PASS
Band5	4233	NV	-10	0.18	0.000213	±2.5	PASS
Band5	4233	NV	0	0.09	0.000106	±2.5	PASS
Band5	4233	NV	10	0.52	0.000614	±2.5	PASS
Band5	4233	NV	20	0.38	0.000449	±2.5	PASS
Band5	4233	NV	30	0.27	0.000319	±2.5	PASS
Band5	4233	NV	40	0.24	0.000283	±2.5	PASS
Band5	4233	NV	50	0.24	0.000283	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VL	NT	0.16	0.000194	±2.5	PASS
Band5	4132	1	VN	NT	0.11	0.000133	±2.5	PASS
Band5	4132	1	VH	NT	-0.16	-0.000194	±2.5	PASS
Band5	4132	2	VL	NT	0.03	0.000036	±2.5	PASS
Band5	4132	2	VN	NT	-0.24	-0.000290	±2.5	PASS
Band5	4132	2	VH	NT	-0.21	-0.000254	±2.5	PASS
Band5	4132	3	VL	NT	-0.16	-0.000194	±2.5	PASS
Band5	4132	3	VN	NT	-0.21	-0.000254	±2.5	PASS
Band5	4132	3	VH	NT	0.08	0.000097	±2.5	PASS
Band5	4132	4	VL	NT	0.03	0.000036	±2.5	PASS
Band5	4132	4	VN	NT	0.14	0.000169	±2.5	PASS
Band5	4132	4	VH	NT	0.06	0.000073	±2.5	PASS
Band5	4183	1	VL	NT	-0.08	-0.000096	±2.5	PASS
Band5	4183	1	VN	NT	0.09	0.000108	±2.5	PASS
Band5	4183	1	VH	NT	-0.13	-0.000155	±2.5	PASS
Band5	4183	2	VL	NT	0.06	0.000072	±2.5	PASS
Band5	4183	2	VN	NT	-0.09	-0.000108	±2.5	PASS
Band5	4183	2	VH	NT	-0.21	-0.000251	±2.5	PASS
Band5	4183	3	VL	NT	0.43	0.000514	±2.5	PASS
Band5	4183	3	VN	NT	0.32	0.000383	±2.5	PASS
Band5	4183	3	VH	NT	0.09	0.000108	±2.5	PASS
Band5	4183	4	VL	NT	0.06	0.000072	±2.5	PASS
Band5	4183	4	VN	NT	-0.04	-0.000048	±2.5	PASS
Band5	4183	4	VH	NT	0.39	0.000466	±2.5	PASS
Band5	4233	1	VL	NT	0.28	0.000331	±2.5	PASS
Band5	4233	1	VN	NT	0.23	0.000272	±2.5	PASS
Band5	4233	1	VH	NT	0.34	0.000402	±2.5	PASS
Band5	4233	2	VL	NT	-0.24	-0.000283	±2.5	PASS
Band5	4233	2	VN	NT	-0.06	-0.000071	±2.5	PASS
Band5	4233	2	VH	NT	0.08	0.000094	±2.5	PASS
Band5	4233	3	VL	NT	-0.26	-0.000307	±2.5	PASS
Band5	4233	3	VN	NT	-0.26	-0.000307	±2.5	PASS
Band5	4233	3	VH	NT	0.09	0.000106	±2.5	PASS

Band5	4233	4	VL	NT	0.05	0.000059	±2.5	PASS
Band5	4233	4	VN	NT	0.31	0.000366	±2.5	PASS
Band5	4233	4	VH	NT	0.34	0.000402	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	0.03	0.000036	±2.5	PASS
Band5	4132	1	NV	-20	-0.14	-0.000169	±2.5	PASS
Band5	4132	1	NV	-10	0.04	0.000048	±2.5	PASS
Band5	4132	1	NV	0	-0.07	-0.000085	±2.5	PASS
Band5	4132	1	NV	10	0.29	0.000351	±2.5	PASS
Band5	4132	1	NV	20	0.24	0.000290	±2.5	PASS
Band5	4132	1	NV	30	-0.10	-0.000121	±2.5	PASS
Band5	4132	1	NV	40	0.39	0.000472	±2.5	PASS
Band5	4132	1	NV	50	-0.06	-0.000073	±2.5	PASS
Band5	4132	2	NV	-30	-0.10	-0.000121	±2.5	PASS
Band5	4132	2	NV	-20	0.41	0.000496	±2.5	PASS
Band5	4132	2	NV	-10	-0.02	-0.000024	±2.5	PASS
Band5	4132	2	NV	0	-0.32	-0.000387	±2.5	PASS
Band5	4132	2	NV	10	0.16	0.000194	±2.5	PASS
Band5	4132	2	NV	20	0.22	0.000266	±2.5	PASS
Band5	4132	2	NV	30	0.17	0.000206	±2.5	PASS
Band5	4132	2	NV	40	-0.36	-0.000436	±2.5	PASS
Band5	4132	2	NV	50	-0.31	-0.000375	±2.5	PASS
Band5	4132	3	NV	-30	0.25	0.000303	±2.5	PASS
Band5	4132	3	NV	-20	0.19	0.000230	±2.5	PASS
Band5	4132	3	NV	-10	-0.21	-0.000254	±2.5	PASS
Band5	4132	3	NV	0	0.07	0.000085	±2.5	PASS
Band5	4132	3	NV	10	0.50	0.000605	±2.5	PASS
Band5	4132	3	NV	20	-0.38	-0.000460	±2.5	PASS
Band5	4132	3	NV	30	-0.15	-0.000182	±2.5	PASS
Band5	4132	3	NV	40	0.05	0.000061	±2.5	PASS
Band5	4132	3	NV	50	-0.09	-0.000109	±2.5	PASS
Band5	4132	4	NV	-30	-0.06	-0.000073	±2.5	PASS
Band5	4132	4	NV	-20	-0.09	-0.000109	±2.5	PASS

Band5	4132	4	NV	-10	0.10	0.000121	±2.5	PASS
Band5	4132	4	NV	0	0.17	0.000206	±2.5	PASS
Band5	4132	4	NV	10	-0.01	-0.000012	±2.5	PASS
Band5	4132	4	NV	20	-0.04	-0.000048	±2.5	PASS
Band5	4132	4	NV	30	-0.10	-0.000121	±2.5	PASS
Band5	4132	4	NV	40	0.24	0.000290	±2.5	PASS
Band5	4132	4	NV	50	0.56	0.000678	±2.5	PASS
Band5	4183	1	NV	-30	0.08	0.000096	±2.5	PASS
Band5	4183	1	NV	-20	-0.23	-0.000275	±2.5	PASS
Band5	4183	1	NV	-10	0.04	0.000048	±2.5	PASS
Band5	4183	1	NV	0	0.26	0.000311	±2.5	PASS
Band5	4183	1	NV	10	0.07	0.000084	±2.5	PASS
Band5	4183	1	NV	20	0.16	0.000191	±2.5	PASS
Band5	4183	1	NV	30	0.18	0.000215	±2.5	PASS
Band5	4183	1	NV	40	-0.04	-0.000048	±2.5	PASS
Band5	4183	1	NV	50	0.06	0.000072	±2.5	PASS
Band5	4183	2	NV	-30	0.04	0.000048	±2.5	PASS
Band5	4183	2	NV	-20	-0.04	-0.000048	±2.5	PASS
Band5	4183	2	NV	-10	0.02	0.000024	±2.5	PASS
Band5	4183	2	NV	0	0.40	0.000478	±2.5	PASS
Band5	4183	2	NV	10	0.15	0.000179	±2.5	PASS
Band5	4183	2	NV	20	0.16	0.000191	±2.5	PASS
Band5	4183	2	NV	30	0.00	0.000000	±2.5	PASS
Band5	4183	2	NV	40	-0.22	-0.000263	±2.5	PASS
Band5	4183	2	NV	50	-0.09	-0.000108	±2.5	PASS
Band5	4183	3	NV	-30	0.01	0.000012	±2.5	PASS
Band5	4183	3	NV	-20	0.49	0.000586	±2.5	PASS
Band5	4183	3	NV	-10	-0.01	-0.000012	±2.5	PASS
Band5	4183	3	NV	0	0.31	0.000371	±2.5	PASS
Band5	4183	3	NV	10	0.02	0.000024	±2.5	PASS
Band5	4183	3	NV	20	-0.26	-0.000311	±2.5	PASS
Band5	4183	3	NV	30	0.39	0.000466	±2.5	PASS
Band5	4183	3	NV	40	-0.11	-0.000131	±2.5	PASS
Band5	4183	3	NV	50	-0.02	-0.000024	±2.5	PASS
Band5	4183	4	NV	-30	-0.26	-0.000311	±2.5	PASS
Band5	4183	4	NV	-20	0.34	0.000406	±2.5	PASS

Band5	4183	4	NV	-10	-0.13	-0.000155	±2.5	PASS
Band5	4183	4	NV	0	0.16	0.000191	±2.5	PASS
Band5	4183	4	NV	10	-0.19	-0.000227	±2.5	PASS
Band5	4183	4	NV	20	0.16	0.000191	±2.5	PASS
Band5	4183	4	NV	30	-0.62	-0.000741	±2.5	PASS
Band5	4183	4	NV	40	0.35	0.000418	±2.5	PASS
Band5	4183	4	NV	50	-0.34	-0.000406	±2.5	PASS
Band5	4233	1	NV	-30	0.30	0.000354	±2.5	PASS
Band5	4233	1	NV	-20	0.38	0.000449	±2.5	PASS
Band5	4233	1	NV	-10	0.14	0.000165	±2.5	PASS
Band5	4233	1	NV	0	-0.23	-0.000272	±2.5	PASS
Band5	4233	1	NV	10	0.23	0.000272	±2.5	PASS
Band5	4233	1	NV	20	-0.36	-0.000425	±2.5	PASS
Band5	4233	1	NV	30	-0.39	-0.000461	±2.5	PASS
Band5	4233	1	NV	40	0.00	0.000000	±2.5	PASS
Band5	4233	1	NV	50	0.22	0.000260	±2.5	PASS
Band5	4233	2	NV	-30	0.08	0.000094	±2.5	PASS
Band5	4233	2	NV	-20	0.51	0.000602	±2.5	PASS
Band5	4233	2	NV	-10	0.09	0.000106	±2.5	PASS
Band5	4233	2	NV	0	0.07	0.000083	±2.5	PASS
Band5	4233	2	NV	10	0.12	0.000142	±2.5	PASS
Band5	4233	2	NV	20	0.04	0.000047	±2.5	PASS
Band5	4233	2	NV	30	0.18	0.000213	±2.5	PASS
Band5	4233	2	NV	40	0.39	0.000461	±2.5	PASS
Band5	4233	2	NV	50	-0.33	-0.000390	±2.5	PASS
Band5	4233	3	NV	-30	0.08	0.000094	±2.5	PASS
Band5	4233	3	NV	-20	0.24	0.000283	±2.5	PASS
Band5	4233	3	NV	-10	0.31	0.000366	±2.5	PASS
Band5	4233	3	NV	0	0.38	0.000449	±2.5	PASS
Band5	4233	3	NV	10	0.29	0.000343	±2.5	PASS
Band5	4233	3	NV	20	0.59	0.000697	±2.5	PASS
Band5	4233	3	NV	30	0.43	0.000508	±2.5	PASS
Band5	4233	3	NV	40	-0.05	-0.000059	±2.5	PASS
Band5	4233	3	NV	50	0.19	0.000224	±2.5	PASS
Band5	4233	4	NV	-30	0.37	0.000437	±2.5	PASS
Band5	4233	4	NV	-20	-0.05	-0.000059	±2.5	PASS

Band5	4233	4	NV	-10	0.14	0.000165	±2.5	PASS
Band5	4233	4	NV	0	0.29	0.000343	±2.5	PASS
Band5	4233	4	NV	10	-0.05	-0.000059	±2.5	PASS
Band5	4233	4	NV	20	0.42	0.000496	±2.5	PASS
Band5	4233	4	NV	30	0.14	0.000165	±2.5	PASS
Band5	4233	4	NV	40	0.20	0.000236	±2.5	PASS
Band5	4233	4	NV	50	0.04	0.000047	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VL	NT	0.51	0.000617	±2.5	PASS
Band5	4132	1	VN	NT	0.17	0.000206	±2.5	PASS
Band5	4132	1	VH	NT	0.54	0.000653	±2.5	PASS
Band5	4132	2	VL	NT	0.14	0.000169	±2.5	PASS
Band5	4132	2	VN	NT	0.12	0.000145	±2.5	PASS
Band5	4132	2	VH	NT	0.79	0.000956	±2.5	PASS
Band5	4132	3	VL	NT	0.35	0.000424	±2.5	PASS
Band5	4132	3	VN	NT	-0.15	-0.000182	±2.5	PASS
Band5	4132	3	VH	NT	0.26	0.000315	±2.5	PASS
Band5	4132	4	VL	NT	0.15	0.000182	±2.5	PASS
Band5	4132	4	VN	NT	0.62	0.000750	±2.5	PASS
Band5	4132	4	VH	NT	0.13	0.000157	±2.5	PASS
Band5	4132	5	VL	NT	0.19	0.000230	±2.5	PASS
Band5	4132	5	VN	NT	0.14	0.000169	±2.5	PASS
Band5	4132	5	VH	NT	0.16	0.000194	±2.5	PASS
Band5	4183	1	VL	NT	0.37	0.000442	±2.5	PASS
Band5	4183	1	VN	NT	0.02	0.000024	±2.5	PASS
Band5	4183	1	VH	NT	0.00	0.000000	±2.5	PASS
Band5	4183	2	VL	NT	0.44	0.000526	±2.5	PASS
Band5	4183	2	VN	NT	0.08	0.000096	±2.5	PASS
Band5	4183	2	VH	NT	0.27	0.000323	±2.5	PASS
Band5	4183	3	VL	NT	0.39	0.000466	±2.5	PASS
Band5	4183	3	VN	NT	0.13	0.000155	±2.5	PASS
Band5	4183	3	VH	NT	0.15	0.000179	±2.5	PASS
Band5	4183	4	VL	NT	0.08	0.000096	±2.5	PASS
Band5	4183	4	VN	NT	-0.14	-0.000167	±2.5	PASS
Band5	4183	4	VH	NT	0.33	0.000394	±2.5	PASS
Band5	4183	5	VL	NT	-0.16	-0.000191	±2.5	PASS
Band5	4183	5	VN	NT	0.14	0.000167	±2.5	PASS
Band5	4183	5	VH	NT	0.19	0.000227	±2.5	PASS
Band5	4233	1	VL	NT	-0.19	-0.000224	±2.5	PASS
Band5	4233	1	VN	NT	0.20	0.000236	±2.5	PASS
Band5	4233	1	VH	NT	0.07	0.000083	±2.5	PASS

Band5	4233	2	VL	NT	0.40	0.000472	±2.5	PASS
Band5	4233	2	VN	NT	-0.34	-0.000402	±2.5	PASS
Band5	4233	2	VH	NT	-0.09	-0.000106	±2.5	PASS
Band5	4233	3	VL	NT	0.24	0.000283	±2.5	PASS
Band5	4233	3	VN	NT	0.04	0.000047	±2.5	PASS
Band5	4233	3	VH	NT	-0.09	-0.000106	±2.5	PASS
Band5	4233	4	VL	NT	-0.16	-0.000189	±2.5	PASS
Band5	4233	4	VN	NT	0.14	0.000165	±2.5	PASS
Band5	4233	4	VH	NT	0.30	0.000354	±2.5	PASS
Band5	4233	5	VL	NT	0.11	0.000130	±2.5	PASS
Band5	4233	5	VN	NT	0.12	0.000142	±2.5	PASS
Band5	4233	5	VH	NT	0.13	0.000154	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	0.10	0.000121	±2.5	PASS
Band5	4132	1	NV	-20	0.41	0.000496	±2.5	PASS
Band5	4132	1	NV	-10	0.02	0.000024	±2.5	PASS
Band5	4132	1	NV	0	0.26	0.000315	±2.5	PASS
Band5	4132	1	NV	10	0.35	0.000424	±2.5	PASS
Band5	4132	1	NV	20	0.03	0.000036	±2.5	PASS
Band5	4132	1	NV	30	0.12	0.000145	±2.5	PASS
Band5	4132	1	NV	40	0.05	0.000061	±2.5	PASS
Band5	4132	1	NV	50	-0.34	-0.000411	±2.5	PASS
Band5	4132	2	NV	-30	0.36	0.000436	±2.5	PASS
Band5	4132	2	NV	-20	0.37	0.000448	±2.5	PASS
Band5	4132	2	NV	-10	0.22	0.000266	±2.5	PASS
Band5	4132	2	NV	0	0.64	0.000774	±2.5	PASS
Band5	4132	2	NV	10	0.31	0.000375	±2.5	PASS
Band5	4132	2	NV	20	0.34	0.000411	±2.5	PASS
Band5	4132	2	NV	30	0.30	0.000363	±2.5	PASS
Band5	4132	2	NV	40	0.39	0.000472	±2.5	PASS
Band5	4132	2	NV	50	0.16	0.000194	±2.5	PASS
Band5	4132	3	NV	-30	0.20	0.000242	±2.5	PASS
Band5	4132	3	NV	-20	0.07	0.000085	±2.5	PASS

Band5	4132	3	NV	-10	0.48	0.000581	±2.5	PASS
Band5	4132	3	NV	0	0.39	0.000472	±2.5	PASS
Band5	4132	3	NV	10	0.24	0.000290	±2.5	PASS
Band5	4132	3	NV	20	0.27	0.000327	±2.5	PASS
Band5	4132	3	NV	30	-0.24	-0.000290	±2.5	PASS
Band5	4132	3	NV	40	0.05	0.000061	±2.5	PASS
Band5	4132	3	NV	50	0.02	0.000024	±2.5	PASS
Band5	4132	4	NV	-30	0.46	0.000557	±2.5	PASS
Band5	4132	4	NV	-20	-0.16	-0.000194	±2.5	PASS
Band5	4132	4	NV	-10	0.29	0.000351	±2.5	PASS
Band5	4132	4	NV	0	-0.11	-0.000133	±2.5	PASS
Band5	4132	4	NV	10	-0.57	-0.000690	±2.5	PASS
Band5	4132	4	NV	20	0.11	0.000133	±2.5	PASS
Band5	4132	4	NV	30	-0.01	-0.000012	±2.5	PASS
Band5	4132	4	NV	40	0.41	0.000496	±2.5	PASS
Band5	4132	4	NV	50	0.19	0.000230	±2.5	PASS
Band5	4132	5	NV	-30	0.20	0.000242	±2.5	PASS
Band5	4132	5	NV	-20	0.24	0.000290	±2.5	PASS
Band5	4132	5	NV	-10	0.05	0.000061	±2.5	PASS
Band5	4132	5	NV	0	0.21	0.000254	±2.5	PASS
Band5	4132	5	NV	10	0.32	0.000387	±2.5	PASS
Band5	4132	5	NV	20	0.46	0.000557	±2.5	PASS
Band5	4132	5	NV	30	0.22	0.000266	±2.5	PASS
Band5	4132	5	NV	40	0.13	0.000157	±2.5	PASS
Band5	4132	5	NV	50	0.21	0.000254	±2.5	PASS
Band5	4183	1	NV	-30	0.12	0.000143	±2.5	PASS
Band5	4183	1	NV	-20	0.36	0.000430	±2.5	PASS
Band5	4183	1	NV	-10	0.06	0.000072	±2.5	PASS
Band5	4183	1	NV	0	0.59	0.000705	±2.5	PASS
Band5	4183	1	NV	10	0.35	0.000418	±2.5	PASS
Band5	4183	1	NV	20	0.12	0.000143	±2.5	PASS
Band5	4183	1	NV	30	-0.26	-0.000311	±2.5	PASS
Band5	4183	1	NV	40	0.04	0.000048	±2.5	PASS
Band5	4183	1	NV	50	0.03	0.000036	±2.5	PASS
Band5	4183	2	NV	-30	0.14	0.000167	±2.5	PASS
Band5	4183	2	NV	-20	0.37	0.000442	±2.5	PASS

Band5	4183	2	NV	-10	0.23	0.000275	±2.5	PASS
Band5	4183	2	NV	0	0.37	0.000442	±2.5	PASS
Band5	4183	2	NV	10	-0.15	-0.000179	±2.5	PASS
Band5	4183	2	NV	20	-0.09	-0.000108	±2.5	PASS
Band5	4183	2	NV	30	0.09	0.000108	±2.5	PASS
Band5	4183	2	NV	40	0.26	0.000311	±2.5	PASS
Band5	4183	2	NV	50	-0.14	-0.000167	±2.5	PASS
Band5	4183	3	NV	-30	0.59	0.000705	±2.5	PASS
Band5	4183	3	NV	-20	0.62	0.000741	±2.5	PASS
Band5	4183	3	NV	-10	0.31	0.000371	±2.5	PASS
Band5	4183	3	NV	0	0.38	0.000454	±2.5	PASS
Band5	4183	3	NV	10	0.36	0.000430	±2.5	PASS
Band5	4183	3	NV	20	0.37	0.000442	±2.5	PASS
Band5	4183	3	NV	30	0.25	0.000299	±2.5	PASS
Band5	4183	3	NV	40	0.35	0.000418	±2.5	PASS
Band5	4183	3	NV	50	0.76	0.000908	±2.5	PASS
Band5	4183	4	NV	-30	0.17	0.000203	±2.5	PASS
Band5	4183	4	NV	-20	0.05	0.000060	±2.5	PASS
Band5	4183	4	NV	-10	0.32	0.000383	±2.5	PASS
Band5	4183	4	NV	0	0.40	0.000478	±2.5	PASS
Band5	4183	4	NV	10	-0.03	-0.000036	±2.5	PASS
Band5	4183	4	NV	20	0.29	0.000347	±2.5	PASS
Band5	4183	4	NV	30	0.57	0.000681	±2.5	PASS
Band5	4183	4	NV	40	0.33	0.000394	±2.5	PASS
Band5	4183	4	NV	50	0.18	0.000215	±2.5	PASS
Band5	4183	5	NV	-30	-0.24	-0.000287	±2.5	PASS
Band5	4183	5	NV	-20	0.12	0.000143	±2.5	PASS
Band5	4183	5	NV	-10	0.27	0.000323	±2.5	PASS
Band5	4183	5	NV	0	0.20	0.000239	±2.5	PASS
Band5	4183	5	NV	10	0.16	0.000191	±2.5	PASS
Band5	4183	5	NV	20	0.10	0.000120	±2.5	PASS
Band5	4183	5	NV	30	0.20	0.000239	±2.5	PASS
Band5	4183	5	NV	40	0.32	0.000383	±2.5	PASS
Band5	4183	5	NV	50	-0.22	-0.000263	±2.5	PASS
Band5	4233	1	NV	-30	0.40	0.000472	±2.5	PASS
Band5	4233	1	NV	-20	0.11	0.000130	±2.5	PASS

Band5	4233	1	NV	-10	-0.11	-0.000130	±2.5	PASS
Band5	4233	1	NV	0	0.28	0.000331	±2.5	PASS
Band5	4233	1	NV	10	0.24	0.000283	±2.5	PASS
Band5	4233	1	NV	20	0.44	0.000520	±2.5	PASS
Band5	4233	1	NV	30	0.20	0.000236	±2.5	PASS
Band5	4233	1	NV	40	-0.30	-0.000354	±2.5	PASS
Band5	4233	1	NV	50	0.46	0.000543	±2.5	PASS
Band5	4233	2	NV	-30	0.24	0.000283	±2.5	PASS
Band5	4233	2	NV	-20	0.09	0.000106	±2.5	PASS
Band5	4233	2	NV	-10	0.49	0.000579	±2.5	PASS
Band5	4233	2	NV	0	0.57	0.000673	±2.5	PASS
Band5	4233	2	NV	10	0.01	0.000012	±2.5	PASS
Band5	4233	2	NV	20	0.23	0.000272	±2.5	PASS
Band5	4233	2	NV	30	-0.18	-0.000213	±2.5	PASS
Band5	4233	2	NV	40	-0.18	-0.000213	±2.5	PASS
Band5	4233	2	NV	50	0.41	0.000484	±2.5	PASS
Band5	4233	3	NV	-30	-0.04	-0.000047	±2.5	PASS
Band5	4233	3	NV	-20	0.47	0.000555	±2.5	PASS
Band5	4233	3	NV	-10	0.06	0.000071	±2.5	PASS
Band5	4233	3	NV	0	0.26	0.000307	±2.5	PASS
Band5	4233	3	NV	10	0.04	0.000047	±2.5	PASS
Band5	4233	3	NV	20	-0.06	-0.000071	±2.5	PASS
Band5	4233	3	NV	30	0.06	0.000071	±2.5	PASS
Band5	4233	3	NV	40	0.30	0.000354	±2.5	PASS
Band5	4233	3	NV	50	0.26	0.000307	±2.5	PASS
Band5	4233	4	NV	-30	-0.43	-0.000508	±2.5	PASS
Band5	4233	4	NV	-20	0.19	0.000224	±2.5	PASS
Band5	4233	4	NV	-10	-0.15	-0.000177	±2.5	PASS
Band5	4233	4	NV	0	-0.04	-0.000047	±2.5	PASS
Band5	4233	4	NV	10	0.21	0.000248	±2.5	PASS
Band5	4233	4	NV	20	-0.06	-0.000071	±2.5	PASS
Band5	4233	4	NV	30	0.26	0.000307	±2.5	PASS
Band5	4233	4	NV	40	0.23	0.000272	±2.5	PASS
Band5	4233	4	NV	50	-0.04	-0.000047	±2.5	PASS
Band5	4233	5	NV	-30	0.23	0.000272	±2.5	PASS
Band5	4233	5	NV	-20	0.12	0.000142	±2.5	PASS

Band5	4233	5	NV	-10	-0.19	-0.000224	±2.5	PASS
Band5	4233	5	NV	0	-0.06	-0.000071	±2.5	PASS
Band5	4233	5	NV	10	0.08	0.000094	±2.5	PASS
Band5	4233	5	NV	20	0.44	0.000520	±2.5	PASS
Band5	4233	5	NV	30	0.04	0.000047	±2.5	PASS
Band5	4233	5	NV	40	-0.49	-0.000579	±2.5	PASS
Band5	4233	5	NV	50	0.04	0.000047	±2.5	PASS

----- The End -----

