

Product model: TX19
Product name: 2.4G remote control
ID:2AJ2H-TX19

User Manual

Product introduction

Remote control frequency: 2.407 GHz to 2.473 GHz, can at least 20 sets of equipment use at the same time without interference;

Remote control distance: clearing not less than 30 meters;

The frequency steps:

- 1, open the power switch of the car; 15 seconds, the car is waiting for matching code;
- 2, at the same time press the TX remote hand switch **M** keys after 2 seconds, the LED flashing, the TX hand remote control switch to the state of matching code;
- 3, When LED change flashing into long bright, matching frequency is success; After 5 seconds, if the frequency is not successful, hand switch back to the original state or the last time of frequency state;
- 4, If open the power switch the car for more than 15 seconds, then the car back to working status, if you need again to matching the frequency, you will need to repeat step 1 ~ 3;

Product model: TX19
Product name: 2. 4G remote control
ID:2AJ2H-TX19

The detailed function

Tx hand remote control button:

1, AAA 1.5* 2 3 VDC power supply; Need matching transmitter and receiver frequency when used for the first time to work;

2, Seven key functions of the control panel diagram below:



△: after press, control the car forward, loosen the stop;

▽: after press, control the car back, loosen the stop;

◀: press this button or click, the car turn to the left, long press this button to the motor work at most 2 seconds after stopping;

▶: press this button or click, the car to the right, long press this button to the motor work at most 2 seconds after stopping;

Matching code: press the **M** keys at the same time after 2 seconds into the matching code state;

P: emergency brake, press it and the running function will fail, press again, it release

S: Choose speed , high-middle-low speed

3, if without any operation and buttons for 10 seconds, the LED goes out, hand button automatically enter standby power saving status, once again, press the next button to return to work after;

Product model: TX19
Product name: 2. 4G remote control
ID:2AJ2H-TX19

RF parameter

Frequency Range: 2400 ~ 2483.5MHz

Type of Modulation: GFSK

Channel Number: 3

Channel Frequency: 2407MHz, 2440MHz, 2473MHz

Antenna Information: PCB antenna, 0dBi

Emission Power: -31.5 ± 2 dBm

FCC warning statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.