



FCC/ISED Test Report

FOR:
Pratt & Whitney Canada

Model Number:
MFAST-A-010-2

Product Description:
Data collection from Pratt & Whitney Engine Control LRU and wireless transmission of data to analytics center.

FCC ID: 2AJ6A-DCTU1
IC ID: 22451-DCTU1

Per:
47 CFR: Part 22, Part 24, Part 27
RSS-130 Issue 2; RSS-132 Issue 3; RSS-133 Issue 6; RSS-139 Issue 3; RSS-199 Issue 3

REPORT #: EMC_PRATT-004-19001_FCC_22_24_27_ISED

DATE: 2019-12-13



A2LA Accredited

IC recognized #
3462B-2

CETECOM Inc.

411 Dixon Landing Road ♦ Milpitas, CA 95035 ♦ U.S.A.

Phone: + 1 (408) 586 6200 ♦ Fax: + 1 (408) 586 6299 ♦ E-mail: info@cetecom.com ♦ <http://www.cetecom.com>

CETECOM Inc. is a Delaware Corporation with Corporation number: 2905571



TABLE OF CONTENTS

1 ASSESSMENT..... 3

2 ADMINISTRATIVE DATA 4

2.1 IDENTIFICATION OF THE TESTING LABORATORY ISSUING THE EMC TEST REPORT 4

2.2 IDENTIFICATION OF THE CLIENT 4

2.3 IDENTIFICATION OF THE MANUFACTURER..... 4

3 EQUIPMENT UNDER TEST (EUT)..... 5

3.1 EUT SPECIFICATIONS 5

3.2 EUT SAMPLE DETAILS 6

3.3 ACCESSORY EQUIPMENT (AE) DETAILS 6

3.4 SUPPORT EQUIPMENT 6

3.5 TEST SAMPLE CONFIGURATION 6

3.6 MODE OF OPERATION DETAILS 7

3.7 JUSTIFICATION FOR WORST CASE MODE OF OPERATION..... 7

4 SUBJECT OF INVESTIGATION 8

4.1 DATES OF TESTING: 8

4.2 MEASUREMENT UNCERTAINTY 8

4.3 ENVIRONMENTAL CONDITIONS DURING TESTING: 8

5 MEASUREMENT PROCEDURES 9

5.1 RADIATED MEASUREMENT..... 9

5.2 SAMPLE CALCULATIONS FOR FIELD STRENGTH MEASUREMENTS 11

6 MEASUREMENT RESULTS SUMMARY 12

6.1 FCC 22, RSS-132: 12

6.2 FCC 24, RSS-133: 13

6.3 FCC 27, RSS-130, RSS-139, RSS-199: 14

7 TEST RESULT DATA 15

7.1 ERP 15

7.2 RADIATED SPURIOUS EMISSIONS..... 17

8 TEST SETUP PHOTO 123

9 TEST EQUIPMENT AND ANCILLARIES USED FOR TESTING 123

10 REVISION HISTORY 123



1 Assessment

The following device as further described in section 3 of this report was evaluated for radiated spurious emissions in simultaneous transmission of cellular and unlicensed radios according to criteria specified in the Code of Federal Regulations Title 47 parts 22, 24, 27 and Industry Canada Radio Standard Specifications RSS: 130 Issue 2, 132 Issue 3, 133 Issue 6, 139 Issue 3 and 199 Issue 3.

Company	Description	Model #
Pratt & Whitney Canada	Data collection from Pratt & Whitney Engine Control LRU and wireless transmission of data to analytics center.	MFAST-A-010-2

No deficiencies were ascertained.

Responsible for Testing Laboratory:

2019-12-13	Compliance	Cindy Li (Lab Manager)	
Date	Section	Name	Signature

Responsible for the Report:

2019-12-13	Compliance	Yuchan Lu (Test Engineer)	
Date	Section	Name	Signature

The test results of this test report relate exclusively to the test item specified in Section 3. CETECOM Inc. USA does not assume responsibility for any conclusions and generalizations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item. The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of CETECOM Inc. USA.

2 Administrative Data

2.1 Identification of the Testing Laboratory Issuing the EMC Test Report

Company Name:	CETECOM Inc.
Department:	Compliance
Street Address:	411 Dixon Landing Road
City/Zip Code	Milpitas, CA 95035
Country	USA
Telephone:	+1 (408) 586 6200
Fax:	+1 (408) 586 6299
Lab Manager:	Cindy Li
Responsible Project Leader:	Cathy Palacios

2.2 Identification of the Client

Client's Name:	Pratt & Whitney Canada
Street Address:	249 Vanderbilt Avenue
City/Zip Code	Norwood, MA 02062
Country	USA

2.3 Identification of the Manufacturer

Manufacturer's Name:	Same as Client
Manufacturers Address:	
City/Zip Code	
Country	

3 Equipment Under Test (EUT)

3.1 EUT Specifications

Firmware Version Identification Number (FVIN):	1.0.0
Hardware Version Identification Number (HVIN):	MFAST-A-010-2
Product Marketing Name (PMN):	Data Collection and Transmission Unit
Antenna Information as declared:	<p>Antenna gains:</p> <ul style="list-style-type: none"> • GSM 850: 1.5 dBi • GSM 1900: 3.0 dBi • WCDMA II: 3.0 dBi • WCDMA IV: 3.0 dBi • WCDMA V: 1.5 dBi • LTE Band 2: 3.0 dBi • LTE Band 4: 3.0 dBi • LTE Band 5: 1.5 dBi • LTE Band 7: 4.5 dBi • LTE Band 12: 1.5 dBi
Other Radios included in the device:	<ul style="list-style-type: none"> ❖ <u>WLAN</u> <ul style="list-style-type: none"> • Module name: Ti-Wi BLE • Module number: TFB-TIWI1-01 / 5969A-TIWI101
Power Supply/ Rated Operating Voltage Range:	Low 22 VDC, Nominal 28 VDC, High 32.2 VDC
Operating Temperature Range:	Low -40° C, Nominal 25° C, High 70° C
Sample Revision	<input type="checkbox"/> Prototype Unit; <input checked="" type="checkbox"/> Production Unit; <input type="checkbox"/> Pre-Production
EUT Dimensions(mm):	57 x 140 x 185
Weight(grams):	816
EUT Diameter	<input checked="" type="checkbox"/> < 60 cm <input type="checkbox"/> Other _____

Module Information	
Module Name:	Gemalto
Model Number:	PLS62-W
FCC ID:	QIPPLS62-W
IC ID:	7830A-PLS62W

3.2 EUT Sample details

EUT #	IMEI number	HW Version	SW Version	Notes/Comments
1	358244080037825	A	1.0.0	Radiated Measurement

3.3 Accessory Equipment (AE) Details

AE #	Comments
1	Power cable
2	External Antenna: Laird Technologies, P/N: CFS69271-FSMAF Coaxial cable consisting of: <ul style="list-style-type: none"> • Right angle SMA Plug, Amphenol-RF P/N: 901-9874 • Straight SMA Plug, Amphenol-RF P/N: 901-9511-1 • Coaxial Cable, RG400; 10 Ft. • Typical loss for a 10ft cable: 698-960 MHz 1.3dB, 1710-2170 MHz 2dB, 2400-2700 MHz 2.4dB

3.4 Support Equipment

SE #	Comments
1	Communication USB Cable

3.5 Test Sample Configuration

EUT Set-up #	Combination of AE/SE used for test set up	Comments
1	EUT# 1 + AE#1 + AE#2 + SE#1	Worst Case

3.6 Mode of Operation details

Mode of Operation	Description of Operating modes	Additional Information
Op. 1	Cellular and WLAN Co-Transmission	<p>Cellular was tested on Low, Mid, High Channels at the maximum power in a co-transmission mode.</p> <p>Special commands through command window used to configure the WLAN Mid channel provided by the client that will not be available to the end user</p> <p>For radiated measurements: The external antenna was connected.</p>

3.7 Justification for Worst Case Mode of Operation

During the testing process the EUT was tested with transmitter sets on low, mid and high channels at the maximum power simultaneous transmission with WLAN Mid channel. Which it is the worst case of the radios supported, based on the maximum average conducted output power from the reports.

For radiated measurements, all data in this report shows the worst case between horizontal and vertical antenna polarizations and for all orientations of the EUT.

4 **Subject of Investigation**

The objective of the evaluation conducted by CETECOM Inc. is to support a request for new equipment authorization under **FCC ID: 2AJ6A-DCTU1 / IC ID: 22451-DCTU1**

The pre-certified module to be integrated (SW WP7603) as described in Section 3, Radiated Spurious Emissions test was performed. Results have been checked to meet limits per Code of Federal Regulations Title 47 parts 22, 24, 27 and Industry Canada Radio Standard Specifications RSS: 130 Issue 2, 132 Issue 3, 133 Issue 6, 139 Issue 3 and 199 Issue 3.

The conducted module test data that can be obtained under the **FCC Filing ID: QIPPLS62-W** is applicable for the host described in section 3.

4.1 **Dates of Testing:**

07/02/2019 – 7/11/2019

4.2 **Measurement Uncertainty**

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus, with 95% confidence interval (in dB delta to result), based on a coverage factor k=1.

Radiated measurement

9 kHz to 30MHz	±2.5 dB (Magnetic Loop Antenna)
30 MHz to 1000 MHz	±2.0 dB (Biconilog Antenna)
1 GHz to 40 GHz	±2.3 dB (Horn Antenna)

4.3 **Environmental Conditions during Testing:**

The following environmental conditions were maintained during the course of testing:

- Ambient Temperature: 20-25°C
- Relative humidity: 40-60%


Deviating test conditions are indicated at individual test description where applicable.



5 Measurement Procedures

Testing is performed according to the guidelines provided in FCC publication (KDB) 971168 D01 v03 – “Measurement Guidance for Certification of Licensed Digital Transmitters” and according to ANSI C63.26 as detailed below.

5.1 Radiated Measurement

- The exploratory measurement is accomplished by running a matrix of 16 sweeps over the required frequency range with R&S Test-SW EMC32 for 4 positions of the turntable, two orthogonal positions of the EUT and both antenna polarizations. This procedure exceeds the requirement of the above standards to cover the 3 orthogonal axis of the EUT. A max peak detector is utilized during the exploratory measurement. The Test-SW creates an overall maximum trace for all 12 sweeps and saves the settings for each point of this trace. The maximum trace is part of the test report.
- The 10 highest emissions are selected with an automatic algorithm of EMC32 searching for peaks in the noise floor and ensuring that broadband signals are not selected multiple times.
- The maxima are then put through the final measurement and again maximized in a 90deg range of the turntable, fine search in frequency domain and height scan between 1m and 4m.
- The above procedure is repeated for all possible ways of power supply to EUT and for all supported modulations.
- In case there are no emissions above noise floor level only the maximum trace is reported as described above.
- The results are split up into up to 4 frequency ranges due to antenna bandwidth restrictions. A magnetic loop is used from 9 kHz to 30 MHz, a Biconilog antenna is used from 30 MHz to 1 GHz, and two different horn antennas are used to cover frequencies up to 40 GHz.





5.2 Sample Calculations for Field Strength Measurements

Field Strength is calculated from the Spectrum Analyzer/ Receiver readings, taking into account the following parameters:

- Measured reading in dB μ V
- Cable Loss between the receiving antenna and SA in dB and
- Antenna Factor in dB/m

All radiated measurement plots in this report are taken from a test SW that calculates the Field Strength based on the following equation:

$$FS \text{ (dB}\mu\text{V/m)} = \text{Measured Value on SA (dB}\mu\text{V)} - \text{Cable Loss (dB)} + \text{Antenna Factor (dB/m)}$$

Example:

Frequency (MHz)	Measured SA (dB μ V)	Cable Loss (dB)	Antenna Factor Correction (dB)	Field Strength Result (dB μ V/m)
1000	80.5	3.5	14	98.0



6 Measurement Results Summary

6.1 FCC 22, RSS-132:

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §22.913 (a)	RF Output Power	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1055; §22.355	Frequency Stability	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1049; §22.917	Occupied Bandwidth	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1051; §22.917	Band Edge Compliance	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1051; §22.917	Conducted Spurious Emissions	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1053; §22.917(a); RSS-132 Issue 3-5.5;	Radiated Spurious Emissions	Nominal	Op.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Complies

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: Leveraged from module certification FCC ID: QIPPLS62-W



6.2 FCC 24, RSS-133:

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §24.232 (a)	RF Output Power	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1055; §24.235	Frequency Stability	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1049; §24.238	Occupied Bandwidth	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1051; §24.238	Band Edge Compliance	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1051; §24.238	Conducted Spurious Emissions	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1053; §24.238(a); RSS-133 Issue 6-6.5.1;	Radiated Spurious Emissions	Nominal	Op.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Complies

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: Leveraged from module certification FCC ID: QIPPLS62-W



6.3 FCC 27, RSS-130, RSS-139, RSS-199:

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §27.50 (d)	RF Output Power	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1055; §27.54	Frequency Stability	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1049; §27.53	Occupied Bandwidth	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1051; §27.53	Band Edge Compliance	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1051; §27.53	Conducted Spurious Emissions	Nominal	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Note 1 Note 2
§2.1053; §27.53(g); §27.53(h); RSS-130 Issue 2-4.6; RSS-139 Issue 3-6.6; RSS-199 Issue 3-4.6	Radiated Spurious Emissions	Nominal	Op.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Complies

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: Leveraged from module certification FCC ID: QIPPLS62-W


7 Test Result Data

7.1 ERP

Band	Frequency Range (MHz)	Power conducted (W)	Emission Designator	Antenna Gain + Cable loss (dBi)	gain linear	EIRP ¹ (W)	ERP ¹ (W)	Frequency deviation (ppm)	Limit ERP (W)
GSM 850	824.2 – 848.8	2.142 ²	247KGXW	0.2	1.047	2.243	1.368	0.1	7
GSM 1900	1850.2 – 1909.8	1.035	248KGXW	1	1.259	1.303	-	0.1	2
GSM 1900	1850.2 – 1909.8	0.352	260KG7W	1	1.259	0.443	-	0.1	2
WCDMA II	1852.4 – 1907.6	0.17	4M09F9W	1	1.259	0.214	-	0.1	2
WCDMA IV	1712.4 – 1752.6	0.181	4M09F9W	1	1.259	0.228	-	0.1	1
WCDMA V	826.4 – 846.6	0.169	4M09F9W	0.2	1.047	0.177	0.108	0.1	7
LTE 2	1857.5 – 1902.5	0.164	13M6W7D	1	1.259	0.206	-	0.1	2
LTE 2	1860 – 1900	0.163	18M0W7D	1	1.259	0.205	-	0.1	2
LTE 4	1717.5 – 1747.5	0.171	13M6W7D	1	1.259	0.215	-	0.1	1
LTE 4	1720 – 1745	0.167	17M9W7D	1	1.259	0.210	-	0.1	1
LTE 5	824.7 – 848.3	0.203	1M09G7D	0.2	1.047	0.213	0.130	0.1	7
LTE 5	829 – 844	0.166	9M04W7D	0.2	1.047	0.174	0.106	0.1	7
LTE 7	2510 - 2560	0.134	18M1W7D	2.1	1.622	0.217	-	0.1	2
LTE 12	699.7 – 715.3	0.167	1M10W7D	0.2	1.047	0.175	0.107	0.1	3
LTE 12	704 – 711	0.164	9M04W7D	0.2	1.047	0.172	0.105	0.1	3

Note 1: ERP are calculated from maximum power in grant of cellular module PLS62-W adding the maximum gain of the utilized cellular antenna per operational description.

Note 2: Conducted power result for GSM850 is from the actual Conducted Power measurement.



Complementary Cumulative Distribution Function
 NOF samples: 100000, Usable BW: 852kHz

Trace 1	
Mean	23.39 dBm
Peak	33.31 dBm
Crest	9.92 dB
10 %	9.52 dB
1 %	9.71 dB
.1 %	9.81 dB
.01 %	9.87 dB

Date: 6.NOV.2019 16:31:38

GSM850 Conducted Power Measurement

7.2 Radiated Spurious Emissions

7.2.1 Measurement according to FCC: CFR 47 Part 2.1053; CFR Part 22.917; CFR Part 24.238, Part 27.53 utilizing KDB 971168 D01 Power Meas License Digital Systems v03, and according to ANSI C63.26 2017

Spectrum Analyzer Settings for FCC 22

Frequency Range	30 MHz – 1 GHz	1 – 1.58 GHz	1.58 – 9 GHz
Resolution Bandwidth	100 kHz	1 MHz	1 MHz
Video Bandwidth	100 kHz	1 MHz	1 MHz
Detector	Peak	Peak	Peak
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep Time	Auto	Auto	Auto

Spectrum Analyzer Settings for FCC 24 and 27

Frequency Range	30MHz – 1 GHz	1 – 2.7 GHz	2.7 – 18 GHz	18 – 19.1 GHz
Resolution Bandwidth	100 kHz	1 MHz	1 MHz	1 MHz
Video Bandwidth	100 kHz	1 MHz	1 MHz	1 MHz
Detector	Peak	Peak	Peak	Peak
Trace Mode	Max Hold	Max Hold	Max Hold	Max Hold
Sweep Time	Auto	Auto	Auto	Auto

7.2.2 Limits:

- FCC Part 22.917(a) and Part 24.238(a), Part 27.53 (g), and Part 27.53 (h)
- RSS-130 Issue 2-4.6, RSS-132 Issue 3 5.5, RSS-133 Issue 6 6.5.1, RSS-139 Issue 3 6.6, RSS-199 Issue 3

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB = (-13dBm)

7.2.3 Test conditions and setup:

Ambient Temperature (C)	EUT operating mode	Power Input
22	Op. 1	28 VDC

7.2.4 Measurement result:

Plot #	Cellular Channel	EUT operating mode	Scan Frequency	Critical Frequency [MHz]	Emission level [dBm]	Limit [dBm]	Result
1 – 3	Low	GSM 850	30 MHz – 9 GHz	836.94	-42.97	-13	Pass
4 – 7	Mid	GSM 850	9 kHz – 9 GHz	0.0098	-13.52	-13	Pass
8 – 10	High	GSM 850	30 MHz – 9 GHz	867.93	-31.95	-13	Pass
11 – 13	Low	GSM 1900	30 MHz – 18 GHz	143.99	-48.93	-13	Pass
14 – 18	Mid	GSM 1900	9 kHz – 26 GHz	143.99	-47.81	-13	Pass
19 – 21	High	GSM 1900	30 MHz – 18 GHz	143.99	-52.05	-13	Pass
22 – 24	Low	WCDMA II	30 MHz – 18 GHz	-	-	-13	Pass
25 – 29	Mid	WCDMA II	9 kHz – 26 GHz	0.03	-30.59	-13	Pass
30 – 32	High	WCDMA II	30 MHz – 18 GHz	-	-	-13	Pass
33 – 35	Low	WCDMA IV	30 MHz – 18 GHz	-	-	-13	Pass
36 – 39	Mid	WCDMA IV	9 kHz – 18 GHz	0.03	-33.81	-13	Pass
40 – 42	High	WCDMA IV	30 MHz – 18 GHz	-	-	-13	Pass
43 – 45	Low	WCDMA V	30 MHz – 9 GHz	-	-	-13	Pass
46 – 49	Mid	WCDMA V	9 kHz – 9 GHz	144.02	-49.30	-13	Pass
50 – 52	High	WCDMA V	30 MHz – 9 GHz	-	-	-13	Pass
53 – 55	Low	LTE 2	30 MHz – 18 GHz	143.99	-47.62	-13	Pass
56 – 60	Mid	LTE 2	9 kHz – 26 GHz	143.99	-47.77	-13	Pass
61 – 63	High	LTE 2	30 MHz – 18 GHz	143.99	-47.51	-13	Pass
64 – 66	Low	LTE 4	30 MHz – 18 GHz	143.99	-47.44	-13	Pass
67 – 70	Mid	LTE 4	9 kHz – 18 GHz	0.03	-27.96	-13	Pass
71 – 73	High	LTE 4	30 MHz – 18 GHz	143.99	-47.19	-13	Pass
74 – 76	Low	LTE 5	30 MHz – 9 GHz	143.97	-47.39	-13	Pass
77 – 80	Mid	LTE 5	9 kHz – 9 GHz	143.98	-46.88	-13	Pass
81 – 83	High	LTE 5	30 MHz – 9 GHz	143.98	-47.02	-13	Pass
84 – 86	Low	LTE 7	30 MHz – 18 GHz	144.02	-47.95	-13	Pass
87 – 91	Mid	LTE 7	9 kHz – 26 GHz	143.99	-47.26	-13	Pass
92 – 94	High	LTE 7	30 MHz – 18 GHz	143.99	-47.47	-13	Pass
95 – 97	Low	LTE 12	30 MHz – 9 GHz	143.97	-58.71	-13	Pass
98 – 101	Mid	LTE 12	9 kHz – 9 GHz	0.52	-32.53	-13	Pass
102 – 104	High	LTE 12	30 MHz – 9 GHz	143.99	-57.97	-13	Pass

7.2.5 Measurement Plots:

GSM 850


Plot # 1 Radiated Emissions: 30 MHz - 1 GHz
Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.994330	-48.80	-13.00	35.80	500.0	100.000	100.0	V	216.0	-80.9
779.254170	-52.42	-13.00	39.42	500.0	100.000	100.0	H	228.0	-69.7
836.941970	-42.97	-13.00	29.97	500.0	100.000	100.0	H	228.0	-69.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.994330	12:02:53 PM - 7/5/2019
779.254170	12:09:18 PM - 7/5/2019
836.941970	12:05:42 PM - 7/5/2019



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMS

Plot # 2 Radiated Emissions: 1 GHz - 3 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 3 Radiated Emissions: 3 GHz - 9 GHz

Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMS

Plot # 4 Radiated Emissions: 9 kHz - 30 MHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
0.009779	-13.52	-13.00	0.52	100.0	0.100	119.0	V	78.0	-69.2
0.011707	-14.69	-13.00	1.69	100.0	0.100	114.0	V	79.0	-70.3
0.030106	-26.69	-13.00	13.69	100.0	0.100	100.0	H	181.0	-75.8

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
0.009779	3:07:15 PM - 7/9/2019
0.011707	3:04:00 PM - 7/9/2019
0.030106	3:00:35 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 5 Radiated Emissions: 30 MHz – 1 GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
791.702920	-45.23	-13.00	32.23	500.0	100.000	100.0	H	0.0	-69.6
855.614390	-48.58	-13.00	35.58	500.0	100.000	108.0	H	-3.0	-68.5

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
791.702920	11:49:52 AM - 7/5/2019
855.614390	11:46:16 AM - 7/5/2019



— Preview Result 1-PK+ * Critical_Freqs PK+ — -13dBm ◆ Final_Result RMS

Plot # 6 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 7 Radiated Emissions: 3 GHz – 9GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3090.854667	-64.96	-13.00	51.96	500.0	1000.000	176.0	V	21.0	-104.4

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
3090.854667	4:36:32 PM - 7/10/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 8 Radiated Emissions: 30 MHz - 1 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
144.010580	-49.82	-13.00	36.82	500.0	100.000	100.0	V	218.0	-80.9
803.833410	-52.18	-13.00	39.18	500.0	100.000	100.0	H	331.0	-69.0
860.315990	-43.14	-13.00	30.14	500.0	100.000	100.0	H	0.0	-68.4
867.933430	-31.95	-13.00	18.95	500.0	100.000	100.0	H	330.0	-68.3

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
144.010580	12:21:25 PM - 7/5/2019
803.833410	12:25:03 PM - 7/5/2019
860.315990	12:28:12 PM - 7/5/2019
867.933430	12:31:30 PM - 7/5/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 9 Radiated Emissions: 1 GHz - 3 GHz


Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 10 Radiated Emissions: 3 GHz - 9 GHz

Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMS

GSM 1900

Plot # 11 Radiated Emissions: 30 MHz - 1 GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.993300	-48.93	-13.00	35.93	200.0	100.000	100.0	V	142.0	-114.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.993300	1:21:59 PM - 7/5/2019



— Preview Result 1-PK+ * Critical_Freqs PK+ — -13dBm ◆ Final_Result RMS

Plot # 12 Radiated Emissions: 1 GHz - 3 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 13 Radiated Emissions: 3 GHz - 18 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMS

Plot # 14 Radiated Emissions: 9 kHz - 30 MHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 15 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.991400	-47.81	-13.00	34.81	200.0	100.000	100.0	V	162.0	-114.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.991400	12:50:14 PM - 7/5/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 16 Radiated Emissions: 1 GHz - 3 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 17 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMS

Plot # 18 Radiated Emissions: 18 GHz – 26 GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS

Plot # 19 Radiated Emissions: 30 MHz - 1 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.993800	-52.05	-13.00	39.05	200.0	100.000	100.0	V	228.0	-114.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.993800	1:46:32 PM - 7/5/2019



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS

Plot # 20 Radiated Emissions: 1 GHz - 3 GHz


Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 21 Radiated Emissions: 3 GHz - 18 GHz

Channel: High




Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS

WCDMA Band II


Plot # 22 Radiated Emissions: 30 MHz - 1 GHz

Channel: Low




Plot # 23 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low



Plot # 24 Radiated Emissions: 3 GHz - 18 GHz

Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final Result RMS

Plot # 25 Radiated Emissions: 9 kHz - 30 MHz


Channel: Mid

Final_Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
0.030074	-30.59	-13.00	17.59	100.0	0.100	100.0	H	230.0	-75.7

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
0.030074	3:37:36 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 26 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.991300	-50.82	-13.00	37.82	200.0	100.000	100.0	V	203.0	-114.1


(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
143.991300	5:42:28 PM - 7/3/2019




Plot # 27 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid



Plot # 28 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS

Plot # 29 Radiated Emissions: 18 GHz – 26 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final Result RMSE


Plot # 30 Radiated Emissions: 30 MHz - 1 GHz

Channel: High




Plot # 31 Radiated Emissions: 1 GHz - 3 GHz

Channel: High



Plot # 32 Radiated Emissions: 3 GHz - 18 GHz

Channel: High




Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

WCDMA Band IV


Plot # 33 Radiated Emissions: 30 MHz - 1 GHz

Channel: Low




Plot # 34 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low



Plot # 35 Radiated Emissions: 3 GHz - 18 GHz

Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 36 Radiated Emissions: 9 kHz - 30 MHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
0.030062	-33.81	-13.00	20.81	100.0	0.100	100.0	V	210.0	-75.7

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
0.030062	3:51:25 PM - 7/9/2019



— Preview Result 1-PK+ * Critical_Freqs PK+ — -13dBm ◆ Final_Result RMS


Plot # 37 Radiated Emissions: 30 MHz – 1 GHz

Channel: Mid




Plot # 38 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid



Plot # 39 Radiated Emissions: 3 GHz – 18GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS


Plot # 40 Radiated Emissions: 30 MHz - 1 GHz

Channel: High




Plot # 41 Radiated Emissions: 1 GHz - 3 GHz

Channel: High



Plot # 42 Radiated Emissions: 3 GHz - 18 GHz

Channel: High




Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMC

WCDMA Band V


Plot # 43 Radiated Emissions: 30 MHz - 1 GHz

Channel: Low



Plot # 44 Radiated Emissions: 1 GHz - 3 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 45 Radiated Emissions: 3 GHz - 9 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 46 Radiated Emissions: 9 kHz - 30 MHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 47 Radiated Emissions: 30 MHz – 1 GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
144.020330	-49.30	-13.00	36.30	500.0	100.000	100.0	V	226.0	-80.9


(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
144.020330	11:19:40 AM - 7/5/2019



Plot # 48 Radiated Emissions: 1 GHz - 3 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMC

Plot # 49 Radiated Emissions: 3 GHz – 9GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE


Plot # 50 Radiated Emissions: 30 MHz - 1 GHz

Channel: High



Plot # 51 Radiated Emissions: 1 GHz - 3 GHz


Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm FinaL_Result RMC

Plot # 52 Radiated Emissions: 3 GHz - 9 GHz

Channel: High



— Preview Result 1-PK+ * Critical_Freqs PK+ — -13dBm ◆ Final_Result RMSE

LTE Band 2

Plot # 53 Radiated Emissions: 30 MHz - 1 GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
107.993400	-52.02	-13.00	39.02	200.0	100.000	100.0	V	304.0	-115.7
131.999700	-57.21	-13.00	44.21	200.0	100.000	100.0	V	192.0	-113.9
143.998000	-47.62	-13.00	34.62	200.0	100.000	100.0	V	227.0	-114.1
275.986600	-59.94	-13.00	46.94	200.0	100.000	191.0	H	192.0	-113.1
287.989200	-74.50	-13.00	61.50	200.0	100.000	100.0	H	187.0	-112.9

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
107.993400	4:32:07 PM - 7/8/2019
131.999700	4:29:21 PM - 7/8/2019
143.998000	4:26:47 PM - 7/8/2019
275.986600	4:24:01 PM - 7/8/2019
287.989200	4:21:33 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 54 Radiated Emissions: 1 GHz - 3 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 55 Radiated Emissions: 3 GHz - 18 GHz

Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 56 Radiated Emissions: 9 kHz - 30 MHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
23.996747	-60.28	-13.00	47.28	500.0	9.000	100.0	H	220.0	-80.5

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
23.996747	2:32:34 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 57 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
107.997000	-51.84	-13.00	38.84	200.0	100.000	100.0	V	309.0	-115.7
131.997600	-56.59	-13.00	43.59	200.0	100.000	217.0	V	122.0	-113.9
143.988900	-47.77	-13.00	34.77	200.0	100.000	100.0	V	234.0	-114.1
275.990400	-54.16	-13.00	41.16	200.0	100.000	100.0	H	158.0	-113.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
107.997000	4:50:17 PM - 7/8/2019
131.997600	4:44:40 PM - 7/8/2019
143.988900	4:47:36 PM - 7/8/2019
275.990400	4:41:53 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 58 Radiated Emissions: 1 GHz - 3 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 59 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 60 Radiated Emissions: 18 GHz – 26 GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 61 Radiated Emissions: 30 MHz - 1 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
107.994300	-48.25	-13.00	35.25	200.0	100.000	100.0	V	329.0	-115.7
132.001800	-56.35	-13.00	43.35	200.0	100.000	217.0	V	130.0	-113.9
143.993300	-47.51	-13.00	34.51	200.0	100.000	100.0	V	234.0	-114.1
192.005100	-59.35	-13.00	46.35	200.0	100.000	100.0	V	227.0	-116.2
275.971400	-57.30	-13.00	44.30	200.0	100.000	100.0	H	311.0	-113.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
107.994300	5:11:49 PM - 7/8/2019
132.001800	5:01:03 PM - 7/8/2019
143.993300	5:03:58 PM - 7/8/2019
192.005100	5:06:26 PM - 7/8/2019
275.971400	5:09:15 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 62 Radiated Emissions: 1 GHz - 3 GHz


Channel: High



— Preview Result 1-PK+ * Critical_Freqs PK+ — -13dBm ◆ Final_Result RMSE

Plot # 63 Radiated Emissions: 3 GHz - 18 GHz

Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

LTE Band 4

Plot # 64 Radiated Emissions: 30 MHz - 1 GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
107.996400	-49.33	-13.00	36.33	200.0	100.000	100.0	V	306.0	-115.7
131.993900	-57.36	-13.00	44.36	200.0	100.000	100.0	V	207.0	-113.9
143.998100	-47.44	-13.00	34.44	200.0	100.000	100.0	V	228.0	-114.1
155.998400	-58.99	-13.00	45.99	200.0	100.000	100.0	V	152.0	-114.7
348.005500	-61.16	-13.00	48.16	200.0	100.000	234.0	H	156.0	-111.0

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
107.996400	5:50:48 PM - 7/8/2019
131.993900	5:42:51 PM - 7/8/2019
143.998100	5:48:05 PM - 7/8/2019
155.998400	5:45:24 PM - 7/8/2019
348.005500	5:39:53 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 65 Radiated Emissions: 1 GHz - 3 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 66 Radiated Emissions: 3 GHz - 18 GHz

Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMC

Plot # 67 Radiated Emissions: 9 kHz - 30 MHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
0.030079	-27.96	-13.00	14.96	100.0	0.100	100.0	H	289.0	-75.8

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
0.030079	2:18:56 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Fina_Result RMS

Plot # 68 Radiated Emissions: 30 MHz – 1 GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
108.002500	-49.67	-13.00	36.67	200.0	100.000	100.0	V	320.0	-115.7
132.005000	-57.19	-13.00	44.19	200.0	100.000	100.0	V	206.0	-113.9
143.998500	-47.70	-13.00	34.70	200.0	100.000	100.0	V	232.0	-114.1
155.989700	-59.41	-13.00	46.41	200.0	100.000	100.0	V	240.0	-114.7

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
108.002500	5:29:28 PM - 7/8/2019
132.005000	5:26:43 PM - 7/8/2019
143.998500	5:24:04 PM - 7/8/2019
155.989700	5:21:30 PM - 7/8/2019



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS

Plot # 69 Radiated Emissions: 1 GHz - 3 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 70 Radiated Emissions: 3 GHz – 18GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final Result RMSE

Plot # 71 Radiated Emissions: 30 MHz - 1 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
108.002300	-48.82	-13.00	35.82	200.0	100.000	100.0	V	318.0	-115.7
131.995600	-57.28	-13.00	44.28	200.0	100.000	100.0	V	192.0	-113.9
143.991900	-47.19	-13.00	34.19	200.0	100.000	100.0	V	217.0	-114.1
275.990300	-61.17	-13.00	48.17	200.0	100.000	100.0	H	310.0	-113.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
108.002300	6:10:58 PM - 7/8/2019
131.995600	6:02:40 PM - 7/8/2019
143.991900	6:05:25 PM - 7/8/2019
275.990300	6:08:15 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 72 Radiated Emissions: 1 GHz - 3 GHz

Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMC

Plot # 73 Radiated Emissions: 3 GHz - 18 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
4510.448000	-55.74	-13.00	42.74	200.0	1000.000	350.0	H	297.0	-101.3

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
4510.448000	12:42:28 PM - 7/10/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

LTE Band 5

Plot # 74 Radiated Emissions: 30 MHz - 1 GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.971460	-47.39	-13.00	34.39	500.0	100.000	100.0	V	234.0	-80.9

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.971460	3:17:16 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 75 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 76 Radiated Emissions: 3 GHz - 9 GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3314.867333	-65.48	-13.00	52.48	500.0	1000.000	100.0	H	97.0	-104.3

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
3314.867333	1:54:55 PM - 7/10/2019



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS

Plot # 77 Radiated Emissions: 9 kHz - 30 MHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 78 Radiated Emissions: 30 MHz – 1 GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.983060	-46.88	-13.00	33.88	500.0	100.000	100.0	V	225.0	-80.9

(continuation of the "Final Result" table from column 16 ...)


Frequency (MHz)	Comment
143.983060	3:06:56 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 79 Radiated Emissions: 1 GHz - 3 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 80 Radiated Emissions: 3 GHz – 9 GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

Plot # 81 Radiated Emissions: 30 MHz - 1 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.982720	-47.02	-13.00	34.02	500.0	100.000	100.0	V	228.0	-80.9

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.982720	3:37:50 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 82 Radiated Emissions: 1 GHz - 3 GHz

Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMC

Plot # 83 Radiated Emissions: 3 GHz - 9 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3045.308000	-65.16	-13.00	52.16	500.0	1000.000	343.0	V	137.0	-104.6
3263.390000	-65.34	-13.00	52.34	500.0	1000.000	350.0	V	89.0	-104.6
3373.928000	-65.69	-13.00	52.69	500.0	1000.000	341.0	H	165.0	-104.1
3620.468000	-65.54	-13.00	52.54	500.0	1000.000	231.0	H	254.0	-102.8

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
3045.308000	2:25:44 PM - 7/10/2019
3263.390000	2:28:34 PM - 7/10/2019
3373.928000	2:31:40 PM - 7/10/2019
3620.468000	2:34:15 PM - 7/10/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

LTE Band 7

Plot # 84 Radiated Emissions: 30 MHz - 1 GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
108.004100	-52.62	-13.00	39.62	200.0	100.000	100.0	V	308.0	-115.7
144.016000	-47.95	-13.00	34.95	200.0	100.000	100.0	V	227.0	-114.1
156.001100	-59.03	-13.00	46.03	200.0	100.000	100.0	V	236.0	-114.7
348.019300	-61.60	-13.00	48.60	200.0	100.000	225.0	H	153.0	-111.0

(continuation of the "Final Result" table from column 16 ...)


Frequency (MHz)	Comment
108.004100	6:50:48 PM - 7/8/2019
144.016000	6:45:23 PM - 7/8/2019
156.001100	6:48:03 PM - 7/8/2019
348.019300	6:42:26 PM - 7/8/2019



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final Result RMS

Plot # 85 Radiated Emissions: 1 GHz - 3 GHz


Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMS

Plot # 86 Radiated Emissions: 3 GHz - 18 GHz

Channel: Low



— Preview Result 1-PK+ * Critical_Freqs PK+ — -13dBm ◆ Final_Result RMC

Plot # 87 Radiated Emissions: 9 kHz - 30 MHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
23.999854	-60.99	-13.00	47.99	500.0	9.000	261.0	H	209.0	-80.5

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
23.999854	1:53:28 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 88 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
107.996000	-50.38	-13.00	37.38	200.0	100.000	100.0	V	302.0	-115.7
132.000400	-58.62	-13.00	45.62	200.0	100.000	100.0	V	207.0	-113.9
143.990800	-47.26	-13.00	34.26	200.0	100.000	100.0	V	229.0	-114.1
348.001100	-55.68	-13.00	42.68	200.0	100.000	144.0	H	213.0	-111.0

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
107.996000	6:31:19 PM - 7/8/2019
132.000400	6:26:00 PM - 7/8/2019
143.990800	6:28:37 PM - 7/8/2019
348.001100	6:23:09 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 89 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMC

Plot # 90 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3760.910667	-56.92	-13.00	43.92	200.0	1000.000	300.0	H	162.0	-102.3

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
3760.910667	12:53:41 PM - 7/10/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 91 Radiated Emissions: 18 GHz – 26 GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 92 Radiated Emissions: 30 MHz - 1 GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
107.996200	-52.12	-13.00	39.12	200.0	100.000	100.0	V	312.0	-115.7
131.987900	-57.04	-13.00	44.04	200.0	100.000	100.0	V	226.0	-113.9
143.999300	-47.47	-13.00	34.47	200.0	100.000	100.0	V	228.0	-114.1
276.011800	-57.20	-13.00	44.20	200.0	100.000	100.0	H	299.0	-113.1

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
107.996200	7:10:17 PM - 7/8/2019
131.987900	7:02:05 PM - 7/8/2019
143.999300	7:04:40 PM - 7/8/2019
276.011800	7:07:33 PM - 7/8/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 93 Radiated Emissions: 1 GHz - 3 GHz


Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Final_Result RMSE

Plot # 94 Radiated Emissions: 3 GHz - 18 GHz

Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMSE

LTE Band 12

Plot # 95 Radiated Emissions: 30 MHz – 1GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.971570	-58.71	-13.00	45.71	500.0	100.000	100.0	V	193.0	-80.9

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.971570	12:10:48 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 96 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 97 Radiated Emissions: 3 GHz – 9 GHz


Channel: Low

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
3289.719333	-65.37	-13.00	52.37	500.0	1000.000	164.0	H	162.0	-104.4
3538.906000	-65.37	-13.00	52.37	500.0	1000.000	132.0	H	34.0	-103.5

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
3289.719333	1:27:42 PM - 7/10/2019
3538.906000	1:30:55 PM - 7/10/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 98 Radiated Emissions: 9 kHz - 30 MHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
0.520671	-32.53	-13.00	19.53	500.0	9.000	100.0	H	70.0	-79.7
1.557356	-39.27	-13.00	26.27	500.0	9.000	107.0	H	71.0	-79.4

(continuation of the "Final_Result" table from column 16 ...)

Frequency (MHz)	Comment
0.520671	1:29:33 PM - 7/9/2019
1.557356	1:36:24 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 99 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.986560	-57.98	-13.00	44.98	500.0	100.000	100.0	V	181.0	-80.9

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.986560	11:57:33 AM - 7/9/2019



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm FinaL_Result RMS

Plot # 100 Radiated Emissions: 1 GHz - 3 GHz


Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMC

Plot # 101 Radiated Emissions: 3 GHz – 9 GHz

Channel: Mid



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm ◆ Final_Result RMC

Plot # 102 Radiated Emissions: 30 MHz – 1GHz


Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
143.989710	-57.97	-13.00	44.97	500.0	100.000	100.0	V	169.0	-80.9

(continuation of the "Final_Result" table from column 16 ...)


Frequency (MHz)	Comment
143.989710	12:22:57 PM - 7/9/2019



— Preview Result 1-PK+
 * Critical_Freqs PK+
 — -13dBm
 ◆ Final_Result RMS

Plot # 103 Radiated Emissions: 1 GHz - 3 GHz


Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm Fina_Result RMSE

Plot # 104 Radiated Emissions: 3 GHz – 9 GHz

Channel: High



Preview Result 1-PK+ * Critical_Freqs PK+ -13dBm FinaL_Result RMSE

8 Test setup photo

Setup photos are included in supporting file name: "EMC_PRATT-004-19001_ISED_Setup_Photos.pdf"

9 Test Equipment And Ancillaries Used For Testing

Equipment Type	Manufacturer	Model	Serial #	Calibration Cycle	Last Calibration Date
PASSIVE LOOP ANTENNA	ETS LINDGREN	6512	00164698	3 YEARS	08/08/2017
BILOG ANTENNA	TESEO	CBL 6141B	41106	3 YEARS	11/01/2017
HORN ANTENNA	EMCO	3115	00035114	3 YEARS	07/31/2017
HORN ANTENNA	ETS LINDGREN	3117	00167061	3 YEARS	08/08/2017
HORN ANTENNA	ETS LINDGREN	3116C	00166821	3 YEARS	09/24/2017
UNIVERSAL RADIO COMMUNICATION TESTER	R&S	CMU 200	101821	3 YEARS	07/06/2017
WIDEBAND RADIO COMMUNICATION	R&S	CMW500	127068	3 YEARS	07/01/2017
SIGNAL ANALYZER	R&S	FSV 40	101022	3 YEARS	07/05/2017
COMPACT DIGITAL BAROMETER	CONTROL COMPANY	35519-055	91119547	3 YEARS	06/20/2017
DIGITAL THRMOMETER	CONTROL COMPANY	36934-164	191871994	2 YEARS	01/10/2019

Note: Equipment used meets the measurement uncertainty requirements as required per applicable standards for 95% confidence levels.

Calibration due dates, unless defined specifically, falls on the last day of the month. Items indicated "N/A" for cal status either do not specifically require calibration or is internally characterized before use.

10 Revision History

Date	Report Name	Changes to report	Report prepared by
2019-12-13	EMC_PRATT-004-19001_FCC_22_24_27_ISED	Initial version	Yuchan Lu