


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dB/m	dB					
41.99	54.00	-12.01	400	315	Average	Horizontal	
51.28	74.00	-22.95	400	315	Peak	Horizontal	
42.48	68.20	-17.65	400	95	Peak	Horizontal	
39.70	54.00	-14.30	300	133	Average	Horizontal	
46.67	74.00	-24.08	300	133	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dB/m	dB					
48.18	54.00	-5.82	300	274	Average	Vertical	
56.32	74.00	-17.68	300	274	Peak	Vertical	
53.51	68.20	-14.69	394	360	Peak	Vertical	
39.49	54.00	-14.51	200	74	Average	Vertical	
47.74	74.00	-23.01	200	74	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.00	48.12	48.59	-0.47	54.00	-5.88	213	360 Average	Horizontal	
2 11490.00	57.46	57.87	-0.47	74.00	-16.60	213	360 Peak	Horizontal	
3 17235.00	68.42	52.41	8.01	68.20	-7.78	300	248 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.00	53.89	54.55	-0.66	54.00	-0.11	400	76 Average	Vertical	
2 11490.00	63.36	64.02	-0.66	74.00	-10.64	400	76 Peak	Vertical	
3 17235.00	66.25	58.22	8.03	68.20	-1.95	400	119 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	47.18	47.41	-0.31	54.00	-6.90	242	360	Average Horizontal
2	11570.00	55.27	55.58	-0.31	74.00	-18.73	242	360	Peak Horizontal
3	17355.00	63.84	55.64	8.20	68.20	-4.36	300	246	Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	48.43	48.87	-0.44	54.00	-5.57	300	48	Average Vertical
2	11570.00	60.29	60.73	-0.44	74.00	-13.71	300	48	Peak Vertical
3	17355.00	63.58	55.51	8.07	68.20	-4.62	400	110	Peak Vertical


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit	cm	deg					
Factor	dB/m	dBuV/m							
dBuV	dB/m	dBuV/m							
1	11650.00	45.29	45.45	-0.16	54.00	-0.71	300	322 Average	Horizontal
2	11650.00	56.02	56.18	-0.16	74.00	-17.98	300	322 Peak	Horizontal
3	17475.00	62.02	53.62	8.40	68.20	-6.18	400	273 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit	cm	deg					
Factor	dB/m	dBuV/m							
dBuV	dB/m	dBuV/m							
1	11650.00	51.24	51.45	-0.21	54.00	-2.76	300	273 Average	Vertical
2	11650.00	58.67	58.88	-0.21	74.00	-15.33	300	273 Peak	Vertical
3	17475.00	62.38	54.84	8.26	68.20	-5.90	300	224 Peak	Vertical


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
11490.00	11490.00	17235.00
49.56	58.03	60.69
50.83	58.50	52.68
-0.47	-0.47	8.01
54.00	74.00	68.20
-4.44	-15.97	-7.51
400	400	400
335	315	107
Average	Peak	Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
11490.00	11490.00	17235.00
52.00	61.62	64.70
52.66	62.28	56.67
-0.66	-0.66	8.03
54.00	74.00	68.20
-2.00	-12.30	-3.50
400	400	400
315	315	96
Average	Peak	Peak
Vertical	Vertical	Vertical


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	47.38	47.69	-0.31	54.00	-6.62	400	339 Average	Horizontal
2	11570.00	55.49	55.80	-0.31	74.00	-18.51	400	339 Peak	Horizontal
3	17355.00	63.17	54.97	8.20	68.20	-5.03	400	224 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	59.34	59.78	-0.44	74.00	-14.66	244	293 Peak	Vertical
2	11570.00	51.20	51.64	-0.44	74.00	-22.80	244	293 Peak	Vertical
3	17355.00	67.47	59.40	8.07	68.20	-0.73	400	109 Peak	Vertical


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	44.13	44.29	-0.16	54.00	-9.87	286	360	Average Horizontal
2	11650.00	52.60	52.76	-0.16	74.00	-21.40	206	360	Peak Horizontal
3	17475.00	60.05	51.65	8.40	68.20	-8.15	300	245	Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	50.67	50.88	-0.21	54.00	-3.33	400	317	Average Vertical
2	11650.00	57.46	57.67	-0.21	74.00	-16.54	400	317	Peak Vertical
3	17475.00	62.50	54.24	8.26	68.20	-5.70	300	222	Peak Vertical


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11510.00	46.34	46.76	-0.42	54.00	-7.66	400	338 Average	Horizontal
2	11510.00	54.12	54.54	-0.42	74.00	-19.88	400	338 Peak	Horizontal
3	17265.00	57.06	48.98	8.08	68.20	-11.14	400	114 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11510.00	49.74	50.35	-0.61	54.00	-4.26	400	76 Average	Vertical
2	11510.00	58.16	58.77	-0.61	74.00	-15.84	400	76 Peak	Vertical
3	17265.00	62.41	54.46	7.95	68.20	-5.79	400	104 Peak	Vertical


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	11596.00	43.96	44.23	-0.27	54.00	-10.04	400	326	Average	Horizontal	
2	11590.00	51.15	51.42	-0.27	74.00	-22.85	400	326	Peak	Horizontal	
3	17385.00	60.52	52.28	8.24	68.20	-7.68	400	227	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	11596.00	46.92	47.30	-0.38	54.00	-7.08	300	57	Average	Vertical	
2	11590.00	55.14	55.52	-0.38	74.00	-18.86	300	57	Peak	Vertical	
3	17385.00	62.14	53.94	8.20	68.20	-6.06	400	3	Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	40.37	40.71	-0.34	54.00	-13.63	400	348 Average	Horizontal
2	11550.00	51.13	51.47	-0.34	74.00	-22.87	400	348 Peak	Horizontal
3	17325.00	57.90	49.73	8.17	68.20	-10.30	400	98 Peak	Horizontal




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	45.48	45.89	-0.49	54.00	-8.60	300	76 Average	Vertical
2	11550.00	55.49	55.98	-0.49	74.00	-18.51	300	76 Peak	Vertical
3	17325.00	60.43	52.48	7.95	68.20	-7.77	400	107 Peak	Vertical

Mains Conducted Emission, 150kHz ~ 30MHz
<EUT with Adapter 1>



<EUT with Adapter 2>

