

5. Unwanted Emissions InStandard Non-restricted Frequency Bands

5.1 Ref



5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	9.86
		2437	1	9.71
		2462	1	9.59
802.11g	SISO	2412	1	5.07
		2437	1	4.99
		2462	1	4.91
802.11n (HT20)	SISO	2412	1	3.83
		2437	1	3.95
		2462	1	3.52
802.11n (HT40)	SISO	2422	1	-1.88
		2437	1	-3.60
		2452	1	-3.86


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.


5.1.2 Test Graph




802.11b_HCH_2462MHz_Ant1 (SISO) NTN




802.11g_LCH_2412MHz_Ant1 (SISO) NTN




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20) HCH_2462MHz_Ant1 (SISO) NTN




802.11n(HT40) LCH_2422MHz_Ant1 (SISO) NTN



802.11n(HT40)_MCH_2437MHz_Ant1(SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1(SISO)_NTNV





5.2 CSE

5.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	9.86	-10.14	Pass
		2437	1	9.86	-10.14	Pass
		2462	1	9.86	-10.14	Pass
802.11g	SISO	2412	1	5.07	-14.93	Pass
		2437	1	5.07	-14.93	Pass
		2462	1	5.07	-14.93	Pass
802.11n (HT20)	SISO	2412	1	3.95	-16.05	Pass
		2437	1	3.95	-16.05	Pass
		2462	1	3.95	-16.05	Pass
802.11n (HT40)	SISO	2422	1	-1.88	-21.88	Pass
		2437	1	-1.88	-21.88	Pass
		2452	1	-1.88	-21.88	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.
Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.


5.2.2 Test Graph




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO) NTN




802.11g_LCH_2412MHz_Ant1 (SISO) NTN




802.11g_LCH_2412MHz_Ant1 (SISO) NTN




802.11g_MCH_2437MHz_Ant1 (SISO) NTN




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1(SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1(SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1(SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1(SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40) HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40) HCH_2452MHz_Ant1 (SISO)_NTNV

