




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



3. Maximum Conducted Output Power


3.1 Power

3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	12.59	<=23.98	Pass
		5200	12.70	<=23.98	Pass
		5240	12.92	<=23.98	Pass
		5745	11.04	<=30	Pass
		5785	10.16	<=30	Pass
		5825	9.30	<=30	Pass
802.11n (HT20)	SISO	5180	11.89	<=23.98	Pass
		5200	12.69	<=23.98	Pass
		5240	12.72	<=23.98	Pass
		5745	11.22	<=30	Pass
		5785	10.31	<=30	Pass
		5825	9.41	<=30	Pass
802.11n (HT40)	SISO	5190	12.92	<=23.98	Pass
		5230	12.85	<=23.98	Pass
		5755	11.31	<=30	Pass
		5795	11.06	<=30	Pass
802.11ac (VHT20)	SISO	5180	11.22	<=23.98	Pass
		5200	11.32	<=23.98	Pass
		5240	11.45	<=23.98	Pass
		5745	9.89	<=30	Pass
		5785	8.92	<=30	Pass
		5825	8.08	<=30	Pass
802.11ac (VHT40)	SISO	5190	11.28	<=23.98	Pass
		5230	11.42	<=23.98	Pass
		5755	9.40	<=30	Pass
		5795	8.71	<=30	Pass
802.11ac (VHT80)	SISO	5210	10.83	<=23.98	Pass
		5775	8.66	<=30	Pass

Note1: Antenna Gain: Ant1: 1.89dBi;


3.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



4. Maximum Power Spectral Density



4.1 PSD

4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	2.60	<=11	Pass
		5200	2.78	<=11	Pass
		5240	2.98	<=11	Pass
802.11n (HT20)	SISO	5180	1.75	<=11	Pass
		5200	2.71	<=11	Pass
		5240	2.71	<=11	Pass
802.11n (HT40)	SISO	5190	-0.37	<=11	Pass
		5230	-0.11	<=11	Pass
802.11ac (VHT20)	SISO	5180	0.82	<=11	Pass
		5200	1.12	<=11	Pass
		5240	1.14	<=11	Pass
802.11ac (VHT40)	SISO	5190	-1.86	<=11	Pass
		5230	-1.37	<=11	Pass
802.11ac (VHT80)	SISO	5210	-5.01	<=11	Pass

Note1: Antenna Gain: Ant1: 1.89dBi;


4.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV





4.2 PSD-Band3

4.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	-1.39	<=30	Pass
		5785	-1.79	<=30	Pass
		5825	-3.06	<=30	Pass
802.11n (HT20)	SISO	5745	-1.16	<=30	Pass
		5785	-2.28	<=30	Pass
		5825	-2.71	<=30	Pass
802.11n (HT40)	SISO	5755	-4.14	<=30	Pass
		5795	-4.59	<=30	Pass
802.11ac (VHT20)	SISO	5745	-3.38	<=30	Pass
		5785	-3.91	<=30	Pass
		5825	-4.72	<=30	Pass
802.11ac (VHT40)	SISO	5755	-5.91	<=30	Pass
		5795	-6.83	<=30	Pass
802.11ac (VHT80)	SISO	5775	-9.90	<=30	Pass

Note1: Antenna Gain: Ant1: 3.56dBi;


4.2.2 Test Graph




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Temperature (°C)	Ant1			Verdict
				Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	
802.11a	SISO	5180	20	102	5179.960	5150 to 5250	Pass
				120	5179.940	5150 to 5250	Pass
				138	5179.960	5150 to 5250	Pass
			-30	120	5179.900	5150 to 5250	Pass
			-20	120	5179.960	5150 to 5250	Pass
			-10	120	5179.920	5150 to 5250	Pass
			0	120	5179.940	5150 to 5250	Pass
			10	120	5179.940	5150 to 5250	Pass
			30	120	5179.940	5150 to 5250	Pass
			40	120	5179.940	5150 to 5250	Pass
		50	120	5179.940	5150 to 5250	Pass	
		5200	20	102	5199.960	5150 to 5250	Pass
				120	5199.920	5150 to 5250	Pass
				138	5199.980	5150 to 5250	Pass
			-30	120	5199.960	5150 to 5250	Pass
			-20	120	5199.960	5150 to 5250	Pass
			-10	120	5199.940	5150 to 5250	Pass
			0	120	5199.940	5150 to 5250	Pass
			10	120	5199.960	5150 to 5250	Pass
			30	120	5199.920	5150 to 5250	Pass
			40	120	5199.940	5150 to 5250	Pass
		50	120	5199.960	5150 to 5250	Pass	
		5240	20	102	5239.960	5150 to 5250	Pass
				120	5239.940	5150 to 5250	Pass
				138	5239.960	5150 to 5250	Pass
			-30	120	5239.960	5150 to 5250	Pass
			-20	120	5239.940	5150 to 5250	Pass
			-10	120	5239.960	5150 to 5250	Pass
			0	120	5239.940	5150 to 5250	Pass
			10	120	5239.940	5150 to 5250	Pass
			30	120	5239.940	5150 to 5250	Pass
			40	120	5239.940	5150 to 5250	Pass
		50	120	5239.940	5150 to 5250	Pass	
		5745	20	102	5744.940	5725 to 5850	Pass
				120	5744.940	5725 to 5850	Pass
				138	5744.940	5725 to 5850	Pass
			-30	120	5744.940	5725 to 5850	Pass
			-20	120	5744.960	5725 to 5850	Pass
			-10	120	5744.940	5725 to 5850	Pass
			0	120	5744.920	5725 to 5850	Pass
			10	120	5744.940	5725 to 5850	Pass
			30	120	5744.940	5725 to 5850	Pass
			40	120	5744.920	5725 to 5850	Pass
		50	120	5744.960	5725 to 5850	Pass	
		5785	20	102	5784.960	5725 to 5850	Pass
120	5784.940			5725 to 5850	Pass		

802.11n (HT20)	SISO			138	5784.940	5725 to 5850	Pass	
			-30	120	5784.940	5725 to 5850	Pass	
			-20	120	5784.920	5725 to 5850	Pass	
			-10	120	5784.940	5725 to 5850	Pass	
			0	120	5784.940	5725 to 5850	Pass	
			10	120	5784.940	5725 to 5850	Pass	
			30	120	5784.920	5725 to 5850	Pass	
			40	120	5784.980	5725 to 5850	Pass	
			50	120	5784.940	5725 to 5850	Pass	
			5825	20	102	5824.940	5725 to 5850	Pass
					120	5824.940	5725 to 5850	Pass
					138	5824.960	5725 to 5850	Pass
				-30	120	5824.960	5725 to 5850	Pass
				-20	120	5824.960	5725 to 5850	Pass
		-10		120	5824.940	5725 to 5850	Pass	
		0		120	5824.960	5725 to 5850	Pass	
		10		120	5824.960	5725 to 5850	Pass	
		30		120	5824.960	5725 to 5850	Pass	
		40		120	5824.960	5725 to 5850	Pass	
		50		120	5824.960	5725 to 5850	Pass	
		5180		20	102	5179.940	5150 to 5250	Pass
					120	5179.940	5150 to 5250	Pass
					138	5179.960	5150 to 5250	Pass
			-30	120	5179.860	5150 to 5250	Pass	
			-20	120	5179.900	5150 to 5250	Pass	
			-10	120	5180.020	5150 to 5250	Pass	
			0	120	5179.980	5150 to 5250	Pass	
			10	120	5179.940	5150 to 5250	Pass	
			30	120	5179.920	5150 to 5250	Pass	
			40	120	5179.920	5150 to 5250	Pass	
			50	120	5179.920	5150 to 5250	Pass	
			5200	20	102	5199.940	5150 to 5250	Pass
					120	5199.920	5150 to 5250	Pass
138	5199.960				5150 to 5250	Pass		
-30	120	5199.960		5150 to 5250	Pass			
-20	120	5199.960		5150 to 5250	Pass			
-10	120	5199.960		5150 to 5250	Pass			
0	120	5199.980		5150 to 5250	Pass			
10	120	5199.940		5150 to 5250	Pass			
30	120	5199.960		5150 to 5250	Pass			
40	120	5199.960		5150 to 5250	Pass			
50	120	5199.940		5150 to 5250	Pass			
5240	20	102		5239.940	5150 to 5250	Pass		
		120		5239.940	5150 to 5250	Pass		
		138		5239.940	5150 to 5250	Pass		
	-30	120	5239.980	5150 to 5250	Pass			
	-20	120	5239.940	5150 to 5250	Pass			
	-10	120	5239.920	5150 to 5250	Pass			
	0	120	5239.940	5150 to 5250	Pass			
	10	120	5239.960	5150 to 5250	Pass			
	30	120	5239.940	5150 to 5250	Pass			
	40	120	5239.940	5150 to 5250	Pass			
	50	120	5239.920	5150 to 5250	Pass			
	5745	20	102	5744.940	5725 to 5850	Pass		
			120	5744.940	5725 to 5850	Pass		
			138	5744.940	5725 to 5850	Pass		
-30		120	5744.940	5725 to 5850	Pass			
-20		120	5744.940	5725 to 5850	Pass			
-10		120	5744.940	5725 to 5850	Pass			

			0	120	5744.960	5725 to 5850	Pass		
			10	120	5744.940	5725 to 5850	Pass		
			30	120	5744.940	5725 to 5850	Pass		
			40	120	5744.940	5725 to 5850	Pass		
		50	120	5744.980	5725 to 5850	Pass			
		5785	20	102	5784.940	5725 to 5850	Pass		
				120	5784.960	5725 to 5850	Pass		
				138	5784.920	5725 to 5850	Pass		
			-30	120	5784.920	5725 to 5850	Pass		
			-20	120	5784.960	5725 to 5850	Pass		
			-10	120	5784.940	5725 to 5850	Pass		
			0	120	5784.940	5725 to 5850	Pass		
			10	120	5784.920	5725 to 5850	Pass		
			30	120	5784.940	5725 to 5850	Pass		
			40	120	5784.940	5725 to 5850	Pass		
			50	120	5784.940	5725 to 5850	Pass		
			5825	20	102	5824.960	5725 to 5850	Pass	
		120			5824.960	5725 to 5850	Pass		
		138			5824.940	5725 to 5850	Pass		
		-30		120	5824.920	5725 to 5850	Pass		
		-20		120	5824.920	5725 to 5850	Pass		
		-10		120	5824.960	5725 to 5850	Pass		
		0		120	5824.960	5725 to 5850	Pass		
		10		120	5824.960	5725 to 5850	Pass		
		30		120	5824.960	5725 to 5850	Pass		
		40		120	5824.940	5725 to 5850	Pass		
		50		120	5824.960	5725 to 5850	Pass		
		802.11n (HT40)		SISO	5190	20	102	5189.880	5150 to 5250
			120				5189.920	5150 to 5250	Pass
			138				5189.960	5150 to 5250	Pass
			-30			120	5190.000	5150 to 5250	Pass
			-20			120	5189.920	5150 to 5250	Pass
			-10			120	5189.920	5150 to 5250	Pass
			0			120	5189.960	5150 to 5250	Pass
			10			120	5189.920	5150 to 5250	Pass
			30			120	5189.920	5150 to 5250	Pass
			40			120	5189.960	5150 to 5250	Pass
			50			120	5189.880	5150 to 5250	Pass
			5230			20	102	5229.920	5150 to 5250
					120		5229.920	5150 to 5250	Pass
138	5229.920				5150 to 5250		Pass		
-30	120				5229.880	5150 to 5250	Pass		
-20	120				5230.000	5150 to 5250	Pass		
-10	120				5229.920	5150 to 5250	Pass		
0	120				5229.920	5150 to 5250	Pass		
10	120				5229.960	5150 to 5250	Pass		
30	120		5229.920		5150 to 5250	Pass			
40	120	5229.960	5150 to 5250	Pass					
50	120	5229.920	5150 to 5250	Pass					
5755	20	102	5754.920	5725 to 5850	Pass				
		120	5754.960	5725 to 5850	Pass				
		138	5754.920	5725 to 5850	Pass				
	-30	120	5754.920	5725 to 5850	Pass				
	-20	120	5755.000	5725 to 5850	Pass				
	-10	120	5754.960	5725 to 5850	Pass				
	0	120	5754.920	5725 to 5850	Pass				
	10	120	5754.960	5725 to 5850	Pass				
30	120	5754.960	5725 to 5850	Pass					
40	120	5754.960	5725 to 5850	Pass					

802.11ac (VHT20)	SISO	5795	50	120	5754.920	5725 to 5850	Pass	
			20	102	5794.880	5725 to 5850	Pass	
				120	5794.920	5725 to 5850	Pass	
				138	5794.960	5725 to 5850	Pass	
			-30	120	5794.920	5725 to 5850	Pass	
			-20	120	5794.960	5725 to 5850	Pass	
			-10	120	5794.960	5725 to 5850	Pass	
			0	120	5794.920	5725 to 5850	Pass	
			10	120	5794.920	5725 to 5850	Pass	
			30	120	5795.000	5725 to 5850	Pass	
			40	120	5794.920	5725 to 5850	Pass	
			50	120	5794.920	5725 to 5850	Pass	
			5180	20	102	5179.940	5150 to 5250	Pass
					120	5179.960	5150 to 5250	Pass
					138	5179.940	5150 to 5250	Pass
				-30	120	5179.920	5150 to 5250	Pass
				-20	120	5179.940	5150 to 5250	Pass
				-10	120	5179.940	5150 to 5250	Pass
				0	120	5179.920	5150 to 5250	Pass
10	120	5179.940		5150 to 5250	Pass			
30	120	5179.940		5150 to 5250	Pass			
40	120	5179.940		5150 to 5250	Pass			
50	120	5179.960		5150 to 5250	Pass			
5200	20	102		5199.900	5150 to 5250	Pass		
		120		5199.920	5150 to 5250	Pass		
		138	5199.960	5150 to 5250	Pass			
	-30	120	5199.960	5150 to 5250	Pass			
	-20	120	5199.960	5150 to 5250	Pass			
	-10	120	5199.960	5150 to 5250	Pass			
	0	120	5199.960	5150 to 5250	Pass			
	10	120	5199.940	5150 to 5250	Pass			
	30	120	5199.920	5150 to 5250	Pass			
	40	120	5199.920	5150 to 5250	Pass			
50	120	5199.920	5150 to 5250	Pass				
5240	20	102	5239.920	5150 to 5250	Pass			
		120	5239.920	5150 to 5250	Pass			
		138	5239.960	5150 to 5250	Pass			
	-30	120	5239.940	5150 to 5250	Pass			
	-20	120	5239.960	5150 to 5250	Pass			
	-10	120	5239.920	5150 to 5250	Pass			
	0	120	5239.940	5150 to 5250	Pass			
	10	120	5239.900	5150 to 5250	Pass			
	30	120	5239.920	5150 to 5250	Pass			
	40	120	5240.000	5150 to 5250	Pass			
50	120	5239.940	5150 to 5250	Pass				
5745	20	102	5744.920	5725 to 5850	Pass			
		120	5744.960	5725 to 5850	Pass			
		138	5744.960	5725 to 5850	Pass			
	-30	120	5744.900	5725 to 5850	Pass			
	-20	120	5744.940	5725 to 5850	Pass			
	-10	120	5744.920	5725 to 5850	Pass			
	0	120	5744.900	5725 to 5850	Pass			
	10	120	5744.940	5725 to 5850	Pass			
	30	120	5744.920	5725 to 5850	Pass			
	40	120	5744.880	5725 to 5850	Pass			
50	120	5744.960	5725 to 5850	Pass				
5785	20	102	5784.920	5725 to 5850	Pass			
		120	5784.920	5725 to 5850	Pass			
		138	5784.940	5725 to 5850	Pass			

			-30	120	5784.940	5725 to 5850	Pass	
			-20	120	5784.940	5725 to 5850	Pass	
			-10	120	5784.980	5725 to 5850	Pass	
			0	120	5785.000	5725 to 5850	Pass	
			10	120	5784.940	5725 to 5850	Pass	
			30	120	5784.940	5725 to 5850	Pass	
			40	120	5784.940	5725 to 5850	Pass	
			50	120	5784.920	5725 to 5850	Pass	
			5825	20	102	5824.980	5725 to 5850	Pass
					120	5824.920	5725 to 5850	Pass
					138	5824.920	5725 to 5850	Pass
				-30	120	5824.920	5725 to 5850	Pass
				-20	120	5824.940	5725 to 5850	Pass
				-10	120	5824.940	5725 to 5850	Pass
		0		120	5824.940	5725 to 5850	Pass	
		10		120	5824.920	5725 to 5850	Pass	
		30		120	5824.940	5725 to 5850	Pass	
		40		120	5824.940	5725 to 5850	Pass	
		50		120	5824.980	5725 to 5850	Pass	
		5190		20	102	5190.000	5150 to 5250	Pass
					120	5189.880	5150 to 5250	Pass
					138	5189.840	5150 to 5250	Pass
			-30	120	5189.960	5150 to 5250	Pass	
			-20	120	5189.920	5150 to 5250	Pass	
			-10	120	5189.920	5150 to 5250	Pass	
			0	120	5189.920	5150 to 5250	Pass	
			10	120	5190.000	5150 to 5250	Pass	
			30	120	5189.920	5150 to 5250	Pass	
40	120		5189.960	5150 to 5250	Pass			
50	120		5189.920	5150 to 5250	Pass			
5230	20		102	5229.960	5150 to 5250	Pass		
			120	5229.960	5150 to 5250	Pass		
			138	5229.960	5150 to 5250	Pass		
	-30	120	5229.920	5150 to 5250	Pass			
	-20	120	5229.920	5150 to 5250	Pass			
	-10	120	5229.960	5150 to 5250	Pass			
	0	120	5229.920	5150 to 5250	Pass			
	10	120	5229.960	5150 to 5250	Pass			
	30	120	5229.960	5150 to 5250	Pass			
	40	120	5230.000	5150 to 5250	Pass			
	50	120	5229.960	5150 to 5250	Pass			
	5755	20	102	5754.920	5725 to 5850	Pass		
			120	5754.920	5725 to 5850	Pass		
			138	5754.920	5725 to 5850	Pass		
-30		120	5754.960	5725 to 5850	Pass			
-20		120	5754.920	5725 to 5850	Pass			
-10		120	5754.960	5725 to 5850	Pass			
0		120	5754.880	5725 to 5850	Pass			
10		120	5754.960	5725 to 5850	Pass			
30		120	5754.960	5725 to 5850	Pass			
40		120	5754.920	5725 to 5850	Pass			
50		120	5754.920	5725 to 5850	Pass			
5795		20	102	5794.960	5725 to 5850	Pass		
			120	5794.920	5725 to 5850	Pass		
			138	5794.920	5725 to 5850	Pass		
	-30	120	5794.920	5725 to 5850	Pass			
	-20	120	5794.960	5725 to 5850	Pass			
	-10	120	5794.920	5725 to 5850	Pass			
0	120	5794.920	5725 to 5850	Pass				

			10	120	5794.920	5725 to 5850	Pass
			30	120	5794.960	5725 to 5850	Pass
			40	120	5794.920	5725 to 5850	Pass
			50	120	5794.960	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	20	102	5209.925	5150 to 5250	Pass
				120	5209.850	5150 to 5250	Pass
				138	5210.000	5150 to 5250	Pass
			-30	120	5209.850	5150 to 5250	Pass
			-20	120	5209.850	5150 to 5250	Pass
			-10	120	5209.925	5150 to 5250	Pass
			0	120	5209.925	5150 to 5250	Pass
			10	120	5210.000	5150 to 5250	Pass
			30	120	5209.850	5150 to 5250	Pass
			40	120	5209.850	5150 to 5250	Pass
		50	120	5210.000	5150 to 5250	Pass	
		5775	20	102	5774.925	5725 to 5850	Pass
				120	5774.925	5725 to 5850	Pass
				138	5774.850	5725 to 5850	Pass
			-30	120	5774.925	5725 to 5850	Pass
			-20	120	5774.925	5725 to 5850	Pass
			-10	120	5775.000	5725 to 5850	Pass
			0	120	5774.925	5725 to 5850	Pass
			10	120	5774.925	5725 to 5850	Pass
			30	120	5774.925	5725 to 5850	Pass
			40	120	5774.925	5725 to 5850	Pass
			50	120	5774.925	5725 to 5850	Pass