

authorization.

Support


To acquire product installation video and more product information Add the public account imxingzhe can obtain more help

Shanghai Dabuziduo Information Technology Co., Ltd.

Address: Floor B1, Building No.3, Wisdom and Creation World, No. 316, Songhu Road, Yangpu District, Shanghai Tel: 021-31600166 Fax: 021-31600166


2. Install Cadence Magnet

Tear the Sticky tape at the back of magnet; cross the ribbon through the hole in cadence magnet and tie it to the back of left crank pedal.



3. Install Driving Mate

Align the location of cadence induction point indicated in cadence device to cadence magnet; after confirming the installation position of Bluetooth cadence device, bind the cadence device to the lower rear fork with ribbon.





How to connect

Download XING ZHE APP, register and log in.

Manner 1. please scan the two-dimension code at right side to download. Manner 2, please enter into the APP Store and search "XING ZHE"

> (Note: the Cell phone hardware shall support Bluetooth 4.0, Android 4.3 or IOS 7.0 system.)

sure that the magnet aligns to induction point)

① The LED indicator light will blink for 10 seconds after arousing; the broadcasting time of Bluetooth is 1 minute, please make sure to connect "Fin" within this time.

(2) The white blinking of indicator light means sufficient electricity while the red blinking means insufficient electricity; please replace battery in time.

4. Click "Xingzhe-Qi" to connect; after succeeding, it will display speed, cadence, air pressure, temperature and altitude after calibration. It is necessary to set wheel diameter when connecting for the first time: click "Set Wheel Diameter" can select to check table or customize.

(When connecting successfully for the first time, APP will search and connect automatically when launching the next time; please keep the device in aroused state-highlight)

5. After connecting successfully, please return to "Sport" interface; by clicking start can check the real-time speed and cadence data: click "setting" at upper right corner to open "detail data" can see the altitude, climbing and gradient after calibration. When finishing riding, it is possible to check the sport chart in the historic record.

4. Damage caused by dismantling of personnel without

Visit www.imxingzhe.com

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance

could void the user's authority to operate the equipment. This device complies with Part

15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.