





Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission





Right Ear:


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	Hopping	-64.07	-20	Pass
NVNT	1-DH5	2480	Ant	Hopping	-65.73	-20	Pass
NVNT	2-DH5	2402	Ant	Hopping	-64.45	-20	Pass
NVNT	2-DH5	2480	Ant	Hopping	-66.53	-20	Pass
NVNT	3-DH5	2402	Ant	Hopping	-64.17	-20	Pass
NVNT	3-DH5	2480	Ant	Hopping	-61.79	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission








Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission





# A.7 Conducted RF Spurious Emission

Left Ear:

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	-57.71	-20	Pass
NVNT	1-DH5	2441	Ant	-56.85	-20	Pass
NVNT	1-DH5	2480	Ant	-56.82	-20	Pass
NVNT	2-DH5	2402	Ant	-57.22	-20	Pass
NVNT	2-DH5	2441	Ant	-57.05	-20	Pass
NVNT	2-DH5	2480	Ant	-56.02	-20	Pass
NVNT	3-DH5	2402	Ant	-56.84	-20	Pass
NVNT	3-DH5	2441	Ant	-57.24	-20	Pass
NVNT	3-DH5	2480	Ant	-55.95	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission








Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





Right Ear:

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	-56.37	-20	Pass
NVNT	1-DH5	2441	Ant	-57.38	-20	Pass
NVNT	1-DH5	2480	Ant	-55.89	-20	Pass
NVNT	2-DH5	2402	Ant	-56.78	-20	Pass
NVNT	2-DH5	2441	Ant	-57.13	-20	Pass
NVNT	2-DH5	2480	Ant	-53.79	-20	Pass
NVNT	3-DH5	2402	Ant	-56.15	-20	Pass
NVNT	3-DH5	2441	Ant	-55.62	-20	Pass
NVNT	3-DH5	2480	Ant	-55.1	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission








Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





# A.8 Duty Cycle

Left Ear:


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant	57.78	2.38	0.35
NVNT	1-DH5	2441	Ant	57.78	2.38	0.35
NVNT	1-DH5	2480	Ant	57.78	2.38	0.35
NVNT	2-DH5	2402	Ant	57.88	2.37	0.35
NVNT	2-DH5	2441	Ant	57.88	2.37	0.35
NVNT	2-DH5	2480	Ant	57.88	2.37	0.35
NVNT	3-DH5	2402	Ant	57.9	2.37	0.35
NVNT	3-DH5	2441	Ant	57.9	2.37	0.35
NVNT	3-DH5	2480	Ant	57.9	2.37	0.35






Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant




Duty Cycle NVNT 2-DH5 2402MHz Ant






Duty Cycle NVNT 2-DH5 2441MHz Ant




Duty Cycle NVNT 2-DH5 2480MHz Ant






Duty Cycle NVNT 3-DH5 2402MHz Ant




Duty Cycle NVNT 3-DH5 2441MHz Ant





Duty Cycle NVNT 3-DH5 2480MHz Ant





Right Ear:

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant	57.78	2.38	0.35
NVNT	1-DH5	2441	Ant	57.78	2.38	0.35
NVNT	1-DH5	2480	Ant	57.76	2.38	0.35
NVNT	2-DH5	2402	Ant	57.88	2.37	0.35
NVNT	2-DH5	2441	Ant	57.88	2.37	0.35
NVNT	2-DH5	2480	Ant	57.89	2.37	0.35
NVNT	3-DH5	2402	Ant	57.9	2.37	0.35
NVNT	3-DH5	2441	Ant	57.92	2.37	0.35
NVNT	3-DH5	2480	Ant	57.9	2.37	0.35









Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant




Duty Cycle NVNT 2-DH5 2402MHz Ant






Duty Cycle NVNT 2-DH5 2441MHz Ant




Duty Cycle NVNT 2-DH5 2480MHz Ant






Duty Cycle NVNT 3-DH5 2402MHz Ant




Duty Cycle NVNT 3-DH5 2441MHz Ant





Duty Cycle NVNT 3-DH5 2480MHz Ant





# A.9 Restrict Band

Left Ear:

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-51.18	2	-	46.08	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-58.7	2	2.38	40.94	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2373.264	-46.75	2	-	50.51	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2387.76	-56.68	2	2.38	42.96	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-48.13	2	-	49.13	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-57.21	2	2.38	42.43	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-45.29	2	-	51.97	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-54.97	2	2.38	44.67	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2484.256	-44.44	2	-	52.82	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.584	-54.26	2	2.38	45.38	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-50.09	2	-	47.17	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-57.44	2	2.38	42.2	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-50.04	2	-	47.22	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-59.07	2	2.37	40.56	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2387.088	-47.34	2	-	49.92	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2385.072	-57.02	2	2.37	42.61	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-49.23	2	-	48.03	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-57.71	2	2.37	41.92	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-46.21	2	-	51.05	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-56.03	2	2.37	43.6	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2485.024	-45.22	2	-	52.04	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.584	-55.34	2	2.37	44.29	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-48.94	2	-	48.32	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-57.71	2	2.37	41.92	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-51.79	2	-	45.47	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-58.42	2	2.37	41.21	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2388.816	-46.29	2	-	50.97	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2389.968	-57.12	2	2.37	42.51	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-51.25	2	-	46.01	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-57.12	2	2.37	42.51	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-47.01	2	-	50.25	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-55.3	2	2.37	44.33	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.704	-44.46	2	-	52.8	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.512	-55.3	2	2.37	44.33	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-50.4	2	-	46.86	Peak	74	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




NVNT	3-DH5	2480	Ant	No-Hopping	2500	-57.79	2	2.37	41.84	Average	54	Pass
------	-------	------	-----	------------	------	--------	---	------	-------	---------	----	------

Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average








Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average





Right Ear:

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-50.15	2	-	47.11	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-57.87	2	2.38	41.77	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2365.008	-46.82	2	-	50.44	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2388.912	-56.69	2	2.38	42.95	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-49.84	2	-	47.42	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-57.86	2	2.38	41.78	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-46.35	2	-	50.91	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-53.88	2	2.38	45.76	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2484.112	-43.03	2	-	54.23	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2484.016	-53.3	2	2.38	46.34	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-50.1	2	-	47.16	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-57.2	2	2.38	42.44	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-50.45	2	-	46.81	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-57.93	2	2.37	41.7	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2366.928	-46.85	2	-	50.41	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2373.072	-57.24	2	2.37	42.39	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-50.2	2	-	47.06	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-57.65	2	2.37	41.98	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-45.6	2	-	51.66	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-55.2	2	2.37	44.43	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.536	-44.79	2	-	52.47	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.944	-54.3	2	2.37	45.33	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-49.83	2	-	47.43	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-57.29	2	2.37	42.34	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-49.9	2	-	47.36	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-58.98	2	2.37	40.65	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2340.432	-46.77	2	-	50.49	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2384.016	-56.74	2	2.37	42.89	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-48.62	2	-	48.64	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-57.85	2	2.37	41.78	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-45.3	2	-	51.96	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-55.43	2	2.37	44.2	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.584	-44.37	2	-	52.89	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.776	-54.63	2	2.37	45	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-48.19	2	-	49.07	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-57.77	2	2.37	41.86	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Average








Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average

