



Appendix B

RF Test Data for BT (Conducted Measurement)

Product Name: Creative Outlier Go

Test Model: EF1210

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0kPa
Test Engineer:	Joker Hu
Supervised by:	Nick Peng





B.1 -6dB Bandwidth

Left Ear:


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant	0.655	>=0.5	Pass
NVNT	BLE 1M	2440	Ant	0.656	>=0.5	Pass
NVNT	BLE 1M	2480	Ant	0.646	>=0.5	Pass
NVNT	BLE 2M	2402	Ant	1.119	>=0.5	Pass
NVNT	BLE 2M	2440	Ant	1.089	>=0.5	Pass
NVNT	BLE 2M	2480	Ant	1.116	>=0.5	Pass






Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant




-6dB Bandwidth NVNT BLE 1M 2440MHz Ant






-6dB Bandwidth NVNT BLE 1M 2480MHz Ant




-6dB Bandwidth NVNT BLE 2M 2402MHz Ant






-6dB Bandwidth NVNT BLE 2M 2440MHz Ant



-6dB Bandwidth NVNT BLE 2M 2480MHz Ant





Right Ear:


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant	0.658	≥ 0.5	Pass
NVNT	BLE 1M	2440	Ant	0.644	≥ 0.5	Pass
NVNT	BLE 1M	2480	Ant	0.657	≥ 0.5	Pass
NVNT	BLE 2M	2402	Ant	1.12	≥ 0.5	Pass
NVNT	BLE 2M	2440	Ant	1.105	≥ 0.5	Pass
NVNT	BLE 2M	2480	Ant	1.027	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant




-6dB Bandwidth NVNT BLE 1M 2440MHz Ant






-6dB Bandwidth NVNT BLE 1M 2480MHz Ant




-6dB Bandwidth NVNT BLE 2M 2402MHz Ant






-6dB Bandwidth NVNT BLE 2M 2440MHz Ant



-6dB Bandwidth NVNT BLE 2M 2480MHz Ant





B.2 Maximum Conducted Output Power

Left Ear:


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant	5.9	30	Pass
NVNT	BLE 1M	2440	Ant	6.09	30	Pass
NVNT	BLE 1M	2480	Ant	6.29	30	Pass
NVNT	BLE 2M	2402	Ant	5.8	30	Pass
NVNT	BLE 2M	2440	Ant	5.99	30	Pass
NVNT	BLE 2M	2480	Ant	6.3	30	Pass






Test Graphs

Power NVNT BLE 1M 2402MHz Ant




Power NVNT BLE 1M 2440MHz Ant






Power NVNT BLE 1M 2480MHz Ant




Power NVNT BLE 2M 2402MHz Ant






Power NVNT BLE 2M 2440MHz Ant



Power NVNT BLE 2M 2480MHz Ant





Right Ear:


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant	2.99	30	Pass
NVNT	BLE 1M	2440	Ant	3.23	30	Pass
NVNT	BLE 1M	2480	Ant	3.51	30	Pass
NVNT	BLE 2M	2402	Ant	3	30	Pass
NVNT	BLE 2M	2440	Ant	3.24	30	Pass
NVNT	BLE 2M	2480	Ant	3.62	30	Pass






Test Graphs

Power NVNT BLE 1M 2402MHz Ant




Power NVNT BLE 1M 2440MHz Ant






Power NVNT BLE 1M 2480MHz Ant




Power NVNT BLE 2M 2402MHz Ant






Power NVNT BLE 2M 2440MHz Ant



Power NVNT BLE 2M 2480MHz Ant





B.3 Maximum Power Spectral Density Level

Left Ear:


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant	-9.6	8	Pass
NVNT	BLE 1M	2440	Ant	-9.41	8	Pass
NVNT	BLE 1M	2480	Ant	-9.3	8	Pass
NVNT	BLE 2M	2402	Ant	-11.92	8	Pass
NVNT	BLE 2M	2440	Ant	-11.72	8	Pass
NVNT	BLE 2M	2480	Ant	-11.86	8	Pass






Test Graphs

PSD NVNT BLE 1M 2402MHz Ant




PSD NVNT BLE 1M 2440MHz Ant






PSD NVNT BLE 1M 2480MHz Ant




PSD NVNT BLE 2M 2402MHz Ant






PSD NVNT BLE 2M 2440MHz Ant



PSD NVNT BLE 2M 2480MHz Ant





Right Ear:


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant	-12.75	8	Pass
NVNT	BLE 1M	2440	Ant	-12.9	8	Pass
NVNT	BLE 1M	2480	Ant	-12.1	8	Pass
NVNT	BLE 2M	2402	Ant	-14.74	8	Pass
NVNT	BLE 2M	2440	Ant	-14.93	8	Pass
NVNT	BLE 2M	2480	Ant	-14.22	8	Pass






Test Graphs

PSD NVNT BLE 1M 2402MHz Ant




PSD NVNT BLE 1M 2440MHz Ant






PSD NVNT BLE 1M 2480MHz Ant




PSD NVNT BLE 2M 2402MHz Ant






PSD NVNT BLE 2M 2440MHz Ant



PSD NVNT BLE 2M 2480MHz Ant





B.4 Band Edge

Left Ear:


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant	-55.45	-20	Pass
NVNT	BLE 1M	2480	Ant	-61.87	-20	Pass
NVNT	BLE 2M	2402	Ant	-53.4	-20	Pass
NVNT	BLE 2M	2480	Ant	-61.32	-20	Pass






Test Graphs

Band Edge NVNT BLE 1M 2402MHz Ant Ref




Band Edge NVNT BLE 1M 2402MHz Ant Emission






Band Edge NVNT BLE 1M 2480MHz Ant Ref




Band Edge NVNT BLE 1M 2480MHz Ant Emission






Band Edge NVNT BLE 2M 2402MHz Ant Ref



Band Edge NVNT BLE 2M 2402MHz Ant Emission






Band Edge NVNT BLE 2M 2480MHz Ant Ref



Band Edge NVNT BLE 2M 2480MHz Ant Emission





Right Ear:


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant	-54.49	-20	Pass
NVNT	BLE 1M	2480	Ant	-60.1	-20	Pass
NVNT	BLE 2M	2402	Ant	-50.83	-20	Pass
NVNT	BLE 2M	2480	Ant	-56.74	-20	Pass






Test Graphs

Band Edge NVNT BLE 1M 2402MHz Ant Ref




Band Edge NVNT BLE 1M 2402MHz Ant Emission






Band Edge NVNT BLE 1M 2480MHz Ant Ref




Band Edge NVNT BLE 1M 2480MHz Ant Emission






Band Edge NVNT BLE 2M 2402MHz Ant Ref




Band Edge NVNT BLE 2M 2402MHz Ant Emission






Band Edge NVNT BLE 2M 2480MHz Ant Ref



Band Edge NVNT BLE 2M 2480MHz Ant Emission





B.5 Conducted RF Spurious Emission

Left Ear:


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant	-60.57	-20	Pass
NVNT	BLE 1M	2440	Ant	-61.65	-20	Pass
NVNT	BLE 1M	2480	Ant	-59.94	-20	Pass
NVNT	BLE 2M	2402	Ant	-60.99	-20	Pass
NVNT	BLE 2M	2440	Ant	-58.73	-20	Pass
NVNT	BLE 2M	2480	Ant	-61.46	-20	Pass






Test Graphs

Tx. Spurious NVNT BLE 1M 2402MHz Ant Ref




Tx. Spurious NVNT BLE 1M 2402MHz Ant Emission






Tx. Spurious NVNT BLE 1M 2440MHz Ant Ref




Tx. Spurious NVNT BLE 1M 2440MHz Ant Emission






Tx. Spurious NVNT BLE 1M 2480MHz Ant Ref




Tx. Spurious NVNT BLE 1M 2480MHz Ant Emission






Tx. Spurious NVNT BLE 2M 2402MHz Ant Ref




Tx. Spurious NVNT BLE 2M 2402MHz Ant Emission






Tx. Spurious NVNT BLE 2M 2440MHz Ant Ref




Tx. Spurious NVNT BLE 2M 2440MHz Ant Emission






Tx. Spurious NVNT BLE 2M 2480MHz Ant Ref



Tx. Spurious NVNT BLE 2M 2480MHz Ant Emission





Right Ear:

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant	-58.45	-20	Pass
NVNT	BLE 1M	2440	Ant	-58.1	-20	Pass
NVNT	BLE 1M	2480	Ant	-57.57	-20	Pass
NVNT	BLE 2M	2402	Ant	-58.29	-20	Pass
NVNT	BLE 2M	2440	Ant	-57.82	-20	Pass
NVNT	BLE 2M	2480	Ant	-58.65	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT BLE 1M 2402MHz Ant Ref




Tx. Spurious NVNT BLE 1M 2402MHz Ant Emission






Tx. Spurious NVNT BLE 1M 2440MHz Ant Ref




Tx. Spurious NVNT BLE 1M 2440MHz Ant Emission






Tx. Spurious NVNT BLE 1M 2480MHz Ant Ref




Tx. Spurious NVNT BLE 1M 2480MHz Ant Emission






Tx. Spurious NVNT BLE 2M 2402MHz Ant Ref




Tx. Spurious NVNT BLE 2M 2402MHz Ant Emission






Tx. Spurious NVNT BLE 2M 2440MHz Ant Ref




Tx. Spurious NVNT BLE 2M 2440MHz Ant Emission






Tx. Spurious NVNT BLE 2M 2480MHz Ant Ref



Tx. Spurious NVNT BLE 2M 2480MHz Ant Emission





B.6 Duty Cycle

Left Ear:

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant	63.12	2	2.53
NVNT	BLE 1M	2440	Ant	63.07	2	2.53
NVNT	BLE 1M	2480	Ant	63.12	2	2.53
NVNT	BLE 2M	2402	Ant	33.6	4.74	4.76
NVNT	BLE 2M	2440	Ant	33.6	4.74	4.76
NVNT	BLE 2M	2480	Ant	33.6	4.74	4.76




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT BLE 1M 2402MHz Ant




Duty Cycle NVNT BLE 1M 2440MHz Ant






Duty Cycle NVNT BLE 1M 2480MHz Ant




Duty Cycle NVNT BLE 2M 2402MHz Ant






Duty Cycle NVNT BLE 2M 2440MHz Ant



Duty Cycle NVNT BLE 2M 2480MHz Ant





Right Ear:


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant	62.99	2.01	2.54
NVNT	BLE 1M	2440	Ant	63.04	2	2.54
NVNT	BLE 1M	2480	Ant	63.04	2	2.54
NVNT	BLE 2M	2402	Ant	33.52	4.75	4.77
NVNT	BLE 2M	2440	Ant	33.6	4.74	4.76
NVNT	BLE 2M	2480	Ant	33.52	4.75	4.77






Test Graphs

Duty Cycle NVNT BLE 1M 2402MHz Ant




Duty Cycle NVNT BLE 1M 2440MHz Ant






Duty Cycle NVNT BLE 1M 2480MHz Ant




Duty Cycle NVNT BLE 2M 2402MHz Ant






Duty Cycle NVNT BLE 2M 2440MHz Ant



Duty Cycle NVNT BLE 2M 2480MHz Ant





B.7 Restrict Band

Left Ear:

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	BLE 1M	2402	Ant	2310	-50.12	2	-	47.14	Peak	74	Pass
NVNT	BLE 1M	2402	Ant	2310	-58.45	2	2	40.81	Average	54	Pass
NVNT	BLE 1M	2402	Ant	2385.744	-46.98	2	-	50.28	Peak	74	Pass
NVNT	BLE 1M	2402	Ant	2383.344	-57.3	2	2	41.96	Average	54	Pass
NVNT	BLE 1M	2402	Ant	2390	-50.68	2	-	46.58	Peak	74	Pass
NVNT	BLE 1M	2402	Ant	2390	-57.74	2	2	41.52	Average	54	Pass
NVNT	BLE 1M	2480	Ant	2483.5	-48.36	2	-	48.9	Peak	74	Pass
NVNT	BLE 1M	2480	Ant	2483.5	-56.63	2	2	42.63	Average	54	Pass
NVNT	BLE 1M	2480	Ant	2485.168	-46.4	2	-	50.86	Peak	74	Pass
NVNT	BLE 1M	2480	Ant	2483.608	-56.4	2	2	42.86	Average	54	Pass
NVNT	BLE 1M	2480	Ant	2500	-48.41	2	-	48.85	Peak	74	Pass
NVNT	BLE 1M	2480	Ant	2500	-57.79	2	2	41.47	Average	54	Pass
NVNT	BLE 2M	2402	Ant	2310	-49.98	2	-	47.28	Peak	74	Pass
NVNT	BLE 2M	2402	Ant	2310	-58.15	2	4.74	43.85	Average	54	Pass
NVNT	BLE 2M	2402	Ant	2333.424	-47.64	2	-	49.62	Peak	74	Pass
NVNT	BLE 2M	2402	Ant	2382.864	-57.47	2	4.74	44.53	Average	54	Pass
NVNT	BLE 2M	2402	Ant	2390	-49.57	2	-	47.69	Peak	74	Pass
NVNT	BLE 2M	2402	Ant	2390	-57.52	2	4.74	44.48	Average	54	Pass
NVNT	BLE 2M	2480	Ant	2483.5	-49.1	2	-	48.16	Peak	74	Pass
NVNT	BLE 2M	2480	Ant	2483.5	-57.07	2	4.74	44.93	Average	54	Pass
NVNT	BLE 2M	2480	Ant	2483.824	-45.72	2	-	51.54	Peak	74	Pass
NVNT	BLE 2M	2480	Ant	2483.824	-56.84	2	4.74	45.16	Average	54	Pass
NVNT	BLE 2M	2480	Ant	2500	-48.87	2	-	48.39	Peak	74	Pass
NVNT	BLE 2M	2480	Ant	2500	-57.96	2	4.74	44.04	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT BLE 1M 2402MHz Ant Peak




Restrict Band NVNT BLE 1M 2402MHz Ant Average






Restrict Band NVNT BLE 1M 2480MHz Ant Peak




Restrict Band NVNT BLE 1M 2480MHz Ant Average






Restrict Band NVNT BLE 2M 2402MHz Ant Peak




Restrict Band NVNT BLE 2M 2402MHz Ant Average






Restrict Band NVNT BLE 2M 2480MHz Ant Peak



Restrict Band NVNT BLE 2M 2480MHz Ant Average





Right Ear:

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	BLE 1M	2402	Ant	2310	-50.26	2	-	47	Peak	74	Pass
NVNT	BLE 1M	2402	Ant	2310	-58.31	2	2.01	40.96	Average	54	Pass
NVNT	BLE 1M	2402	Ant	2356.56	-47.22	2	-	50.04	Peak	74	Pass
NVNT	BLE 1M	2402	Ant	2385.936	-57.26	2	2.01	42.01	Average	54	Pass
NVNT	BLE 1M	2402	Ant	2390	-49.96	2	-	47.3	Peak	74	Pass
NVNT	BLE 1M	2402	Ant	2390	-58.58	2	2.01	40.69	Average	54	Pass
NVNT	BLE 1M	2480	Ant	2483.5	-48.05	2	-	49.21	Peak	74	Pass
NVNT	BLE 1M	2480	Ant	2483.5	-56.85	2	2	42.41	Average	54	Pass
NVNT	BLE 1M	2480	Ant	2493.064	-46.51	2	-	50.75	Peak	74	Pass
NVNT	BLE 1M	2480	Ant	2483.584	-56.84	2	2	42.42	Average	54	Pass
NVNT	BLE 1M	2480	Ant	2500	-49.92	2	-	47.34	Peak	74	Pass
NVNT	BLE 1M	2480	Ant	2500	-58.17	2	2	41.09	Average	54	Pass
NVNT	BLE 2M	2402	Ant	2310	-51.01	2	-	46.25	Peak	74	Pass
NVNT	BLE 2M	2402	Ant	2310	-58.45	2	4.75	43.56	Average	54	Pass
NVNT	BLE 2M	2402	Ant	2346.672	-47.6	2	-	49.66	Peak	74	Pass
NVNT	BLE 2M	2402	Ant	2377.392	-57.49	2	4.75	44.52	Average	54	Pass
NVNT	BLE 2M	2402	Ant	2390	-51.29	2	-	45.97	Peak	74	Pass
NVNT	BLE 2M	2402	Ant	2390	-58.01	2	4.75	44	Average	54	Pass
NVNT	BLE 2M	2480	Ant	2483.5	-48.69	2	-	48.57	Peak	74	Pass
NVNT	BLE 2M	2480	Ant	2483.5	-56.94	2	4.75	45.07	Average	54	Pass
NVNT	BLE 2M	2480	Ant	2483.848	-46.75	2	-	50.51	Peak	74	Pass
NVNT	BLE 2M	2480	Ant	2483.824	-56.25	2	4.75	45.76	Average	54	Pass
NVNT	BLE 2M	2480	Ant	2500	-49.72	2	-	47.54	Peak	74	Pass
NVNT	BLE 2M	2480	Ant	2500	-57.58	2	4.75	44.43	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT BLE 1M 2402MHz Ant Peak




Restrict Band NVNT BLE 1M 2402MHz Ant Average






Restrict Band NVNT BLE 1M 2480MHz Ant Peak




Restrict Band NVNT BLE 1M 2480MHz Ant Average






Restrict Band NVNT BLE 2M 2402MHz Ant Peak




Restrict Band NVNT BLE 2M 2402MHz Ant Average





Restrict Band NVNT BLE 2M 2480MHz Ant Peak



Restrict Band NVNT BLE 2M 2480MHz Ant Average

