

HJSR32C B1e

Function Declaration



Key label	Function
1	Long press the button, the head motor rises, release the button to stop the movement
2	Long press the button, the head motor drops, release the button to stop the movement
3	Long press the button, the foot motor rises, release the button to stop the movement
4	Long press the button, the motor of the foot drops, release the button to stop the movement
5	One key reset, all the motor back to the stroke of 0 position
6	Short press release one key Run to ZG position (with initial value) Reuse function: Long press the FLAT+ZG button for 5 seconds, the backlight flashes, the buzzer rings 3 times, the current head motor and foot motor position to the new ZG position (power off will not be cleared) Note: Long press FLAT+ head rise for 5 seconds, backlight flashes, buzzer sounds, return to the initial fixed position
<p>Coding method: [Remote control head up + head down + control box code key] Buzzer sounds, indicating successful code * The control box has a reset function for the code key, click to release the rese * Control box synchronization line function, complete synchronization, synchronization * The control box is powered on and reset, and cannot be interrupted during the reset</p>	
<p>Remote control mutual learning function (A: learn remote control, B: learn remote control) : 1. B learns A: Press the head up and foot down of B for 5S, and the backlight blinks. Then release the button. Press the head up and foot down of A for 10S, and the backlight of B blinks 1. 2. Release the learning function: Press and hold B's head lift + foot drop for 5S. If the backlight blinks, the learning function is released successfully</p>	
<p>Long press the remote control head up + head down without releasing, while installing the battery replacement remote control code value</p>	

Note:

To protect the reliability and safety of the motor and control box, do not switch keys frequently.

Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.