


HJSR81D Ble Remote control key diagram



Remote control function description

Key label	Feature
1	UBL: Underbed light on/off (steady on)
2	Flashlight on/off (default 15s). Reuse function: ① Hold down the button for 5s, the backlight flashes, enter the memorizable mode, press ZG/SNORE/M1 within 2s, the buzzer "beep" sound, you can remember the current motor position and the status of the massager and the light bar. ② Hold the flashlight +LOCK (lock) for about 3s at the same time, the backlight flashes twice, and the keys in all positions of the remote control enter the one-button release mode, which can reset all memory positions to the factory default memory positions at the same time. ③ Press and hold the flashlight +FLAT for about 3s at the same time, the backlight flashes three times, the keys in all positions of the remote control enter the continuous press mode, release the key and stop the motor.
3	Key lock function: Long press the key for 5 seconds, the backlight flashes 3 times, lock the remote control key,

	<p>then the remote control key is unavailable, press the key other than the lock key, the backlight flashes 3 times (power off and then power on to keep the lock state)</p> <p>Press the button again for 5 seconds, the backlight flashes 3 times, unlock the remote control button, then the remote control button can be used.</p>
4	<p>Motor one-click operation to ZG position (with initial value)</p> <p>Multiplex function: Press and hold the flashlight for about 5s, the backlight blinks, press ZG within 2s, the buzzer rings 3 times, and record the current motor position, massager and light bar status to ZG. (Power off does not clear)</p>
5	<p>Motor one-click run to M1 position (with initial value)</p> <p>Multiplexing function: Hold the flashlight for about 5s, the backlight blinks, press M1 within 2s, the buzzer rings 3 times, and record the current motor position and the status of the massager and the light bar to M1. (Power off does not clear)</p>
6	<p>Run the motor to the SNORE position with one key (with initial value). When the one-key release mode is used, flatten and close the massager after 15min. Press any key to exit the timing. Continuous press mode no timing.</p> <p>Multiplexing function: Hold the flashlight for about 5s, the backlight blinks, press SNORE within 2s, the buzzer rings 3 times, and record the current motor position and the status of the massager and the light bar to SNORE. (Power off does not clear)</p>
7	<p>Back rise: Hold down this key, the back motor starts to rise, release this key, the back motor stops rising</p>
8	<p>Leg rise: Hold down this key, the leg motor starts to rise, release this key, the leg motor stops rising</p>
9	<p>Back down: Hold down this key, the back motor starts to fall, release this key, the back motor drop stops</p>
10	<p>Leg drop: Hold down this key, leg motor start to drop, release this key, leg motor drop stop</p>
11	<p>FLAT one-button reset, all motors retracted to the minimum stroke position, turn off the massager, and keep the lamp under the bed in the state before pressing the button (power-on without reset)</p>

<p>Coding method: Keep pressing the head lift and foot drop buttons until the backlight flashes to clear the remote control code information; Power on the control box again, and the control box will be in the code alignment state within 60 seconds. Keep pressing the head down and foot up buttons of the remote control until the buzzer sounds and the backlight blinks, indicating that the code alignment is successful.</p> <p>Decoding mode: [remote control head up + foot down] The backlight flashes, indicating successful decoding</p> <p>* The control box has no reset function for code keys</p>
<p>Note: Press any key over 50s, the remote control will enter sleep, release and press again to restore the function</p>

Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.