


Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR81D Ble		

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	38.73	44.50	74.00	29.50	PASS	Horizontal	PK
2	2390	5.77	24.78	30.55	54.00	23.45	PASS	Horizontal	AV



Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR81D Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.59	42.36	74.00	31.64	PASS	Vertical	PK
2	2390	5.77	24.70	30.47	54.00	23.53	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR81D Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.16	43.73	74.00	30.27	PASS	Horizontal	PK
2	2483.5	6.57	23.39	29.96	54.00	24.04	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR81D Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.70	44.27	74.00	29.73	PASS	Vertical	PK
2	2483.5	6.57	24.18	30.75	54.00	23.25	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.30	43.07	74.00	30.93	PASS	Horizontal	PK
2	2390	5.77	25.10	30.87	54.00	24.13	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.53	42.30	74.00	31.70	PASS	Vertical	PK
2	2390	5.77	23.85	29.62	54.00	24.38	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.47	43.04	74.00	30.96	PASS	Horizontal	PK
2	2483.5	6.57	24.09	30.66	54.00	23.34	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.74	43.31	74.00	30.69	PASS	Vertical	PK
2	2483.5	6.57	23.38	29.95	54.00	24.05	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.23	43.00	74.00	31.00	PASS	Horizontal	PK
2	2390	5.77	24.78	30.55	54.00	23.45	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.59	42.36	74.00	31.64	PASS	Vertical	PK
2	2390	5.77	23.70	29.47	54.00	24.53	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.16	42.73	74.00	31.27	PASS	Horizontal	PK
2	2483.5	6.57	23.39	29.96	54.00	24.04	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR81E Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.20	43.77	74.00	30.23	PASS	Vertical	PK
2	2483.5	6.57	23.68	30.25	54.00	23.75	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	35.99	41.76	74.00	32.24	PASS	Horizontal	PK
2	2390	5.77	23.34	29.11	54.00	24.89	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	38.29	44.06	74.00	29.94	PASS	Vertical	PK
2	2390	5.77	24.66	30.43	54.00	23.57	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.78	44.35	74.00	29.65	PASS	Horizontal	PK
2	2483.5	6.57	24.00	30.57	54.00	23.43	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.44	44.01	74.00	29.99	PASS	Vertical	PK
2	2483.5	6.57	24.60	31.17	54.00	22.83	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	38.18	43.95	74.00	30.05	PASS	Horizontal	PK
2	2390	5.77	24.80	30.57	54.00	23.43	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.59	43.36	74.00	30.64	PASS	Vertical	PK
2	2390	5.77	24.99	30.76	54.00	23.24	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.31	43.88	74.00	30.12	PASS	Horizontal	PK
2	2483.5	6.57	24.10	30.67	54.00	23.33	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR77 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.23	43.80	74.00	30.20	PASS	Vertical	PK
2	2483.5	6.57	23.47	30.04	54.00	23.96	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.52	42.29	74.00	31.71	PASS	Horizontal	PK
2	2390	5.77	24.14	29.91	54.00	24.09	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.49	43.26	74.00	30.74	PASS	Vertical	PK
2	2390	5.77	24.15	29.92	54.00	24.08	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.30	42.87	74.00	31.13	PASS	Horizontal	PK
2	2483.5	6.57	23.38	29.95	54.00	24.05	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.09	43.66	74.00	30.34	PASS	Vertical	PK
2	2483.5	6.57	23.47	30.04	54.00	23.96	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.54	42.31	74.00	31.69	PASS	Horizontal	PK
2	2390	5.77	23.94	29.71	54.00	24.29	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.94	42.71	74.00	31.29	PASS	Vertical	PK
2	2390	5.77	23.18	28.95	54.00	25.05	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.42	42.99	74.00	31.01	PASS	Horizontal	PK
2	2483.5	6.57	22.46	29.03	54.00	24.97	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR77B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.77	43.34	74.00	30.66	PASS	Vertical	PK
2	2483.5	6.57	23.48	30.05	54.00	23.95	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.52	43.29	74.00	30.71	PASS	Horizontal	PK
2	2390	5.77	25.14	30.91	54.00	23.09	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.99	43.76	74.00	30.24	PASS	Vertical	PK
2	2390	5.77	24.65	30.42	54.00	23.58	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.80	44.37	74.00	29.63	PASS	Horizontal	PK
2	2483.5	6.57	24.38	30.95	54.00	23.05	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	38.09	44.66	74.00	29.34	PASS	Vertical	PK
2	2483.5	6.57	24.47	31.04	54.00	22.96	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.54	43.31	74.00	30.69	PASS	Horizontal	PK
2	2390	5.77	24.44	30.21	54.00	23.79	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.94	43.71	74.00	30.29	PASS	Vertical	PK
2	2390	5.77	24.68	30.45	54.00	23.55	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.42	43.99	74.00	30.01	PASS	Horizontal	PK
2	2483.5	6.57	23.96	30.53	54.00	23.47	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR77C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.77	44.34	74.00	29.66	PASS	Vertical	PK
2	2483.5	6.57	23.98	30.55	54.00	23.45	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.02	42.79	74.00	31.21	PASS	Horizontal	PK
2	2390	5.77	24.64	30.41	54.00	23.59	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.99	42.76	74.00	31.24	PASS	Vertical	PK
2	2390	5.77	24.15	29.92	54.00	24.08	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.30	43.87	74.00	30.13	PASS	Horizontal	PK
2	2483.5	6.57	23.88	30.45	54.00	23.55	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.09	43.66	74.00	30.34	PASS	Vertical	PK
2	2483.5	6.57	23.97	30.54	54.00	23.46	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.04	42.81	74.00	31.19	PASS	Horizontal	PK
2	2390	5.77	23.94	29.71	54.00	24.29	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.44	43.21	74.00	30.79	PASS	Vertical	PK
2	2390	5.77	23.68	29.45	54.00	24.55	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.92	43.49	74.00	30.51	PASS	Horizontal	PK
2	2483.5	6.57	22.96	29.53	54.00	24.47	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR32 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.27	43.84	74.00	30.16	PASS	Vertical	PK
2	2483.5	6.57	23.48	30.05	54.00	23.95	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	35.99	41.76	74.00	32.24	PASS	Horizontal	PK
2	2390	5.77	23.34	29.11	54.00	24.89	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.79	43.56	74.00	30.44	PASS	Vertical	PK
2	2390	5.77	24.66	30.43	54.00	23.57	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.28	43.85	74.00	30.15	PASS	Horizontal	PK
2	2483.5	6.57	24.00	30.57	54.00	23.43	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.44	44.01	74.00	29.99	PASS	Vertical	PK
2	2483.5	6.57	23.60	30.17	54.00	23.83	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.68	42.45	74.00	31.55	PASS	Horizontal	PK
2	2390	5.77	23.80	29.57	54.00	24.43	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.59	42.36	74.00	31.64	PASS	Vertical	PK
2	2390	5.77	23.99	29.76	54.00	24.24	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.31	42.88	74.00	31.12	PASS	Horizontal	PK
2	2483.5	6.57	23.60	30.17	54.00	23.83	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR32B Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.23	42.80	74.00	31.20	PASS	Vertical	PK
2	2483.5	6.57	22.47	29.04	54.00	24.96	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR32C Ble		

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	38.02	43.79	74.00	30.21	PASS	Horizontal	PK
2	2390	5.77	24.14	29.91	54.00	24.09	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR32C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.49	43.26	74.00	30.74	PASS	Vertical	PK
2	2390	5.77	24.65	30.42	54.00	23.58	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR32C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.30	43.87	74.00	30.13	PASS	Horizontal	PK
2	2483.5	6.57	24.38	30.95	54.00	23.05	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR32C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.09	43.66	74.00	30.34	PASS	Vertical	PK
2	2483.5	6.57	24.47	31.04	54.00	22.96	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR32C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.54	43.31	74.00	30.69	PASS	Horizontal	PK
2	2390	5.77	24.44	30.21	54.00	23.79	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR32C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.94	43.71	74.00	30.29	PASS	Vertical	PK
2	2390	5.77	23.68	29.45	54.00	24.55	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR32C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.42	43.99	74.00	30.01	PASS	Horizontal	PK
2	2483.5	6.57	23.96	30.53	54.00	23.47	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR32C Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.27	43.84	74.00	30.16	PASS	Vertical	PK
2	2483.5	6.57	23.98	30.55	54.00	23.45	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR79 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.02	42.79	74.00	31.21	PASS	Horizontal	PK
2	2390	5.77	24.14	29.91	54.00	24.09	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2402MHz
Test model No.:	HJSR79 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	36.99	42.76	74.00	31.24	PASS	Vertical	PK
2	2390	5.77	24.15	29.92	54.00	24.08	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR79 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.30	43.87	74.00	30.13	PASS	Horizontal	PK
2	2483.5	6.57	23.38	29.95	54.00	24.05	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_1M	Channel:	2480MHz
Test model No.:	HJSR79 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.59	43.16	74.00	30.84	PASS	Vertical	PK
2	2483.5	6.57	23.47	30.04	54.00	23.96	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR79 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.04	42.81	74.00	31.19	PASS	Horizontal	PK
2	2390	5.77	23.94	29.71	54.00	24.29	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2402MHz
Test model No.:	HJSR79 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	5.77	37.44	43.21	74.00	30.79	PASS	Vertical	PK
2	2390	5.77	24.68	30.45	54.00	23.55	PASS	Vertical	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR79 Ble		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	37.92	44.49	74.00	29.51	PASS	Horizontal	PK
2	2483.5	6.57	24.46	31.03	54.00	22.97	PASS	Horizontal	AV

Mode:	BLE GFSK Transmitting_2M	Channel:	2480MHz
Test model No.:	HJSR79 Ble		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	6.57	36.27	42.84	74.00	31.16	PASS	Vertical	PK
2	2483.5	6.57	24.48	31.05	54.00	22.95	PASS	Vertical	AV

Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading - Correct Factor

Correct Factor = Preamplifier Factor - Antenna Factor - Cable Factor

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.

*** End of Report ***

CTI GROUP CO., LTD.