Request for Modular/Limited Modular Approval

Date	: December 12, 2023					
Sub	ect: Manufacturer's Declaration for	□ - Modular Approval⊠ - Limited Modular Approval	□ - Split Modula□ - Limited Spli		pproval	
Con	fidentiality Request for: FCC ID: 2A	<u>JJGHJRF</u>				
		asic Requirements – FCC Part 15.212(
	For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Following Pages Modular Approval Requirement Requirement Met					
	The modular transmitter must have its own does not have to rely upon the shielding promodular transmitter emissions to comply we between the RF circuitry of the module and installed. Such coupling may result in non-capacitors may be located external to the sh	RF shielding. This is intended to ensure ovided by the device into which it is instaith FCC limits. It is also intended to prevany wires or circuits in the device into vecompliant operation. The physical crysta	alled in order for all vent coupling which the module is	□ - YES	⊠ - NO(*)	
	Details: <example a="" all="" and="" antenna="" board="" circuitry.="" components="" connector="" contains="" covers="" is="" located="" metal="" module="" next="" of="" on="" rf="" shield="" the="" to="" top="" which="" –=""></example>					
	The modular transmitter must have buffered ensure that the module will comply with FC over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)	
	Details: <example application="" as="" buffered="" circuit="" data="" described="" description="" in="" is="" modulation="" operational="" provided="" the="" to="" with="" –=""></example>					
	The modular transmitter must have its own ensure that the module will comply with FC supplying circuitry in the device into which	CC requirements regardless of the design	of the power	□ - YES	⊠ - NO(*)	
	Details: <example application="" contains="" filed="" its="" module="" own="" please="" power="" refer="" regulation.="" schematic="" supply="" the="" this="" to="" with="" –=""></example>					
	The modular transmitter must comply with §§ 15.203, 15.204(b), 15.204(c), 15.212(a), attached or employ a "unique" antenna contantenna, including the cable). The "profess to modules but can apply to limited modula	and 2.929(b). The antenna must either bupler (at all connections between the motional installation" provision of § 15.203	be permanently dule and the s is not applicable	⊠ - YES	□ - NO(*)	
	Details: <example a="" an="" and="" antenna="" antennas="" application="" approved="" be="" connector="" connector.="" connects="" considered="" device="" found="" in="" is="" its="" list="" manual="" may="" module="" non-standard="" of="" provided="" tested="" the="" this="" to="" ufl="" users="" using="" which="" with="" –=""></example>					
	The modular transmitter must be tested in a inside another device during testing. This is complying with Part 15 emission limits reg Unless the transmitter module will be batter requirements found in Section 15.207. AC of the module must not contain ferrites, unless 15.27(a)). The length of these lines shall be least 10 centimeters to insure that there is n equipment. Any accessories, peripherals, or shall be unmodified or commercially availated.	intended to demonstrate that the module ardless of the device into which it is ever by powered, it must comply with the AC or DC power lines and data input/output they will be marketed with the module length typical of actual use or, if that ler o coupling between the case of the module support equipment connected to the mo	e is capable of ntually installed. line conducted lines connected to (see Section ngth is unknown, at alle and supporting dule during testing	⊠ - YES	□ - NO(*)	
	Details: <example module="" td="" teste<="" the="" was="" –=""><td>ed stand-alone as shown in test setun nh</td><td>notographs filed with</td><td>this application</td><td>nn></td></example>	ed stand-alone as shown in test setun nh	notographs filed with	this application	nn>	

- Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.

	Modular Approval Requirement	Require	Requirement Met	
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	⊠ - YES	□ - NO(*)	
	If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)			
	Details: <example a="" application.="" are="" as="" exhibit="" filed="" host="" in="" installation="" instructions="" is="" label="" labeling="" manual="" module="" on="" shown="" specific="" the="" there="" this="" with="" –=""></example>			
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)	
	Details: <example 15c="" application.="" complies="" fcc="" filed="" installation="" instructions="" manual="" module="" oem="" part="" requirements.="" the="" this="" to="" with="" –=""></example>	1 installer are	provided in	
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)	
	Details: <example as="" exclusion="" exposure="" in="" informapplication.="" levels="" meets="" module="" portable="" rf="" shown="" the="" –=""></example>	ation filed wit	h this	

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)				
Requirement	Requirement Met			
 For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	☐ - Provided in Separate Cover Letter ☐ - N/A			
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>				
 For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812. 	☐ - Provided in Separate Cover Letter ☐ - N/A			
Details: <example -n="" a=""></example>				

Split Modular Requirements					
Requirement	Provided in Manual				
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	⊠ - N/A			
Details: <example a="" n="" –=""></example>					

OEM Integration Manual Guidance – KDB 996369 D03 Section 2						
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.						
Requirement						
		⊠ - No,				
Is this module intended for sale to third parties? If No, and LMA applies, the applicant can optionally cho make the following detailed info public. However there to be basic integration instructions for a users manual information below must still be included in the opera description. If the applicant wishes to keep this info con this will require a separate statement cover letter explainmodule is not for sale to third parties and that integrations are internal confidential documents.			However there still needs a users manual and the ided in the operational eep this info confidential, over letter explaining the is and that integration			
		nual – See KDB 996369 D03, Section 2	M . 1 -1 4			
As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.						
 List of applicable FCC rules. K 	DB 996369 D03, Section 2.2					
	ated to the transmitter.		_			
2. Summarize the specific operation		6369 D03, Section 2.3 oss, reduction of power for point to point				
	onal installation info	oss, reduction of power for point to point				
3. Limited Module Procedures. KI			-			
		ses to verify the host meets the necessary				
limiting condition		4-4- h	☐ - All Items shown to			
	s ensured, such as Class II for	tate how control will be maintained such	the left are provided in			
4. Trace antenna designs. KDB 99		new nosts, etc.	the Modular Integration			
a. Layout of trace d	a. Layout of trace design, parts list, antenna, connectors, isolation requirements, tasts for					
design verification, and production test procedures for ensuring compliance. If						
confidential, the method used to keep confidential must be identified and information provided in the operational description.						
5. RF exposure considerations. KD			☐ - An LMA applies			
		ow host manufacturers to use the module.	and is approved ONLY			
		to the host manufacturer to define	for use by the grantee in their own products, and			
		dy) and second additional text needed to be	not intended for sale to			
6. Antennas. KDB 996369 D03, So	nd user in the host product mection 2.7	ianuais.	3 rd parties as provided in			
		nd all applicable professional installer	a separate cover letter.			
		t shall also identify the antenna types	Therefore the information shown to the			
		ni-directional" is not considered a type)	left is found in the			
7. Label and compliance informati a. Advice to host in		on 2.8 rovide a physical or e-label stating	theory of operation.			
	D: " with their finished prod					
8. Information on test modes and a	dditional testing requiremen	ts. KDB 996369 D03, Section 2.9	-			
		ration by host integrators including				
clarifications necessary for stand-alone and simultaneous configurations. b. Provide information on how to configure test modes for evaluation						
9. Additional testing, Part 15 Subpart B disclaimer. KDB 996369 D03, Section 2.10						
Cincoraly						
Sincerely,	naire My an					
By:		Chongjie Yuan				
By: $\frac{\text{Chongie Yuan}}{\text{(Signature/Title}^1)} \qquad \frac{\text{Chongie Yuan}}{\text{(Print name)}}$						
(Signa	taro, ritio j	(1 mm name)				

⁻ Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.