




Spurious Emissions at Antenna Terminal




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.7 Antenna Port Test Data and Results for LTE Band 4

Serial Number:	22V0	Test Date:	2023/3/16~2023/3/17
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jou Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.8~26.7	Relative Humidity: (%)	45~60	ATM Pressure: (kPa)	99.8~101.1
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022/7/15	2023/7/14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS401	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
Weinschel	Power splitter	1515	RA915	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022/7/15	2023/7/14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022/3/31	2023/3/30
UNI-T	Multimeter	UT39A+	C210582554	2022/9/29	2023/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1732.5	1754.3
3MHz	1711.5	1732.5	1753.5
5MHz	1712.5	1732.5	1752.5
10MHz	1715	1732.5	1750
15MHz	1717.5	1732.5	1747.5
20MHz	1720	1732.5	1745

Test Data:**FCC §2.1046; §27.50(d)(4)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit(dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	17.07	17.91	17.66	19.47	30
	RB1#3	16.49	16.88	17.16		
	RB1#5	17.98	16.78	16.43		
	RB3#0	16.1	17.33	17.44		
	RB3#3	16.14	17	17.2		
	RB6#0	17.4	17.3	16.74		
1.4MHz 16QAM	RB1#0	16.96	17.75	17.1	19.24	30
	RB1#3	17.6	16.89	16.86		
	RB1#5	17.71	17.36	17.68		
	RB3#0	16.18	16.59	16.24		
	RB3#3	17.26	16.78	17.43		
	RB6#0	16.17	16.62	16.24		
3MHz QPSK	RB1#0	17.26	17.57	17.2	19.45	30
	RB1#8	17.77	16.19	16.3		
	RB1#14	17	17.51	16.23		
	RB6#0	16.17	16.27	17.95		
	RB6#9	16.13	17.67	16.09		
	RB15#0	17.96	17.94	17.71		
3MHz 16QAM	RB1#0	16.34	17.68	17.69	19.32	30
	RB1#8	17.34	16.44	17.53		
	RB1#14	17.39	16.1	17.41		
	RB6#0	16.36	16.44	17.83		
	RB6#9	17.68	17.23	16.41		
	RB15#0	16.42	17.15	17.65		
5MHz QPSK	RB1#0	17.17	17.43	16.83	19.45	30
	RB1#13	17.96	17.07	16.09		
	RB1#24	16.77	16.44	17.28		
	RB15#0	17.07	16.59	17.63		
	RB15#10	16.2	16.52	16.26		
	RB25#0	16.28	17.86	17.83		
5MHz 16QAM	RB1#0	16.49	17.17	17.93	19.43	30
	RB1#13	16.97	17.72	17.63		
	RB1#24	17.43	16.83	16.63		
	RB15#0	16.55	16.95	17.52		
	RB15#10	17.79	16.51	16.54		
	RB25#0	16.37	17.94	16.07		
10MHz QPSK	RB1#0	16.22	17.41	16.54	19.32	30
	RB1#25	16.11	16.73	17.44		

	RB1#49	16.49	16.32	17.03		
	RB25#0	16.67	17.07	17.27		
	RB25#25	17.83	17.56	16.42		
	RB50#0	16.87	16.48	17		
10MHz 16QAM	RB1#0	16.03	16.48	17.61	19.48	30
	RB1#25	16.92	17.58	17.36		
	RB1#49	17.99	17.73	17.91		
	RB25#0	16.02	16.49	17.45		
	RB25#25	16.77	16.13	16.37		
15MHz QPSK	RB1#0	17.35	17.64	17.89	19.42	30
	RB1#38	17.38	16.2	17.91		
	RB1#74	17.2	16.34	16.65		
	RB36#0	17.31	16.63	17.21		
	RB36#39	17.93	16.37	17.53		
15MHz 16QAM	RB1#0	16.98	17.97	17.43	19.46	30
	RB1#38	16.22	17.68	16.71		
	RB1#74	16.61	16.76	16.47		
	RB36#0	17.18	17.34	17.6		
	RB36#39	16.83	16.41	17.87		
20MHz QPSK	RB1#0	17.49	16.17	17.24	19.45	30
	RB1#50	17.32	17.28	17.84		
	RB1#99	16.31	16.22	17.37		
	RB50#0	17.69	16.66	17.77		
	RB50#50	16.88	16.5	17.85		
20MHz 16QAM	RB1#0	16.08	17.02	16.84	19.4	30
	RB1#50	17.44	16.85	16.65		
	RB1#99	17.42	17.25	17.21		
	RB50#0	16.43	17.39	16.45		
	RB50#50	16.84	17.86	16.82		
	RB100#0	17.3	17.91	16.67		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + G_T(dBi)

Result: **Pass**

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.81	4.99	4.99	13
	RB100#0	4.14	4.2	4.38	13
20MHz 16QAM	RB1#0	5.62	5.97	5.91	13
	RB100#0	5.8	5.86	5.91	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.102	1.308	1.308	1.284
1.4MHz 16QAM	1.096	1.102	1.108	1.302	1.314	1.278
3MHz QPSK	2.695	2.695	2.695	3.012	3.024	3.012
3MHz 16QAM	2.695	2.695	2.695	3.06	3.06	3.012
5MHz QPSK	4.531	4.531	4.531	5.22	5.42	5.28
5MHz 16QAM	4.531	4.551	4.531	5.46	5.4	5.28
10MHz QPSK	8.982	8.942	8.982	9.8	9.96	9.84
10MHz 16QAM	8.982	8.942	8.942	9.92	10.04	9.88
15MHz QPSK	13.473	13.533	13.533	15.48	15.9	15.54
15MHz 16QAM	13.473	13.533	13.593	15.36	15.06	15.12
20MHz QPSK	17.884	18.044	17.964	19.92	20.08	20
20MHz 16QAM	17.964	17.964	18.044	19.84	20	20.16

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.


FCC §2.1051, §27.53:Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §27.54: Frequency Stability						
Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	1711.129	1710.00	1754.036	1755
	-20	3.85	1711.176	1710.00	1754.082	1755
	-10	3.85	1711.146	1710.00	1754.067	1755
	0	3.85	1711.126	1710.00	1754.060	1755
	10	3.85	1711.137	1710.00	1754.067	1755
	20	3.85	1711.138	1710.00	1754.022	1755
	30	3.85	1711.182	1710.00	1754.091	1755
	40	3.85	1711.187	1710.00	1754.007	1755
	50	3.85	1711.184	1710.00	1754.090	1755
Frequency Stability vs. Voltage	20	3.5	1711.106	1710.00	1754.016	1755
	20	4.4	1711.091	1710.00	1754.097	1755
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	1711.093	1710.00	1754.158	1755
	-20	3.85	1711.075	1710.00	1754.102	1755
	-10	3.85	1711.074	1710.00	1754.193	1755
	0	3.85	1711.076	1710.00	1754.140	1755
	10	3.85	1711.105	1710.00	1754.128	1755
	20	3.85	1711.058	1710.00	1754.102	1755
	30	3.85	1711.048	1710.00	1754.187	1755
	40	3.85	1711.107	1710.00	1754.199	1755
Frequency Stability vs. Voltage	50	3.85	1711.036	1710.00	1754.131	1755
	20	3.5	1711.036	1710.00	1754.188	1755
	20	4.4	1711.101	1710.00	1754.175	1755
					Result:	Pass

Test Plots(Note: The 5.8dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel

10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Date: 16.MAR.2023 11:03:58

Date: 16.MAR.2023 11:04:29



Middle



Date: 16.MAR.2023 11:05:12

Date: 16.MAR.2023 11:06:09

Highest



Date: 16.MAR.2023 11:06:41

Date: 16.MAR.2023 11:07:16



Occupied Bandwidth

Channel

15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Date: 16.MAR.2023 11:07:51

Date: 16.MAR.2023 11:08:18



Middle



Date: 16.MAR.2023 11:08:53

Date: 16.MAR.2023 11:09:27

Highest



Date: 16.MAR.2023 11:09:58

Date: 16.MAR.2023 11:10:36



Occupied Bandwidth

Channel

20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Date: 16.MAR.2023 11:11:13

Date: 16.MAR.2023 11:11:43



Middle



Date: 16.MAR.2023 11:12:23

Date: 16.MAR.2023 11:12:57

Highest



Date: 16.MAR.2023 11:13:29



Date: 16.MAR.2023 11:14:04

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal

Channel

3MHz Bandwidth QPSK



Lowest



Date: 16.MAR.2023 14:14:51

Date: 16.MAR.2023 14:15:24



Middle



Date: 16.MAR.2023 14:16:04

Date: 16.MAR.2023 14:16:30

Highest



Date: 16.MAR.2023 14:17:03



Date: 16.MAR.2023 14:17:29

Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK

Lowest



Middle



Highest

