



Test Plots(Note: The 5.8dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth



Occupied Bandwidth





Occupied Bandwidth

Channel

15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Date: 16.MAR.2023 11:34:41

Date: 16.MAR.2023 11:35:11



Middle



Date: 16.MAR.2023 11:35:46

Date: 16.MAR.2023 11:36:17

Highest



Date: 16.MAR.2023 11:36:44

Date: 16.MAR.2023 11:37:11

Occupied Bandwidth



Channel	20MHz Bandwidth QPSK	20MHz Bandwidth 16QAM																																																																						
Lowest	<p>Ref Level 30.00 dBm Offset 5.80 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>IPK Max</p> <p>M1[1] -11.11 dBm 2.500000 GHz Occ Bw 18.043912176 MHz 0.06 dB 20.0800 MHz</p> <p>D1 15.150 dBm D2 -10.850 dBm</p> <p>CF 2.51 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.50008 GHz</td> <td>-11.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5010579 GHz</td> <td>9.61 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.5191018 GHz</td> <td>9.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>20.08 MHz</td> <td>0.06 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 16.MAR.2023 11:37:51</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.50008 GHz	-11.11 dBm			T1	1		2.5010579 GHz	9.61 dBm	Occ Bw	18.043912176 MHz	T2	1		2.5191018 GHz	9.84 dBm			D1	M1	1	20.08 MHz	0.06 dB			<p>Ref Level 30.00 dBm Offset 5.80 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>IPK Max</p> <p>M1[1] -12.41 dBm 2.4999200 GHz Occ Bw 18.043912176 MHz 0.14 dB 20.0800 MHz</p> <p>D1 13.960 dBm D2 -12.040 dBm</p> <p>CF 2.51 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.49992 GHz</td> <td>-12.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.500979 GHz</td> <td>8.31 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.519022 GHz</td> <td>10.37 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>20.08 MHz</td> <td>0.14 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 16.MAR.2023 11:38:21</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.49992 GHz	-12.41 dBm			T1	1		2.500979 GHz	8.31 dBm	Occ Bw	18.043912176 MHz	T2	1		2.519022 GHz	10.37 dBm			D1	M1	1	20.08 MHz	0.14 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.50008 GHz	-11.11 dBm																																																																				
T1	1		2.5010579 GHz	9.61 dBm	Occ Bw	18.043912176 MHz																																																																		
T2	1		2.5191018 GHz	9.84 dBm																																																																				
D1	M1	1	20.08 MHz	0.06 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.49992 GHz	-12.41 dBm																																																																				
T1	1		2.500979 GHz	8.31 dBm	Occ Bw	18.043912176 MHz																																																																		
T2	1		2.519022 GHz	10.37 dBm																																																																				
D1	M1	1	20.08 MHz	0.14 dB																																																																				
Middle	<p>Ref Level 30.00 dBm Offset 5.80 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>IPK Max</p> <p>M1[1] -11.35 dBm 2.5250000 GHz Occ Bw 18.043912176 MHz -0.02 dB 20.0800 MHz</p> <p>D1 14.270 dBm D2 -11.730 dBm</p> <p>CF 2.535 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.525 GHz</td> <td>-11.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.525979 GHz</td> <td>9.74 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.544022 GHz</td> <td>8.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>20.08 MHz</td> <td>-0.02 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 16.MAR.2023 11:38:53</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.525 GHz	-11.35 dBm			T1	1		2.525979 GHz	9.74 dBm	Occ Bw	18.043912176 MHz	T2	1		2.544022 GHz	8.57 dBm			D1	M1	1	20.08 MHz	-0.02 dB			<p>Ref Level 30.00 dBm Offset 5.80 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>IPK Max</p> <p>M1[1] -12.12 dBm 2.5248400 GHz Occ Bw 17.964071856 MHz 0.26 dB 20.0800 MHz</p> <p>D1 13.990 dBm D2 -12.010 dBm</p> <p>CF 2.535 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.52484 GHz</td> <td>-12.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5260579 GHz</td> <td>10.09 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.544022 GHz</td> <td>8.49 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>20.08 MHz</td> <td>0.26 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 16.MAR.2023 11:39:24</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.52484 GHz	-12.12 dBm			T1	1		2.5260579 GHz	10.09 dBm	Occ Bw	17.964071856 MHz	T2	1		2.544022 GHz	8.49 dBm			D1	M1	1	20.08 MHz	0.26 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.525 GHz	-11.35 dBm																																																																				
T1	1		2.525979 GHz	9.74 dBm	Occ Bw	18.043912176 MHz																																																																		
T2	1		2.544022 GHz	8.57 dBm																																																																				
D1	M1	1	20.08 MHz	-0.02 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.52484 GHz	-12.12 dBm																																																																				
T1	1		2.5260579 GHz	10.09 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.544022 GHz	8.49 dBm																																																																				
D1	M1	1	20.08 MHz	0.26 dB																																																																				
Highest	<p>Ref Level 30.00 dBm Offset 5.80 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>IPK Max</p> <p>M1[1] -10.93 dBm 2.5502400 GHz Occ Bw 17.964071856 MHz -0.02 dB 19.6800 MHz</p> <p>D1 15.120 dBm D2 -10.880 dBm</p> <p>CF 2.56 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.55024 GHz</td> <td>-10.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5510579 GHz</td> <td>10.82 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.569022 GHz</td> <td>10.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.68 MHz</td> <td>-0.02 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 16.MAR.2023 11:39:52</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.55024 GHz	-10.93 dBm			T1	1		2.5510579 GHz	10.82 dBm	Occ Bw	17.964071856 MHz	T2	1		2.569022 GHz	10.53 dBm			D1	M1	1	19.68 MHz	-0.02 dB			<p>Ref Level 30.00 dBm Offset 5.80 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>IPK Max</p> <p>M1[1] -11.26 dBm 2.5500800 GHz Occ Bw 18.043912176 MHz -1.93 dB 19.8400 MHz</p> <p>D1 13.480 dBm D2 -12.520 dBm</p> <p>CF 2.56 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.55008 GHz</td> <td>-11.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5510579 GHz</td> <td>9.02 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.5691018 GHz</td> <td>9.28 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.84 MHz</td> <td>-1.93 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 16.MAR.2023 11:40:27</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.55008 GHz	-11.26 dBm			T1	1		2.5510579 GHz	9.02 dBm	Occ Bw	18.043912176 MHz	T2	1		2.5691018 GHz	9.28 dBm			D1	M1	1	19.84 MHz	-1.93 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.55024 GHz	-10.93 dBm																																																																				
T1	1		2.5510579 GHz	10.82 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.569022 GHz	10.53 dBm																																																																				
D1	M1	1	19.68 MHz	-0.02 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.55008 GHz	-11.26 dBm																																																																				
T1	1		2.5510579 GHz	9.02 dBm	Occ Bw	18.043912176 MHz																																																																		
T2	1		2.5691018 GHz	9.28 dBm																																																																				
D1	M1	1	19.84 MHz	-1.93 dB																																																																				

Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.10 Antenna Port Test Data and Results for LTE Band 26

Serial Number:	22V0	Test Date:	2023/4/27~2023/5/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jou Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.8~25.26.7	Relative Humidity: (%)	45~60	ATM Pressure: (kPa)	99.8~101.1
----------------------	--------------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022/07/15	2023/07/14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100004	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
Weinschel	Power splitter	1515	RA915	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022/07/15	2023/07/14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/03/31	2024/03/30
UNI-T	Multimeter	UT39A+	C210582554	2022/09/29	2023/09/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency For 90S (MHz)	Highest Frequency For 90S (MHz)	Channel Cross Rules 90S and 22H	Lowest Frequency For 22H (MHz)	Middle Frequency For 22H (MHz)	Highest Frequency For 22H (MHz)
1.4MHz	814.7	823.3	824.0	824.7	831.5	848.3
3MHz	815.5	822.5	824.0	825.5	831.5	847.5
5MHz	816.5	821.5	824.0	826.5	831.5	846.5
10MHz	819	/	824.0	829	831.5	844
15MHz	821.5	/	824.0	831.5	836.5	841.5

Note: 15MHz bandwidth 821.5MHz cross Rules 90S and 22H

Test Data:**FCC §2.1046; § 22.913 (a), § 90.635****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)						Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel For 90S	Highest Channel For 90S	Cross Channel	Lowest Channel For 22H	Middle Channel For 22H	Highest Channel For 22H		
1.4MHz QPSK	RB1#0	19.52	19.42	19.25	19.48	19.44	19.99	16.29	38.45
	RB1#3	19.65	19.57	19.62	19.55	20.37	20.27		
	RB1#5	20.23	20.01	19.69	19.84	20.24	20.32		
	RB3#0	20.47	20.25	20.01	19.99	19.98	20.2		
	RB3#3	20.02	20.01	20.00	20.33	20.34	19.98		
	RB6#0	20.38	20.12	19.87	19.98	19.83	20.37		
1.4MHz 16QAM	RB1#0	19.8	19.74	19.58	19.69	19.62	20.1	16.15	38.45
	RB1#3	19.87	19.87	20.04	19.91	19.53	20.33		
	RB1#5	19.8	19.91	19.88	20.01	19.63	19.88		
	RB3#0	20.19	20.14	20.03	19.52	19.64	19.97		
	RB3#3	19.8	19.74	19.69	19.66	19.64	20.2		
	RB6#0	19.84	19.87	19.81	19.52	19.79	20.04		
3MHz QPSK	RB1#0	20.24	20.11	20.01	19.87	19.44	19.63	16.27	38.45
	RB1#8	20.45	20.36	20.33	20.21	19.7	20.3		
	RB1#14	19.92	19.98	19.78	20.01	20.07	19.84		
	RB6#0	19.52	19.88	19.69	20.15	20.07	20.19		
	RB6#9	20.01	19.69	19.88	19.78	19.81	19.41		
	RB15#0	20.28	20.01	20.01	19.66	19.66	19.75		
3MHz 16QAM	RB1#0	20	20	20.03	19.87	19.54	20.34	16.31	38.45
	RB1#8	19.98	19.99	20.33	20.01	20.28	20.42		
	RB1#14	20.19	20.03	19.99	19.84	19.41	20.01		
	RB6#0	19.51	19.84	20.14	19.75	19.56	20.47		
	RB6#9	20.49	20.36	20.09	20.17	20.47	19.73		
	RB15#0	20.43	20.36	20.22	20.12	19.95	20.05		
5MHz QPSK	RB1#0	20.06	20.01	20.14	20.41	20.48	19.68	16.31	38.45
	RB1#13	20.33	20.36	20.36	20.43	20.49	19.42		
	RB1#24	19.57	19.58	19.98	19.69	19.65	19.88		
	RB15#0	19.96	19.88	19.87	19.36	19.3	20.33		
	RB15#10	20.32	20.15	19.99	20.36	20	19.82		
	RB25#0	19.38	19.21	19.47	19.02	19.36	20.18		
5MHz 16QAM	RB1#0	20.36	20.15	20.17	20.23	20.47	20.47	16.29	38.45
	RB1#13	19.65	19.77	19.98	19.93	19.46	20.15		
	RB1#24	19.64	19.84	19.69	19.39	19.73	20.16		
	RB15#0	20.18	20.04	20.01	19.98	19.62	19.31		
	RB15#10	19.7	19.91	19.99	20.01	19.92	19.77		
	RB25#0	19.91	19.87	20.36	20.33	20.3	19.59		
10MHz QPSK	RB1#0	19.51	/	19.99	19.87	20.33	20.1	16.31	38.45
	RB1#25	19.94	/	20.00	20.01	20.17	19.6		
	RB1#49	20.41	/	20.01	20.12	20.38	20.02		

	RB25#0	19.9	/	19.99	20.08	20.39	19.72		
	RB25#25	20.49	/	20.32	20.07	20.27	19.55		
	RB50#0	19.95	/	19.99	19.97	20.01	19.4		
10MHz 16QAM	RB1#0	19.38	/	19.25	19.87	20.18	19.34	16.32	38.45
	RB1#25	20.5	/	20.20	20.11	19.7	19.39		
	RB1#49	19.39	/	19.87	20.14	20.47	20.48		
	RB25#0	20.36	/	20.36	20.18	20.45	20.29		
	RB25#25	19.66	/	19.82	20.15	19.51	19.6		
	RB50#0	20.44	/	20.36	20.36	19.41	20.1		
15MHz QPSK	RB1#0	19.96	/	20.11	20.34	20.14	20.3	16.25	38.45
	RB1#38	19.6	/	19.58	19.75	19.98	19.56		
	RB1#74	19.99	/	20.14	20.35	20.01	19.48		
	RB36#0	19.32	/	20.01	20.18	20.11	19.72		
	RB36#39	19.74	/	19.98	20.01	20.14	19.34		
	RB75#0	19.6	/	20.15	20.43	20.36	19.58		
15MHz 16QAM	RB1#0	20.42	/	20.18	20.26	20.14	20.18	16.28	38.45
	RB1#38	19.96	/	20.14	20.35	20.36	20.31		
	RB1#74	19.89	/	19.82	19.62	19.69	19.94		
	RB36#0	19.52	/	19.20	19.35	19.39	19.74		
	RB36#39	19.33	/	20.14	20.46	20.36	20.21		
	RB75#0	20.34	/	19.98	19.74	20.19	19.68		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + Gr(dBd)

Gr(dBd)=Gr(dBi)-2.15

The limit of 90S is 50dBm(100W) for conducted. Limit of 22H is 38.45dBm for ERP. The stricter limit was listed in the table.

Result:**Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel For 22H	Middle Channel For 22H	Highest Channel For 22H	
15MHz QPSK	RB1#0	3.67	3.77	4.72	13
	RB75#0	4.69	4.35	4.81	13
15MHz 16QAM	RB1#0	4.75	4.81	5.68	13
	RB75#0	5.69	5.45	5.88	13
Result:					Pass

FCC §2.1049, §22.905, §90.209:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)						26 dB Occupied Bandwidth (MHz)					
	Lowest For 90S	Highest For 90S	Cross	Lowest For 22H	Middle For 22H	Highest For 22H	Lowest For 90S	Highest For 90S	Cross	Lowest For 22H	Middle For 22H	Highest For 22H
1.4MHz QPSK	1.102	1.098	1.098	1.104	1.102	1.102	1.272	1.301	1.305	1.303	1.26	1.254
1.4MHz 16QAM	1.096	1.104	1.102	1.098	1.102	1.108	1.248	1.319	1.317	1.303	1.254	1.26
3MHz QPSK	2.695	2.688	2.683	2.688	2.707	2.707	3	2.879	2.886	2.879	3.036	3
3MHz 16QAM	2.683	2.688	2.683	2.676	2.695	2.695	3	2.891	2.898	2.867	3.024	3.024
5MHz QPSK	4.511	4.52	4.491	4.52	4.511	4.551	5	4.96	4.954	4.943	5.02	5.02
5MHz 16QAM	4.531	4.52	4.491	4.5	4.551	4.531	5	4.96	4.974	4.983	5.02	5
10MHz QPSK	8.942	/	8.942	8.96	8.942	8.982	9.84	/	9.725	9.77	9.8	9.76
10MHz 16QAM	8.982	/	8.942	8.92	8.942	8.942	9.76	/	9.605	9.65	9.84	9.8
15MHz QPSK	13.473	/	13.533	13.413	13.56	13.473	15.06	/	14.874	13.353	14.81	15
15MHz 16QAM	13.593	/	13.533	14.039	13.56	13.533	15.18	/	14.814	13.979	14.75	14.94

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §22.917(a), §90.691:Spurious Emissions at Antenna Terminal

Result: Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, §22.917(a), §90.691:Out of band emission, Band Edge

Result: Pass, Please refer to the test plots of Out of band emission, Band Edge.


FCC §2.1055, §90.213: Frequency Stability					
Test Modulation:	15 MHz QPSK		Test Channel:	821.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.85	8.58	0.010	2.5
	-20	3.85	9.14	0.011	2.5
	-10	3.85	5.69	0.007	2.5
	0	3.85	5.77	0.007	2.5
	10	3.85	8.96	0.011	2.5
	20	3.85	7.69	0.009	2.5
	30	3.85	9.36	0.011	2.5
	40	3.85	8.78	0.011	2.5
Frequency Stability vs. Voltage	20	3.5	9.47	0.012	2.5
	20	4.4	6.91	0.008	2.5
				Result:	Pass

Test Modulation:	15 MHz 16QAM		Test Channel:	821.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.85	13.9	0.017	2.5
	-20	3.85	12.5	0.015	2.5
	-10	3.85	10.9	0.013	2.5
	0	3.85	8.47	0.010	2.5
	10	3.85	9.97	0.012	2.5
	20	3.85	8.16	0.010	2.5
	30	3.85	7.93	0.010	2.5
	40	3.85	8.14	0.010	2.5
Frequency Stability vs. Voltage	20	3.5	5.14	0.006	2.5
	20	4.4	4.23	0.005	2.5
				Result:	Pass

FCC §2.1055, §22.355: Frequency Stability					
Test Modulation:	15 MHz QPSK		Test Channel:	831.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.85	8.67	0.010	2.5
	-20	3.85	-9.97	-0.012	2.5
	-10	3.85	-6.13	-0.007	2.5
	0	3.85	6.17	0.007	2.5
	10	3.85	7.92	0.010	2.5
	20	3.85	6.46	0.008	2.5
	30	3.85	-6.52	-0.008	2.5
	40	3.85	7.18	0.009	2.5
Frequency Stability vs. Voltage	20	3.5	-8.17	-0.010	2.5
	20	4.4	-7.05	-0.008	2.5
				Result:	Pass

Test Modulation:	15 MHz 16QAM		Test Channel:	831.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.85	-14.92	-0.018	2.5
	-20	3.85	-6.68	-0.008	2.5
	-10	3.85	9.77	0.012	2.5
	0	3.85	-7.62	-0.009	2.5
	10	3.85	-9.91	-0.012	2.5
	20	3.85	-9.82	-0.012	2.5
	30	3.85	-6.68	-0.008	2.5
	40	3.85	-8.86	-0.011	2.5
Frequency Stability vs. Voltage	20	3.5	6.05	0.007	2.5
	20	4.4	7.52	0.009	2.5
				Result:	Pass

Test Plots(Note: The 5.8dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):





Occupied Bandwidth

Channel



1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM



Lowest For 22H




Middle For 22H



Highest For 22H



Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM

Lowest For 22H



Middle For 22H



Highest For 22H

