

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	23.10	23.1	33.01	PASS
Band2	TestMode	9262	23.07	23.07	33.01	PASS
Band2	TestMode	9400	23.48	23.48	33.01	PASS
Band2	Voice	9400	23.46	23.46	33.01	PASS
Band2	TestMode	9538	23.09	23.09	33.01	PASS
Band2	Voice	9538	23.07	23.07	33.01	PASS
Band4	Voice	1312	22.75	21.75	30.00	PASS
Band4	TestMode	1312	22.84	21.84	30.00	PASS
Band4	Voice	1413	22.96	21.96	30.00	PASS
Band4	TestMode	1413	23.00	22	30.00	PASS
Band4	TestMode	1513	23.25	22.25	30.00	PASS
Band4	Voice	1513	23.17	22.17	30.00	PASS
Band5	Voice	4132	23.66	16.51	38.45	PASS
Band5	TestMode	4132	23.81	16.66	38.45	PASS
Band5	TestMode	4183	24.08	16.93	38.45	PASS
Band5	Voice	4183	24.05	16.9	38.45	PASS
Band5	Voice	4233	23.70	16.55	38.45	PASS
Band5	TestMode	4233	23.86	16.71	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.90	22.9	33.01	PASS
Band2	9262	2	22.20	22.2	33.01	PASS
Band2	9262	3	22.00	22	33.01	PASS
Band2	9262	4	22.01	22.01	33.01	PASS
Band2	9400	1	23.28	23.28	33.01	PASS
Band2	9400	2	22.51	22.51	33.01	PASS
Band2	9400	3	22.27	22.27	33.01	PASS
Band2	9400	4	22.38	22.38	33.01	PASS
Band2	9538	1	22.91	22.91	33.01	PASS
Band2	9538	2	22.06	22.06	33.01	PASS
Band2	9538	3	21.89	21.89	33.01	PASS
Band2	9538	4	21.98	21.98	33.01	PASS

Band4	1312	1	23.17	22.17	30.00	PASS
Band4	1312	2	22.23	21.23	30.00	PASS
Band4	1312	3	21.76	20.76	30.00	PASS
Band4	1312	4	21.76	20.76	30.00	PASS
Band4	1413	1	23.83	22.83	30.00	PASS
Band4	1413	2	22.85	21.85	30.00	PASS
Band4	1413	3	22.35	21.35	30.00	PASS
Band4	1413	4	22.36	21.36	30.00	PASS
Band4	1513	1	23.20	22.2	30.00	PASS
Band4	1513	2	22.42	21.42	30.00	PASS
Band4	1513	3	21.89	20.89	30.00	PASS
Band4	1513	4	21.99	20.99	30.00	PASS
Band5	4132	1	23.08	15.93	38.5	PASS
Band5	4132	2	22.81	15.66	38.5	PASS
Band5	4132	3	22.39	15.24	38.5	PASS
Band5	4132	4	22.41	15.26	38.5	PASS
Band5	4183	1	23.10	15.95	38.5	PASS
Band5	4183	2	22.88	15.73	38.5	PASS
Band5	4183	3	22.36	15.21	38.5	PASS
Band5	4183	4	22.43	15.28	38.5	PASS
Band5	4233	1	23.52	16.37	38.5	PASS
Band5	4233	2	23.14	15.99	38.5	PASS
Band5	4233	3	22.57	15.42	38.5	PASS
Band5	4233	4	22.73	15.58	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	20.12	20.12	33.01	PASS
Band2	9262	2	20.79	20.79	33.01	PASS
Band2	9262	3	20.51	20.51	33.01	PASS
Band2	9262	4	20.88	20.88	33.01	PASS
Band2	9262	5	23.54	23.54	33.01	PASS
Band2	9400	1	20.63	20.63	33.01	PASS
Band2	9400	2	21.09	21.09	33.01	PASS
Band2	9400	3	20.87	20.87	33.01	PASS
Band2	9400	4	21.13	21.13	33.01	PASS
Band2	9400	5	23.73	23.73	33.01	PASS
Band2	9538	1	20.41	20.41	33.01	PASS
Band2	9538	2	20.77	20.77	33.01	PASS
Band2	9538	3	20.63	20.63	33.01	PASS

Band2	9538	4	20.95	20.95	33.01	PASS
Band2	9538	5	23.47	23.47	33.01	PASS
Band4	1312	1	20.07	19.07	30.00	PASS
Band4	1312	2	20.23	19.23	30.00	PASS
Band4	1312	3	19.56	18.56	30.00	PASS
Band4	1312	4	19.40	18.4	30.00	PASS
Band4	1312	5	22.86	21.86	30.00	PASS
Band4	1413	1	20.85	19.85	30.00	PASS
Band4	1413	2	21.01	20.01	30.00	PASS
Band4	1413	3	20.31	19.31	30.00	PASS
Band4	1413	4	20.09	19.09	30.00	PASS
Band4	1413	5	23.55	22.55	30.00	PASS
Band4	1513	1	20.40	19.4	30.00	PASS
Band4	1513	2	20.58	19.58	30.00	PASS
Band4	1513	3	19.63	18.63	30.00	PASS
Band4	1513	4	19.65	18.65	30.00	PASS
Band4	1513	5	22.88	21.88	30.00	PASS
Band5	4132	1	21.51	14.36	38.5	PASS
Band5	4132	2	21.91	14.76	38.5	PASS
Band5	4132	3	21.67	14.52	38.5	PASS
Band5	4132	4	21.42	14.27	38.5	PASS
Band5	4132	5	22.89	15.74	38.5	PASS
Band5	4183	1	21.85	14.7	38.5	PASS
Band5	4183	2	22.06	14.91	38.5	PASS
Band5	4183	3	21.80	14.65	38.5	PASS
Band5	4183	4	21.60	14.45	38.5	PASS
Band5	4183	5	22.91	15.76	38.5	PASS
Band5	4233	1	21.92	14.77	38.5	PASS
Band5	4233	2	21.92	14.77	38.5	PASS
Band5	4233	3	21.74	14.59	38.5	PASS
Band5	4233	4	21.52	14.37	38.5	PASS
Band5	4233	5	23.06	15.91	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.93	13	PASS
Band4	1413	3.13	13	PASS
Band5	4183	3.11	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1466	4.667	---	PASS
Band2	9400	4.1430	4.678	---	PASS
Band2	9538	4.1488	4.675	---	PASS
Band4	1312	4.1453	4.662	---	PASS
Band4	1413	4.1462	4.663	---	PASS
Band4	1513	4.1526	4.666	---	PASS
Band5	4132	4.1517	4.667	---	PASS
Band5	4183	4.1490	4.662	---	PASS
Band5	4233	4.1485	4.675	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-23.02	-13	PASS
Band2	9538	1910.00	-21.90	-13	PASS
Band4	1312	1710.00	-24.86	-13	PASS
Band4	1513	1755.00	-24.60	-13	PASS
Band5	4132	824.00	-22.18	-13	PASS
Band5	4233	849.00	-20.50	-13	PASS

Test Graphs(WCDMA)





AppendixE:Conducted SpuriousEmission


Test Result(WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-57.23	-43	PASS
Band2	9262	0.15~30MHz	0.15	-48.63	-23	PASS
Band2	9262	30~1000MHz	998.61	-45.76	-13	PASS
Band2	9262	1000~20000MHz	18945.5	-30.65	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-57.45	-43	PASS
Band2	9400	0.15~30MHz	0.15	-49.81	-23	PASS
Band2	9400	30~1000MHz	948.72	-45.84	-13	PASS
Band2	9400	1000~20000MHz	19975.93	-30.27	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-58.03	-43	PASS
Band2	9538	0.15~30MHz	0.15	-49.95	-23	PASS
Band2	9538	30~1000MHz	910.99	-45.89	-13	PASS
Band2	9538	1000~20000MHz	19875.87	-30.34	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-57.43	-43	PASS
Band4	1312	0.15~30MHz	0.16	-50.52	-23	PASS
Band4	1312	30~1000MHz	874.55	-45.81	-13	PASS
Band4	1312	1000~20000MHz	19985.43	-30.32	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-58.89	-43	PASS
Band4	1413	0.15~30MHz	0.16	-51.71	-23	PASS
Band4	1413	30~1000MHz	764.74	-45.74	-13	PASS
Band4	1413	1000~20000MHz	19930.33	-30.67	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-59.88	-43	PASS
Band4	1513	0.15~30MHz	0.16	-50.56	-23	PASS
Band4	1513	30~1000MHz	916.52	-45.76	-13	PASS
Band4	1513	1000~20000MHz	19854.33	-30.12	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-58.4	-33	PASS
Band5	4132	0.15~30MHz	0.15	-48.82	-13	PASS
Band5	4132	30~1000MHz	935.85	-54.99	-13	PASS
Band5	4132	1000~10000MHz	6451	-36.82	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-57.72	-33	PASS
Band5	4183	0.15~30MHz	0.16	-47.7	-13	PASS
Band5	4183	30~1000MHz	967.08	-54.74	-13	PASS
Band5	4183	1000~10000MHz	7288	-36.79	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-58.7	-33	PASS
Band5	4233	0.15~30MHz	0.16	-50.35	-13	PASS
Band5	4233	30~1000MHz	731.08	-55.24	-13	PASS
Band5	4233	1000~10000MHz	5862.7	-36.67	-13	PASS


Test Graphs(WCDMA)














AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	0.00	0.000000	±2.5	Pass
	-20	0.49	0.000586		
	-10	0.92	0.001100		
	0	0.30	0.000359		
	10	-0.57	-0.000681		
	20	-1.88	-0.002247		
	30	2.10	0.002510		
	40	-0.58	-0.000693		
	50	-0.84	-0.001004		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	0.82	0.000980	±2.5	Pass
	3.85	-0.83	-0.000992		
	4.40	2.04	0.002438		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	0.01	0.000006	Within authorized band for BAND IV	Pass
	-20	-2.97	-0.001714		
	-10	0.03	0.000017		
	0	1.86	0.001074		
	10	-3.78	-0.002182		
	20	2.50	0.001443		
	30	10.06	0.005806		
	40	1.40	0.000808		
	50	4.85	0.002799		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	6.86	0.003959	Within authorized band for BAND IV	Pass
	3.85	0.43	0.000248		
	4.40	1.86	0.001074		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	8.55	0.004548	Within authorized band for BAND II	Pass
	-20	1.91	0.001016		
	-10	-7.81	-0.004154		
	0	-4.15	-0.002207		
	10	9.40	0.005000		
	20	8.90	0.004734		
	30	-2.97	-0.001580		
	40	2.30	0.001223		
	50	2.11	0.001122		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-4.13	-0.002197	Within authorized band for BAND II	Pass
	3.85	-1.72	-0.000915		
	4.40	-3.00	-0.001596		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

