




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.886	30	Pass
NVNT	BLE	2442	Ant1	-0.943	30	Pass
NVNT	BLE	2480	Ant1	-1.799	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.664	0.5	Pass
NVNT	BLE	2480	Ant1	0.661	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.03	
NVNT	BLE	2442	Ant1	1.03	
NVNT	BLE	2480	Ant1	1.031	















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-16.256	8	Pass
NVNT	BLE	2442	Ant1	-16.2	8	Pass
NVNT	BLE	2480	Ant1	-17.06	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.31	-20	Pass
NVNT	BLE	2480	Ant1	-54.15	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.31	-20	Pass
NVNT	BLE	2442	Ant1	-48.35	-20	Pass
NVNT	BLE	2480	Ant1	-47.75	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-2.868 dBm

-53.51 dBm -54.88 dBm

-54.98 dBm

-49.52 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

5.049 GHz 7.171 GHz 9.569 GHz

23.876 GHz



