




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	11.963	30	Pass
NVNT	BLE	2442	Ant1	9.991	30	Pass
NVNT	BLE	2480	Ant1	11.352	30	Pass













-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.664	0.5	Pass
NVNT	BLE	2480	Ant1	0.664	0.5	Pass

Project No.: JYTSZR2312022













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.022	
NVNT	BLE	2442	Ant1	1.021	
NVNT	BLE	2480	Ant1	1.02	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	5.384	8	Pass
NVNT	BLE	2442	Ant1	3.402	8	Pass
NVNT	BLE	2480	Ant1	4.748	8	Pass














Band Edge

	Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
	NVNT	BLE	2402	Ant1	-61.35	-20	Pass
Ī	NVNT	BLE	2480	Ant1	-65.24	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.11	-20	Pass
NVNT	BLE	2442	Ant1	-59.47	-20	Pass
NVNT	BLE	2480	Ant1	-60.1	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

8.294 dBm

-53.13 dBm -54.88 dBm

-49.89 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

2.452 GHz

4.874 GHz 7.221 GHz 9.693 GHz

23.577 GHz

Dec 25, 2023 2:51:58 PM



