

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2498.50	5	1	0	22.04	22.82	< 33.01
2593.00				22.62	23.40	< 33.01
2687.50				22.48	23.26	< 33.01
2498.50	5	1	12	22.03	22.81	< 33.01
2593.00				22.53	23.31	< 33.01
2687.50				22.57	23.35	< 33.01
2498.50	5	1	24	22.01	22.79	< 33.01
2593.00				22.58	23.36	< 33.01
2687.50				22.57	23.35	< 33.01
2498.50	5	25	0	20.90	21.68	< 33.01
2593.00				21.38	22.16	< 33.01
2687.50				21.35	22.13	< 33.01
2501.00	10	1	0	21.94	22.72	< 33.01
2593.00				22.39	23.17	< 33.01
2685.00				22.41	23.19	< 33.01
2501.00	10	1	24	21.89	22.67	< 33.01
2593.00				22.32	23.10	< 33.01
2685.00				22.26	23.04	< 33.01
2501.00	10	1	49	21.94	22.72	< 33.01
2593.00				22.35	23.13	< 33.01
2685.00				22.38	23.16	< 33.01
2501.00	10	50	0	20.86	21.64	< 33.01
2593.00				21.29	22.07	< 33.01
2685.00				21.25	22.03	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2503.50	15	1	0	22.17	22.95	< 33.01
2593.00				22.64	23.42	< 33.01
2682.50				22.62	23.40	< 33.01
2503.50	15	1	37	22.10	22.88	< 33.01
2593.00				22.67	23.45	< 33.01
2682.50				22.60	23.38	< 33.01
2503.50	15	1	74	22.22	23.00	< 33.01
2593.00				22.68	23.46	< 33.01
2682.50				22.65	23.43	< 33.01
2503.50	15	75	0	20.92	21.70	< 33.01
2593.00				21.35	22.13	< 33.01
2682.50				21.37	22.15	< 33.01
2506.00	20	1	0	22.11	22.89	< 33.01
2593.00				22.64	23.42	< 33.01
2680.00				22.58	23.36	< 33.01
2506.00	20	1	49	22.04	22.82	< 33.01
2593.00				22.61	23.39	< 33.01
2680.00				22.51	23.29	< 33.01
2506.00	20	1	99	22.15	22.93	< 33.01
2593.00				22.53	23.31	< 33.01
2680.00				22.47	23.25	< 33.01
2506.00	20	100	0	21.01	21.79	< 33.01
2593.00				21.42	22.20	< 33.01
2680.00				21.33	22.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
2498.50	5	1	0	20.97	21.75	< 33.01
2593.00				21.56	22.34	< 33.01
2687.50				21.52	22.30	< 33.01
2498.50	5	1	12	21.03	21.81	< 33.01
2593.00				21.56	22.34	< 33.01
2687.50				21.60	22.38	< 33.01
2498.50	5	1	24	21.01	21.79	< 33.01
2593.00				21.55	22.33	< 33.01
2687.50				21.56	22.34	< 33.01
2498.50	5	25	0	19.96	20.74	< 33.01
2593.00				20.38	21.16	< 33.01
2687.50				20.38	21.16	< 33.01
2501.00	10	1	0	21.00	21.78	< 33.01
2593.00				21.54	22.32	< 33.01
2685.00				21.56	22.34	< 33.01
2501.00	10	1	24	21.04	21.82	< 33.01
2593.00				21.57	22.35	< 33.01
2685.00				21.50	22.28	< 33.01
2501.00	10	1	49	21.03	21.81	< 33.01
2593.00				21.49	22.27	< 33.01
2685.00				21.55	22.33	< 33.01
2501.00	10	50	0	19.95	20.73	< 33.01
2593.00				20.37	21.15	< 33.01
2685.00				20.34	21.12	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
2503.50	15	1	0	21.09	21.87	< 33.01
2593.00				21.61	22.39	< 33.01
2682.50				21.53	22.31	< 33.01
2503.50	15	1	37	21.02	21.80	< 33.01
2593.00				21.60	22.38	< 33.01
2682.50				21.50	22.28	< 33.01
2503.50	15	1	74	21.08	21.86	< 33.01
2593.00				21.60	22.38	< 33.01
2682.50				21.55	22.33	< 33.01
2503.50	15	75	0	19.99	20.77	< 33.01
2593.00				20.39	21.17	< 33.01
2682.50				20.40	21.18	< 33.01
2506.00	20	1	0	21.09	21.87	< 33.01
2593.00				21.54	22.32	< 33.01
2680.00				21.60	22.38	< 33.01
2506.00	20	1	49	21.04	21.82	< 33.01
2593.00				21.51	22.29	< 33.01
2680.00				21.53	22.31	< 33.01
2506.00	20	1	99	21.10	21.88	< 33.01
2593.00				21.50	22.28	< 33.01
2680.00				21.47	22.25	< 33.01
2506.00	20	100	0	19.93	20.71	< 33.01
2593.00				20.37	21.15	< 33.01
2680.00				20.33	21.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 71

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
665.5	5	1	0	22.64	21.71	< 34.77
680.5				22.92	21.99	< 34.77
695.5				22.97	22.04	< 34.77
665.5	5	1	12	22.69	21.76	< 34.77
680.5				22.92	21.99	< 34.77
695.5				22.90	21.97	< 34.77
665.5	5	1	24	22.59	21.66	< 34.77
680.5				22.84	21.91	< 34.77
695.5				22.84	21.91	< 34.77
665.5	5	25	0	21.75	20.82	< 34.77
680.5				21.91	20.98	< 34.77
695.5				21.92	20.99	< 34.77
668.0	10	1	0	22.65	21.72	< 34.77
680.5				22.85	21.92	< 34.77
693.0				22.97	22.04	< 34.77
668.0	10	1	24	22.77	21.84	< 34.77
680.5				22.92	21.99	< 34.77
693.0				22.85	21.92	< 34.77
668.0	10	1	49	22.71	21.78	< 34.77
680.5				22.78	21.85	< 34.77
693.0				22.79	21.86	< 34.77
668.0	10	50	0	21.85	20.92	< 34.77
680.5				21.99	21.06	< 34.77
693.0				22.02	21.09	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
670.5	15	1	0	22.72	21.79	< 34.77
680.5				22.89	21.96	< 34.77
690.5				22.96	22.03	< 34.77
670.5	15	1	37	22.70	21.77	< 34.77
680.5				22.95	22.02	< 34.77
690.5				22.95	22.02	< 34.77
670.5	15	1	74	22.85	21.92	< 34.77
680.5				22.83	21.90	< 34.77
690.5				22.84	21.91	< 34.77
670.5	15	75	0	21.93	21.00	< 34.77
680.5				21.95	21.02	< 34.77
690.5				21.91	20.98	< 34.77
673.0	20	1	0	22.78	21.85	< 34.77
683.0				22.95	22.02	< 34.77
688.0				22.98	22.05	< 34.77
673.0	20	1	49	22.88	21.95	< 34.77
683.0				22.79	21.86	< 34.77
688.0				23.01	22.08	< 34.77
673.0	20	1	99	22.78	21.85	< 34.77
683.0				22.93	22.00	< 34.77
688.0				22.81	21.88	< 34.77
673.0	20	100	0	21.89	20.96	< 34.77
683.0				21.96	21.03	< 34.77
688.0				21.97	21.04	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
665.5	5	1	0	22.06	21.13	< 34.77
680.5				22.34	21.41	< 34.77
695.5				22.39	21.46	< 34.77
665.5	5	1	12	21.87	20.94	< 34.77
680.5				22.34	21.41	< 34.77
695.5				22.17	21.24	< 34.77
665.5	5	1	24	21.79	20.86	< 34.77
680.5				22.12	21.19	< 34.77
695.5				22.07	21.14	< 34.77
665.5	5	25	0	20.74	19.81	< 34.77
680.5				20.91	19.98	< 34.77
695.5				20.97	20.04	< 34.77
668.0	10	1	0	21.79	20.86	< 34.77
680.5				22.16	21.23	< 34.77
693.0				22.22	21.29	< 34.77
668.0	10	1	24	21.79	20.86	< 34.77
680.5				22.09	21.16	< 34.77
693.0				22.07	21.14	< 34.77
668.0	10	1	49	21.91	20.98	< 34.77
680.5				21.98	21.05	< 34.77
693.0				22.05	21.12	< 34.77
668.0	10	50	0	20.78	19.85	< 34.77
680.5				21.01	20.08	< 34.77
693.0				20.98	20.05	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
670.5	15	1	0	21.88	20.95	< 34.77
680.5				22.28	21.35	< 34.77
690.5				22.12	21.19	< 34.77
670.5	15	1	37	22.06	21.13	< 34.77
680.5				22.16	21.23	< 34.77
690.5				22.29	21.36	< 34.77
670.5	15	1	74	22.11	21.18	< 34.77
680.5				22.12	21.19	< 34.77
690.5				22.07	21.14	< 34.77
670.5	15	75	0	20.93	20.00	< 34.77
680.5				20.96	20.03	< 34.77
690.5				20.94	20.01	< 34.77
673.0	20	1	0	22.06	21.13	< 34.77
683.0				22.40	21.47	< 34.77
688.0				22.27	21.34	< 34.77
673.0	20	1	49	22.06	21.13	< 34.77
683.0				22.10	21.17	< 34.77
688.0				22.42	21.49	< 34.77
673.0	20	1	99	22.08	21.15	< 34.77
683.0				22.29	21.36	< 34.77
688.0				22.24	21.31	< 34.77
673.0	20	100	0	20.91	19.98	< 34.77
683.0				20.97	20.04	< 34.77
688.0				20.89	19.96	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
665.5	5	1	0	20.89	19.96	< 34.77
680.5				21.13	20.20	< 34.77
695.5				21.07	20.14	< 34.77
665.5	5	1	12	20.93	20.00	< 34.77
680.5				21.12	20.19	< 34.77
695.5				21.17	20.24	< 34.77
665.5	5	1	24	20.73	19.80	< 34.77
680.5				20.98	20.05	< 34.77
695.5				21.06	20.13	< 34.77
665.5	5	25	0	19.73	18.80	< 34.77
680.5				19.91	18.98	< 34.77
695.5				19.92	18.99	< 34.77
668.0	10	1	0	20.87	19.94	< 34.77
680.5				21.02	20.09	< 34.77
693.0				21.19	20.26	< 34.77
668.0	10	1	24	20.93	20.00	< 34.77
680.5				21.12	20.19	< 34.77
693.0				21.20	20.27	< 34.77
668.0	10	1	49	20.91	19.98	< 34.77
680.5				21.04	20.11	< 34.77
693.0				21.03	20.10	< 34.77
668.0	10	50	0	19.80	18.87	< 34.77
680.5				20.03	19.10	< 34.77
693.0				19.97	19.04	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
670.5	15	1	0	21.05	20.12	< 34.77
680.5				21.23	20.30	< 34.77
690.5				21.15	20.22	< 34.77
670.5	15	1	37	20.90	19.97	< 34.77
680.5				21.16	20.23	< 34.77
690.5				21.24	20.31	< 34.77
670.5	15	1	74	21.12	20.19	< 34.77
680.5				21.01	20.08	< 34.77
690.5				21.12	20.19	< 34.77
670.5	15	75	0	19.94	19.01	< 34.77
680.5				19.97	19.04	< 34.77
690.5				19.93	19.00	< 34.77
673.0	20	1	0	21.00	20.07	< 34.77
683.0				21.10	20.17	< 34.77
688.0				21.28	20.35	< 34.77
673.0	20	1	49	21.06	20.13	< 34.77
683.0				21.13	20.20	< 34.77
688.0				21.17	20.24	< 34.77
673.0	20	1	99	21.07	20.14	< 34.77
683.0				21.12	20.19	< 34.77
688.0				21.11	20.18	< 34.77
673.0	20	100	0	19.89	18.96	< 34.77
683.0				19.98	19.05	< 34.77
688.0				19.90	18.97	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	Intra-Band CA_7C

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2510.0	2529.8	20+20	P_1@0	S_1@99	21.84	22.39	< 33.01
2525.1	2544.9				21.96	22.51	< 33.01
2540.2	2560.0				21.71	22.26	< 33.01
2510.0	2529.8		P_1@49	S_0@0	21.79	22.34	< 33.01
2525.1	2544.9				21.81	22.36	< 33.01
2540.2	2560.0				21.73	22.28	< 33.01
2510.0	2529.8		P_1@99	S_1@0	21.75	22.30	< 33.01
2525.1	2544.9				21.81	22.36	< 33.01
2540.2	2560.0				21.79	22.34	< 33.01
2510.0	2529.8		P_100@0	S_100@0	20.66	21.21	< 33.01
2525.1	2544.9				20.86	21.41	< 33.01
2540.2	2560.0				20.77	21.32	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	21.87	22.42	< 33.01
2527.6	2544.7				21.82	22.37	< 33.01
2545.1	2562.2				21.81	22.36	< 33.01
2510.0	2527.1		P_1@49	S_0@0	21.79	22.34	< 33.01
2527.6	2544.7				21.65	22.20	< 33.01
2545.1	2562.2				21.71	22.26	< 33.01
2510.0	2527.1		P_1@99	S_1@0	21.84	22.39	< 33.01
2527.6	2544.7				21.70	22.25	< 33.01
2545.1	2562.2				21.82	22.37	< 33.01
2510.0	2527.1		P_100@0	S_75@0	20.75	21.30	< 33.01
2527.6	2544.7				20.74	21.29	< 33.01
2545.1	2562.2				20.73	21.28	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.8	2524.9	15+20	P_1@0	S_1@99	22.08	22.63	< 33.01
2525.3	2542.4				21.89	22.44	< 33.01
2542.9	2560.0				21.85	22.40	< 33.01
2507.8	2524.9		P_1@18	S_0@0	21.94	22.49	< 33.01
2525.3	2542.4				21.85	22.40	< 33.01
2542.9	2560.0				21.76	22.31	< 33.01
2507.8	2524.9		P_1@74	S_1@0	22.02	22.57	< 33.01
2525.3	2542.4				21.87	22.42	< 33.01
2542.9	2560.0				21.83	22.38	< 33.01
2507.8	2524.9		P_75@0	S_100@0	22.02	22.57	< 33.01
2525.3	2542.4				21.84	22.39	< 33.01
2542.9	2560.0				21.81	22.36	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	22.08	22.63	< 33.01
2527.5	2522.5				21.84	22.39	< 33.01
2547.5	2542.5				21.82	22.37	< 33.01
2507.5	2562.5		P_1@18	S_0@0	21.94	22.49	< 33.01
2527.5	2522.5				21.65	22.20	< 33.01
2547.5	2542.5				21.69	22.24	< 33.01
2507.5	2562.5		P_1@74	S_1@0	22.06	22.61	< 33.01
2527.5	2522.5				21.76	22.31	< 33.01
2547.5	2542.5				21.76	22.31	< 33.01
2507.5	2562.5		P_75@0	S_75@0	20.88	21.43	< 33.01
2527.5	2522.5				20.75	21.30	< 33.01
2547.5	2542.5				20.69	21.24	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2505.5	2519.9	10+20	P_1@0	S_1@99	22.02	22.57	< 33.01
2525.6	2540.0				21.88	22.43	< 33.01
2545.6	2560.0				21.86	22.41	< 33.01
2505.5	2519.9		P_1@25	S_0@0	21.91	22.46	< 33.01
2525.6	2540.0				21.74	22.29	< 33.01
2545.6	2560.0				21.82	22.37	< 33.01
2505.5	2519.9		P_1@49	S_1@0	21.95	22.50	< 33.01
2525.6	2540.0				21.76	22.31	< 33.01
2545.6	2560.0				21.81	22.36	< 33.01
2505.5	2519.9		P_50@0	S_100@0	20.88	21.43	< 33.01
2525.6	2540.0				20.78	21.33	< 33.01
2545.6	2560.0				20.72	21.27	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	21.87	22.42	< 33.01
2530.1	2544.5				21.78	22.33	< 33.01
2550.1	2564.5				21.79	22.34	< 33.01
2510.0	2524.4		P_1@49	S_0@0	21.87	22.42	< 33.01
2530.1	2544.5				21.71	22.26	< 33.01
2550.1	2564.5				21.71	22.26	< 33.01
2510.0	2524.4		P_1@99	S_1@0	21.74	22.29	< 33.01
2530.1	2544.5				21.71	22.26	< 33.01
2550.1	2564.5				21.77	22.32	< 33.01
2510.0	2524.4		P_100@0	S_50@0	20.71	21.26	< 33.01
2530.1	2544.5				20.75	21.30	< 33.01
2550.1	2564.5				20.76	21.31	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.5	2519.5	15+10	P_1@0	S_1@49	22.03	22.58	< 33.01
2530.1	2542.1				21.74	22.29	< 33.01
2552.7	2564.7				21.77	22.32	< 33.01
2507.5	2519.5		P_1@38	S_0@0	22.03	22.58	< 33.01
2530.1	2542.1				21.68	22.23	< 33.01
2552.7	2564.7				21.73	22.28	< 33.01
2507.5	2519.5		P_1@74	S_1@0	22.07	22.62	< 33.01
2530.1	2542.1				21.76	22.31	< 33.01
2552.7	2564.7				21.79	22.34	< 33.01
2507.5	2519.5		P_75@0	S_50@0	20.87	21.42	< 33.01
2530.1	2542.1				20.77	21.32	< 33.01
2552.7	2564.7				20.78	21.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2510.0	2529.8	20+20	P_1@0	S_1@99	21.05	21.60	< 33.01
2525.1	2544.9				21.13	21.68	< 33.01
2540.2	2560.0				21.03	21.58	< 33.01
2510.0	2529.8		P_1@49	S_0@0	20.99	21.54	< 33.01
2525.1	2544.9				20.96	21.51	< 33.01
2540.2	2560.0				20.91	21.46	< 33.01
2510.0	2529.8		P_1@99	S_1@0	20.97	21.52	< 33.01
2525.1	2544.9				21.07	21.62	< 33.01
2540.2	2560.0				21.01	21.56	< 33.01
2510.0	2529.8		P_100@0	S_100@0	19.78	20.33	< 33.01
2525.1	2544.9				19.80	20.35	< 33.01
2540.2	2560.0				19.84	20.39	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	21.10	21.65	< 33.01
2527.6	2544.7				20.99	21.54	< 33.01
2545.1	2562.2				21.05	21.60	< 33.01
2510.0	2527.1		P_1@49	S_0@0	20.97	21.52	< 33.01
2527.6	2544.7				20.84	21.39	< 33.01
2545.1	2562.2				20.98	21.53	< 33.01
2510.0	2527.1		P_1@99	S_1@0	20.96	21.51	< 33.01
2527.6	2544.7				20.97	21.52	< 33.01
2545.1	2562.2				21.04	21.59	< 33.01
2510.0	2527.1		P_100@0	S_75@0	19.73	20.28	< 33.01
2527.6	2544.7				19.69	20.24	< 33.01
2545.1	2562.2				19.78	20.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2507.8	2524.9	15+20	P_1@0	S_1@99	21.12	21.67	< 33.01
2525.3	2542.4				21.06	21.61	< 33.01
2542.9	2560.0				20.96	21.51	< 33.01
2507.8	2524.9		P_1@18	S_0@0	21.06	21.61	< 33.01
2525.3	2542.4				21.03	21.58	< 33.01
2542.9	2560.0				20.87	21.42	< 33.01
2507.8	2524.9		P_1@74	S_1@0	21.07	21.62	< 33.01
2525.3	2542.4				21.08	21.63	< 33.01
2542.9	2560.0				20.97	21.52	< 33.01
2507.8	2524.9		P_75@0	S_100@0	21.10	21.65	< 33.01
2525.3	2542.4				21.12	21.67	< 33.01
2542.9	2560.0				20.96	21.51	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	21.11	21.66	< 33.01
2527.5	2522.5				20.99	21.54	< 33.01
2547.5	2542.5				20.95	21.50	< 33.01
2507.5	2562.5		P_1@18	S_0@0	21.05	21.60	< 33.01
2527.5	2522.5				20.92	21.47	< 33.01
2547.5	2542.5				20.83	21.38	< 33.01
2507.5	2562.5		P_1@74	S_1@0	21.11	21.66	< 33.01
2527.5	2522.5				21.07	21.62	< 33.01
2547.5	2542.5				20.98	21.53	< 33.01
2507.5	2562.5		P_75@0	S_75@0	19.82	20.37	< 33.01
2527.5	2522.5				19.71	20.26	< 33.01
2547.5	2542.5				19.66	20.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2505.5	2519.9	10+20	P_1@0	S_1@99	20.82	21.37	< 33.01
2525.6	2540.0				20.97	21.52	< 33.01
2545.6	2560.0				20.99	21.54	< 33.01
2505.5	2519.9		P_1@25	S_0@0	20.77	21.32	< 33.01
2525.6	2540.0				20.92	21.47	< 33.01
2545.6	2560.0				20.95	21.50	< 33.01
2505.5	2519.9		P_1@49	S_1@0	20.79	21.34	< 33.01
2525.6	2540.0				20.94	21.49	< 33.01
2545.6	2560.0				20.97	21.52	< 33.01
2505.5	2519.9		P_50@0	S_100@0	19.91	20.46	< 33.01
2525.6	2540.0				19.75	20.30	< 33.01
2545.6	2560.0				19.77	20.32	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	21.10	21.65	< 33.01
2530.1	2544.5				20.96	21.51	< 33.01
2550.1	2564.5				21.11	21.66	< 33.01
2510.0	2524.4		P_1@49	S_0@0	21.01	21.56	< 33.01
2530.1	2544.5				20.90	21.45	< 33.01
2550.1	2564.5				20.94	21.49	< 33.01
2510.0	2524.4		P_1@99	S_1@0	20.91	21.46	< 33.01
2530.1	2544.5				20.98	21.53	< 33.01
2550.1	2564.5				21.07	21.62	< 33.01
2510.0	2524.4		P_100@0	S_50@0	19.69	20.24	< 33.01
2530.1	2544.5				19.72	20.27	< 33.01
2550.1	2564.5				19.83	20.38	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2507.5	2519.5	15+10	P_1@0	S_1@49	21.07	21.62	< 33.01
2530.1	2542.1				20.98	21.53	< 33.01
2552.7	2564.7				20.98	21.53	< 33.01
2507.5	2519.5		P_1@38	S_0@0	21.05	21.60	< 33.01
2530.1	2542.1				20.96	21.51	< 33.01
2552.7	2564.7				20.91	21.46	< 33.01
2507.5	2519.5		P_1@74	S_1@0	21.12	21.67	< 33.01
2530.1	2542.1				21.05	21.60	< 33.01
2552.7	2564.7				21.03	21.58	< 33.01
2507.5	2519.5		P_75@0	S_50@0	19.87	20.42	< 33.01
2530.1	2542.1				19.72	20.27	< 33.01
2552.7	2564.7				19.73	20.28	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2510.0	2529.8	20+20	P_1@0	S_1@99	20.79	21.34	< 33.01
2525.1	2544.9				20.23	20.78	< 33.01
2540.2	2560.0				20.35	20.90	< 33.01
2510.0	2529.8		P_1@49	S_0@0	20.7	21.25	< 33.01
2525.1	2544.9				20.01	20.56	< 33.01
2540.2	2560.0				20.23	20.78	< 33.01
2510.0	2529.8		P_1@99	S_1@0	20.66	21.21	< 33.01
2525.1	2544.9				20.16	20.71	< 33.01
2540.2	2560.0				20.35	20.90	< 33.01
2510.0	2529.8		P_100@0	S_100@0	19.41	19.96	< 33.01
2525.1	2544.9				19.42	19.97	< 33.01
2540.2	2560.0				19.37	19.92	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	20.73	21.28	< 33.01
2527.6	2544.7				20.19	20.74	< 33.01
2545.1	2562.2				20.35	20.90	< 33.01
2510.0	2527.1		P_1@49	S_0@0	20.54	21.09	< 33.01
2527.6	2544.7				19.98	20.53	< 33.01
2545.1	2562.2				20.22	20.77	< 33.01
2510.0	2527.1		P_1@99	S_1@0	20.57	21.12	< 33.01
2527.6	2544.7				20.18	20.73	< 33.01
2545.1	2562.2				20.35	20.90	< 33.01
2510.0	2527.1		P_100@0	S_75@0	19.34	19.89	< 33.01
2527.6	2544.7				19.38	19.93	< 33.01
2545.1	2562.2				19.44	19.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2507.8	2524.9	15+20	P_1@0	S_1@99	20.56	21.11	< 33.01
2525.3	2542.4				20.47	21.02	< 33.01
2542.9	2560.0				20.34	20.89	< 33.01
2507.8	2524.9		P_1@18	S_0@0	20.45	21.00	< 33.01
2525.3	2542.4				20.38	20.93	< 33.01
2542.9	2560.0				20.41	20.96	< 33.01
2507.8	2524.9		P_1@74	S_1@0	20.46	21.01	< 33.01
2525.3	2542.4				20.44	20.99	< 33.01
2542.9	2560.0				20.03	20.58	< 33.01
2507.8	2524.9		P_75@0	S_100@0	20.03	20.58	< 33.01
2525.3	2542.4				19.99	20.54	< 33.01
2542.9	2560.0				20.56	21.11	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	20.43	20.98	< 33.01
2527.5	2522.5				20.52	21.07	< 33.01
2547.5	2542.5				20.49	21.04	< 33.01
2507.5	2562.5		P_1@18	S_0@0	20.32	20.87	< 33.01
2527.5	2522.5				20.37	20.92	< 33.01
2547.5	2542.5				20.33	20.88	< 33.01
2507.5	2562.5		P_1@74	S_1@0	20.4	20.95	< 33.01
2527.5	2522.5				20.5	21.05	< 33.01
2547.5	2542.5				20.44	20.99	< 33.01
2507.5	2562.5		P_75@0	S_75@0	19.39	19.94	< 33.01
2527.5	2522.5				19.37	19.92	< 33.01
2547.5	2542.5				19.43	19.98	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2505.5	2519.9	10+20	P_1@0	S_1@99	20.32	20.87	< 33.01
2525.6	2540.0				20.29	20.84	< 33.01
2545.6	2560.0				20.28	20.83	< 33.01
2505.5	2519.9		P_1@25	S_0@0	20.17	20.72	< 33.01
2525.6	2540.0				20.06	20.61	< 33.01
2545.6	2560.0				20.24	20.79	< 33.01
2505.5	2519.9		P_1@49	S_1@0	20.18	20.73	< 33.01
2525.6	2540.0				20.21	20.76	< 33.01
2545.6	2560.0				20.29	20.84	< 33.01
2505.5	2519.9		P_50@0	S_100@0	19.41	19.96	< 33.01
2525.6	2540.0				19.39	19.94	< 33.01
2545.6	2560.0				19.43	19.98	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	20.24	20.79	< 33.01
2530.1	2544.5				20.58	21.13	< 33.01
2550.1	2564.5				20.18	20.73	< 33.01
2510.0	2524.4		P_1@49	S_0@0	20.25	20.80	< 33.01
2530.1	2544.5				20.47	21.02	< 33.01
2550.1	2564.5				20.02	20.57	< 33.01
2510.0	2524.4		P_1@99	S_1@0	20.16	20.71	< 33.01
2530.1	2544.5				20.64	21.19	< 33.01
2550.1	2564.5				20.23	20.78	< 33.01
2510.0	2524.4		P_100@0	S_50@0	19.35	19.90	< 33.01
2530.1	2544.5				19.36	19.91	< 33.01
2550.1	2564.5				19.45	20.00	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2507.5	2519.5	15+10	P_1@0	S_1@49	19.99	20.54	< 33.01
2530.1	2542.1				20.61	21.16	< 33.01
2552.7	2564.7				20.39	20.94	< 33.01
2507.5	2519.5		P_1@38	S_0@0	20.52	21.07	< 33.01
2530.1	2542.1				20.47	21.02	< 33.01
2552.7	2564.7				20.53	21.08	< 33.01
2507.5	2519.5		P_1@74	S_1@0	20.36	20.91	< 33.01
2530.1	2542.1				20.63	21.18	< 33.01
2552.7	2564.7				20.42	20.97	< 33.01
2507.5	2519.5		P_75@0	S_50@0	19.31	19.86	< 33.01
2530.1	2542.1				19.42	19.97	< 33.01
2552.7	2564.7				19.46	20.01	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	Intra-Band CA_41C

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2506.00	2525.80	20+20	P_1@0	S_1@99	21.90	22.68	< 33.01
2583.10	2602.90				21.82	22.60	< 33.01
2660.20	2680.00				21.89	22.67	< 33.01
2506.00	2525.80		P_1@49	S_0@0	21.91	22.69	< 33.01
2583.10	2602.90				21.89	22.67	< 33.01
2660.20	2680.00				22.02	22.80	< 33.01
2506.00	2525.80		P_1@99	S_1@0	22.01	22.79	< 33.01
2583.10	2602.90				21.86	22.64	< 33.01
2660.20	2680.00				21.93	22.71	< 33.01
2506.00	2525.80		P_100@0	S_100@0	20.87	21.65	< 33.01
2583.10	2602.90				20.94	21.72	< 33.01
2660.20	2680.00				21.01	21.79	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	22.01	22.79	< 33.01
2585.60	2602.70				21.96	22.74	< 33.01
2665.10	2682.20				21.93	22.71	< 33.01
2506.00	2523.10		P_1@49	S_0@0	21.90	22.68	< 33.01
2585.60	2602.70				21.86	22.64	< 33.01
2665.10	2682.20				21.82	22.60	< 33.01
2506.00	2523.10		P_1@99	S_1@0	22.00	22.78	< 33.01
2585.60	2602.70				21.85	22.63	< 33.01
2665.10	2682.20				21.91	22.69	< 33.01
2506.00	2523.10		P_100@0	S_75@0	20.83	21.61	< 33.01
2585.60	2602.70				20.92	21.70	< 33.01
2665.10	2682.20				21.02	21.80	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2503.80	2520.90	15+20	P_1@0	S_1@99	21.97	22.75	< 33.01
2593.30	2600.40				21.99	22.77	< 33.01
2662.90	2680.00				22.05	22.83	< 33.01
2503.80	2520.90		P_1@38	S_0@0	21.93	22.71	< 33.01
2593.30	2600.40				21.81	22.59	< 33.01
2662.90	2680.00				21.85	22.63	< 33.01
2503.80	2520.90		P_1@74	S_1@0	22.02	22.80	< 33.01
2593.30	2600.40				21.93	22.71	< 33.01
2662.90	2680.00				21.96	22.74	< 33.01
2503.80	2520.90		P_75@0	S_100@0	20.86	21.64	< 33.01
2593.30	2600.40				20.82	21.60	< 33.01
2662.90	2680.00				20.89	21.67	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	22.01	22.79	< 33.01
2588.10	2602.50				22.03	22.81	< 33.01
2670.10	2684.50				21.96	22.74	< 33.01
2506.00	2520.40		P_1@49	S_0@0	21.92	22.70	< 33.01
2588.10	2602.50				21.99	22.77	< 33.01
2670.10	2684.50				21.84	22.62	< 33.01
2506.00	2520.40		P_1@99	S_1@0	22.00	22.78	< 33.01
2588.10	2602.50				22.08	22.86	< 33.01
2670.10	2684.50				21.91	22.69	< 33.01
2506.00	2520.40		P_100@0	S_50@0	20.85	21.63	< 33.01
2588.10	2602.50				21.02	21.80	< 33.01
2670.10	2684.50				20.93	21.71	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.50	2515.90	10+20	P_1@0	S_1@99	21.83	22.61	< 33.01
2583.60	2598.00				22.08	22.86	< 33.01
2665.60	2680.00				22.04	22.82	< 33.01
2501.50	2515.90		P_1@25	S_0@0	21.81	22.59	< 33.01
2583.60	2598.00				22.09	22.87	< 33.01
2665.60	2680.00				22.01	22.79	< 33.01
2501.50	2515.90		P_1@49	S_1@0	21.86	22.64	< 33.01
2583.60	2598.00				22.01	22.79	< 33.01
2665.60	2680.00				21.91	22.69	< 33.01
2501.50	2515.90		P_50@0	S_100@0	20.82	21.60	< 33.01
2583.60	2598.00				20.88	21.66	< 33.01
2665.60	2680.00				20.92	21.70	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	21.84	22.62	< 33.01
2590.50	2602.20				21.92	22.70	< 33.01
2675.00	2686.70				22.00	22.78	< 33.01
2506.00	2517.70		P_1@49	S_0@0	21.94	22.72	< 33.01
2590.50	2602.20				21.42	22.20	< 33.01
2675.00	2686.70				21.79	22.57	< 33.01
2506.00	2517.70		P_1@99	S_1@0	21.88	22.66	< 33.01
2590.50	2602.20				21.93	22.71	< 33.01
2675.00	2686.70				21.92	22.70	< 33.01
2506.00	2517.70		P_100@	S_25@0	20.00	20.78	< 33.01
2590.50	2602.20				20.32	21.10	< 33.01
2675.00	2686.70				20.56	21.34	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2499.30	2511.00	5+20	P_1@0	S_1@99	21.89	22.67	< 33.01
2583.80	2595.50				21.78	22.56	< 33.01
2668.30	2680.00				21.97	22.75	< 33.01
2499.30	2511.00		P_1@13	S_0@0	21.82	22.60	< 33.01
2583.80	2595.50				21.63	22.41	< 33.01
2668.30	2680.00				21.87	22.65	< 33.01
2499.30	2511.00		P_1@24	S_1@0	21.69	22.47	< 33.01
2583.80	2595.50				21.59	22.37	< 33.01
2668.30	2680.00				21.85	22.63	< 33.01
2499.30	2511.00		P_25@0	S_100@0	20.43	21.21	< 33.01
2583.80	2595.50				20.54	21.32	< 33.01
2668.30	2680.00				20.51	21.29	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	21.78	22.56	< 33.01
2585.50	2600.50				21.79	22.57	< 33.01
2667.50	2682.50				21.78	22.56	< 33.01
2503.50	2518.50		P_1@38	S_1@0	21.64	22.42	< 33.01
2585.50	2600.50				21.67	22.45	< 33.01
2667.50	2682.50				21.66	22.44	< 33.01
2503.50	2518.50		P_1@74	S_0@0	21.71	22.49	< 33.01
2585.50	2600.50				21.72	22.50	< 33.01
2667.50	2682.50				21.75	22.53	< 33.01
2503.50	2518.50		P_75@0	S_75@0	20.41	21.19	< 33.01
2585.50	2600.50				20.45	21.23	< 33.01
2667.50	2682.50				20.56	21.34	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.30	2513.30	10+15	P_1@0	S_1@74	21.96	22.74	< 33.01
2585.90	2597.90				21.78	22.56	< 33.01
2670.50	2682.50				21.75	22.53	< 33.01
2501.30	2513.30		P_1@25	S_0@0	21.84	22.62	< 33.01
2585.90	2597.90				21.69	22.47	< 33.01
2670.50	2682.50				21.72	22.50	< 33.01
2501.30	2513.30		P_1@49	S_1@0	21.93	22.71	< 33.01
2585.90	2597.90				21.71	22.49	< 33.01
2670.50	2682.50				21.85	22.63	< 33.01
2501.30	2513.30		P_50@0	S_75@0	20.49	21.27	< 33.01
2585.90	2597.90				20.58	21.36	< 33.01
2670.50	2682.50				20.59	21.37	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	21.67	22.45	< 33.01
2588.10	2600.10				21.78	22.56	< 33.01
2672.70	2684.70				21.75	22.53	< 33.01
2503.50	2515.50		P_1@38	S_0@0	21.86	22.64	< 33.01
2588.10	2600.10				21.59	22.37	< 33.01
2672.70	2684.70				21.18	21.96	< 33.01
2503.50	2515.50		P_1@74	S_1@0	21.79	22.57	< 33.01
2588.10	2600.10				21.77	22.55	< 33.01
2672.70	2684.70				21.79	22.57	< 33.01
2503.50	2515.50		P_75@0	S_50@0	21.06	21.84	< 33.01
2588.10	2600.10				20.34	21.12	< 33.01
2672.70	2684.70				20.69	21.47	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2506.00	2525.80	20+20	P_1@0	S_1@99	21.16	21.94	< 33.01
2583.10	2602.90				21.18	21.96	< 33.01
2660.20	2680.00				21.07	21.85	< 33.01
2506.00	2525.80		P_1@49	S_0@0	20.91	21.69	< 33.01
2583.10	2602.90				21.24	22.02	< 33.01
2660.20	2680.00				21.06	21.84	< 33.01
2506.00	2525.80		P_1@99	S_1@0	21.15	21.93	< 33.01
2583.10	2602.90				21.21	21.99	< 33.01
2660.20	2680.00				21.07	21.85	< 33.01
2506.00	2525.80		P_100@0	S_100@0	19.92	20.70	< 33.01
2583.10	2602.90				19.97	20.75	< 33.01
2660.20	2680.00				20.04	20.82	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	21.19	21.97	< 33.01
2585.60	2602.70				21.24	22.02	< 33.01
2665.10	2682.20				21.35	22.13	< 33.01
2506.00	2523.10		P_1@49	S_0@0	21.08	21.86	< 33.01
2585.60	2602.70				21.21	21.99	< 33.01
2665.10	2682.20				21.22	22.00	< 33.01
2506.00	2523.10		P_1@99	S_1@0	21.16	21.94	< 33.01
2585.60	2602.70				21.24	22.02	< 33.01
2665.10	2682.20				21.02	21.80	< 33.01
2506.00	2523.10		P_100@0	S_75@0	19.91	20.69	< 33.01
2585.60	2602.70				19.98	20.76	< 33.01
2665.10	2682.20				20.06	20.84	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2503.80	2520.90	15+20	P_1@0	S_1@99	21.11	21.89	< 33.01
2593.30	2600.40				21.18	21.96	< 33.01
2662.90	2680.00				21.20	21.98	< 33.01
2503.80	2520.90		P_1@38	S_0@0	20.91	21.69	< 33.01
2593.30	2600.40				21.09	21.87	< 33.01
2662.90	2680.00				21.16	21.94	< 33.01
2503.80	2520.90		P_1@74	S_1@0	21.08	21.86	< 33.01
2593.30	2600.40				21.26	22.04	< 33.01
2662.90	2680.00				21.12	21.90	< 33.01
2503.80	2520.90		P_75@0	S_100@0	19.89	20.67	< 33.01
2593.30	2600.40				19.84	20.62	< 33.01
2662.90	2680.00				19.93	20.71	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	21.17	21.95	< 33.01
2588.10	2602.50				21.34	22.12	< 33.01
2670.10	2684.50				20.98	21.76	< 33.01
2506.00	2520.40		P_1@49	S_0@0	21.10	21.88	< 33.01
2588.10	2602.50				21.35	22.13	< 33.01
2670.10	2684.50				21.23	22.01	< 33.01
2506.00	2520.40		P_1@99	S_1@0	21.15	21.93	< 33.01
2588.10	2602.50				21.40	22.18	< 33.01
2670.10	2684.50				21.07	21.85	< 33.01
2506.00	2520.40		P_100@0	S_50@0	19.91	20.69	< 33.01
2588.10	2602.50				20.11	20.89	< 33.01
2670.10	2684.50				20.07	20.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2501.50	2515.90	10+20	P_1@0	S_1@99	20.98	21.76	< 33.01
2583.60	2598.00				21.19	21.97	< 33.01
2665.60	2680.00				21.03	21.81	< 33.01
2501.50	2515.90		P_1@25	S_0@0	20.94	21.72	< 33.01
2583.60	2598.00				21.22	22.00	< 33.01
2665.60	2680.00				20.99	21.77	< 33.01
2501.50	2515.90		P_1@49	S_1@0	20.98	21.76	< 33.01
2583.60	2598.00				21.21	21.99	< 33.01
2665.60	2680.00				20.93	21.71	< 33.01
2501.50	2515.90		P_50@0	S_100@0	19.88	20.66	< 33.01
2583.60	2598.00				20.01	20.79	< 33.01
2665.60	2680.00				20.00	20.78	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	20.53	21.31	< 33.01
2590.50	2602.20				20.89	21.67	< 33.01
2675.00	2686.70				21.19	21.97	< 33.01
2506.00	2517.70		P_1@49	S_0@0	20.80	21.58	< 33.01
2590.50	2602.20				20.43	21.21	< 33.01
2675.00	2686.70				21.07	21.85	< 33.01
2506.00	2517.70		P_1@99	S_1@0	20.54	21.32	< 33.01
2590.50	2602.20				20.97	21.75	< 33.01
2675.00	2686.70				21.06	21.84	< 33.01
2506.00	2517.70		P_100@	S_25@0	19.04	19.82	< 33.01
2590.50	2602.20				19.71	20.49	< 33.01
2675.00	2686.70				19.57	20.35	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2499.30	2511.00	5+20	P_1@0	S_1@99	20.71	21.49	< 33.01
2583.80	2595.50				21.21	21.99	< 33.01
2668.30	2680.00				21.25	22.03	< 33.01
2499.30	2511.00		P_1@13	S_0@0	20.72	21.50	< 33.01
2583.80	2595.50				21.23	22.01	< 33.01
2668.30	2680.00				21.12	21.90	< 33.01
2499.30	2511.00		P_1@24	S_1@0	20.63	21.41	< 33.01
2583.80	2595.50				21.14	21.92	< 33.01
2668.30	2680.00				21.06	21.84	< 33.01
2499.30	2511.00		P_25@0	S_100@0	19.50	20.28	< 33.01
2583.80	2595.50				19.58	20.36	< 33.01
2668.30	2680.00				19.66	20.44	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	20.99	21.77	< 33.01
2585.50	2600.50				21.18	21.96	< 33.01
2667.50	2682.50				21.08	21.86	< 33.01
2503.50	2518.50		P_1@38	S_0@0	21.01	21.79	< 33.01
2585.50	2600.50				21.06	21.84	< 33.01
2667.50	2682.50				21.02	21.80	< 33.01
2503.50	2518.50		P_1@74	S_1@0	21.11	21.89	< 33.01
2585.50	2600.50				21.18	21.96	< 33.01
2667.50	2682.50				21.08	21.86	< 33.01
2503.50	2518.50		P_75@0	S_75@0	19.41	20.19	< 33.01
2585.50	2600.50				19.56	20.34	< 33.01
2667.50	2682.50				19.59	20.37	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2501.30	2513.30	10+15	P_1@0	S_1@74	20.61	21.39	< 33.01
2585.90	2597.90				21.14	21.92	< 33.01
2670.50	2682.50				21.11	21.89	< 33.01
2501.30	2513.30		P_1@25	S_0@0	20.51	21.29	< 33.01
2585.90	2597.90				21.02	21.80	< 33.01
2670.50	2682.50				20.98	21.76	< 33.01
2501.30	2513.30		P_1@49	S_1@0	20.62	21.40	< 33.01
2585.90	2597.90				21.13	21.91	< 33.01
2670.50	2682.50				21.19	21.97	< 33.01
2501.30	2513.30		P_50@0	S_75@0	19.45	20.23	< 33.01
2585.90	2597.90				19.58	20.36	< 33.01
2670.50	2682.50				19.61	20.39	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	21.01	21.79	< 33.01
2588.10	2600.10				20.94	21.72	< 33.01
2672.70	2684.70				21.08	21.86	< 33.01
2503.50	2515.50		P_1@38	S_0@0	21.22	22.00	< 33.01
2588.10	2600.10				20.79	21.57	< 33.01
2672.70	2684.70				20.64	21.42	< 33.01
2503.50	2515.50		P_1@74	S_1@0	21.08	21.86	< 33.01
2588.10	2600.10				21.09	21.87	< 33.01
2672.70	2684.70				21.17	21.95	< 33.01
2503.50	2515.50		P_75@0	S_50@0	20.15	20.93	< 33.01
2588.10	2600.10				19.76	20.54	< 33.01
2672.70	2684.70				19.71	20.49	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2506.00	2525.80	20+20	P_1@0	S_1@99	20.23	21.01	< 33.01
2583.10	2602.90				20.41	21.19	< 33.01
2660.20	2680.00				20.11	20.89	< 33.01
2506.00	2525.80		P_1@49	S_0@0	20.09	20.87	< 33.01
2583.10	2602.90				19.82	20.60	< 33.01
2660.20	2680.00				20.36	21.14	< 33.01
2506.00	2525.80		P_1@99	S_1@0	20.15	20.93	< 33.01
2583.10	2602.90				19.94	20.72	< 33.01
2660.20	2680.00				20.37	21.15	< 33.01
2506.00	2525.80		P_100@0	S_100@0	19.52	20.30	< 33.01
2583.10	2602.90				19.62	20.40	< 33.01
2660.20	2680.00				19.77	20.55	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	20.21	20.99	< 33.01
2585.60	2602.70				20.41	21.19	< 33.01
2665.10	2682.20				20.12	20.90	< 33.01
2506.00	2523.10		P_1@49	S_0@0	20.09	20.87	< 33.01
2585.60	2602.70				20.25	21.03	< 33.01
2665.10	2682.20				19.98	20.76	< 33.01
2506.00	2523.10		P_1@99	S_1@0	20.15	20.93	< 33.01
2585.60	2602.70				20.43	21.21	< 33.01
2665.10	2682.20				20.01	20.79	< 33.01
2506.00	2523.10		P_100@0	S_75@0	19.52	20.30	< 33.01
2585.60	2602.70				19.68	20.46	< 33.01
2665.10	2682.20				19.72	20.50	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2503.80	2520.90	15+20	P_1@0	S_1@99	20.07	20.85	< 33.01
2593.30	2600.40				20.21	20.99	< 33.01
2662.90	2680.00				20.24	21.02	< 33.01
2503.80	2520.90		P_1@38	S_0@0	19.96	20.74	< 33.01
2593.30	2600.40				20.21	20.99	< 33.01
2662.90	2680.00				20.19	20.97	< 33.01
2503.80	2520.90		P_1@74	S_1@0	20.03	20.81	< 33.01
2593.30	2600.40				20.08	20.86	< 33.01
2662.90	2680.00				20.16	20.94	< 33.01
2503.80	2520.90		P_75@0	S_100@0	19.54	20.32	< 33.01
2593.30	2600.40				19.61	20.39	< 33.01
2662.90	2680.00				19.63	20.41	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	20.36	21.14	< 33.01
2588.10	2602.50				19.97	20.75	< 33.01
2670.10	2684.50				20.57	21.35	< 33.01
2506.00	2520.40		P_1@49	S_0@0	20.07	20.85	< 33.01
2588.10	2602.50				20.41	21.19	< 33.01
2670.10	2684.50				19.89	20.67	< 33.01
2506.00	2520.40		P_1@99	S_1@0	20.09	20.87	< 33.01
2588.10	2602.50				20.52	21.30	< 33.01
2670.10	2684.50				20.13	20.91	< 33.01
2506.00	2520.40		P_100@0	S_50@0	19.42	20.20	< 33.01
2588.10	2602.50				19.64	20.42	< 33.01
2670.10	2684.50				19.68	20.46	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2501.50	2515.90	10+20	P_1@0	S_1@99	19.89	20.67	< 33.01
2583.60	2598.00				20.17	20.95	< 33.01
2665.60	2680.00				20.41	21.19	< 33.01
2501.50	2515.90		P_1@25	S_0@0	19.67	20.45	< 33.01
2583.60	2598.00				20.21	20.99	< 33.01
2665.60	2680.00				20.13	20.91	< 33.01
2501.50	2515.90		P_1@49	S_1@0	19.92	20.70	< 33.01
2583.60	2598.00				19.97	20.75	< 33.01
2665.60	2680.00				20.15	20.93	< 33.01
2501.50	2515.90		P_50@0	S_100@0	19.43	20.21	< 33.01
2583.60	2598.00				19.63	20.41	< 33.01
2665.60	2680.00				19.73	20.51	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	20.35	21.13	< 33.01
2590.50	2602.20				20.03	20.81	< 33.01
2675.00	2686.70				20.53	21.31	< 33.01
2506.00	2517.70		P_1@49	S_0@0	20.29	21.07	< 33.01
2590.50	2602.20				20.64	21.42	< 33.01
2675.00	2686.70				20.21	20.99	< 33.01
2506.00	2517.70		P_1@99	S_1@0	19.83	20.61	< 33.01
2590.50	2602.20				20.48	21.26	< 33.01
2675.00	2686.70				20.55	21.33	< 33.01
2506.00	2517.70		P_100@	S_25@0	19.10	19.88	< 33.01
2590.50	2602.20				19.54	20.32	< 33.01
2675.00	2686.70				19.37	20.15	< 33.01




Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2499.30	2511.00	5+20	P_1@0	S_1@99	20.19	20.97	< 33.01
2583.80	2595.50				19.98	20.76	< 33.01
2668.30	2680.00				20.54	21.32	< 33.01
2499.30	2511.00		P_1@13	S_0@0	20.36	21.14	< 33.01
2583.80	2595.50				19.89	20.67	< 33.01
2668.30	2680.00				20.56	21.34	< 33.01
2499.30	2511.00		P_1@24	S_1@0	20.34	21.12	< 33.01
2583.80	2595.50				20.42	21.20	< 33.01
2668.30	2680.00				20.54	21.32	< 33.01
2499.30	2511.00		P_25@0	S_100@0	19.45	20.23	< 33.01
2583.80	2595.50				19.56	20.34	< 33.01
2668.30	2680.00				19.58	20.36	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	20.02	20.80	< 33.01
2585.50	2600.50				20.22	21.00	< 33.01
2667.50	2682.50				20.38	21.16	< 33.01
2503.50	2518.50		P_1@38	S_0@0	19.92	20.70	< 33.01
2585.50	2600.50				20.05	20.83	< 33.01
2667.50	2682.50				20.13	20.91	< 33.01
2503.50	2518.50		P_1@74	S_1@0	19.89	20.67	< 33.01
2585.50	2600.50				20.32	21.10	< 33.01
2667.50	2682.50				20.19	20.97	< 33.01
2503.50	2518.50		P_75@0	S_75@0	19.34	20.12	< 33.01
2585.50	2600.50				19.54	20.32	< 33.01
2667.50	2682.50				19.66	20.44	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2501.30	2513.30	10+15	P_1@0	S_1@74	20.08	20.86	< 33.01
2585.90	2597.90				20.16	20.94	< 33.01
2670.50	2682.50				19.51	20.29	< 33.01
2501.30	2513.30		P_1@25	S_0@0	19.95	20.73	< 33.01
2585.90	2597.90				20.15	20.93	< 33.01
2670.50	2682.50				19.91	20.69	< 33.01
2501.30	2513.30		P_1@49	S_1@0	19.92	20.70	< 33.01
2585.90	2597.90				20.02	20.80	< 33.01
2670.50	2682.50				20.34	21.12	< 33.01
2501.30	2513.30		P_50@0	S_75@0	19.46	20.24	< 33.01
2585.90	2597.90				19.62	20.40	< 33.01
2670.50	2682.50				19.71	20.49	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	19.83	20.61	< 33.01
2588.10	2600.10				20.12	20.90	< 33.01
2672.70	2684.70				20.25	21.03	< 33.01
2503.50	2515.50		P_1@38	S_0@0	20.23	21.01	< 33.01
2588.10	2600.10				20.24	21.02	< 33.01
2672.70	2684.70				20.18	20.96	< 33.01
2503.50	2515.50		P_1@74	S_1@0	19.89	20.67	< 33.01
2588.10	2600.10				20.19	20.97	< 33.01
2672.70	2684.70				20.25	21.03	< 33.01
2503.50	2515.50		P_75@0	S_50@0	19.55	20.33	< 33.01
2588.10	2600.10				20.16	20.94	< 33.01
2672.70	2684.70				19.37	20.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

A.4 Band Edge Test Result


Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/06	Test Band	LTE Band 2/25

1.4MHz Channel Bandwidth - 1RB
Lower Band Edge

Upper Band Edge

3MHz Channel Bandwidth - 1RB
Lower Band Edge

Upper Band Edge


5MHz Channel Bandwidth - 1RB
Lower Band Edge

Upper Band Edge


10MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




15MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge



1.4MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



3MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



5MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




10MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



15MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/02	Test Band	LTE Band 2


1.4MHz Channel Bandwidth - 1RB

Upper Band Edge




3MHz Channel Bandwidth - 1RB

Upper Band Edge




5MHz Channel Bandwidth - 1RB

Upper Band Edge



10MHz Channel Bandwidth - 1RB

Upper Band Edge




15MHz Channel Bandwidth - 1RB

Upper Band Edge



20MHz Channel Bandwidth - 1RB

Upper Band Edge




1.4MHz Channel Bandwidth - Full RB

Upper Band Edge




3MHz Channel Bandwidth - Full RB

Upper Band Edge



5MHz Channel Bandwidth - Full RB

Upper Band Edge



10MHz Channel Bandwidth - Full RB

Upper Band Edge



15MHz Channel Bandwidth - Full RB

Upper Band Edge



20MHz Channel Bandwidth - Full RB

Upper Band Edge





Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/02 ~ 2022/04/03	Test Band	LTE Band 4/66

1.4MHz Channel Bandwidth - 1RB

Lower Band Edge



Upper Band Edge



3MHz Channel Bandwidth - 1RB

Lower Band Edge



Upper Band Edge



5MHz Channel Bandwidth - 1RB


Lower Band Edge

Upper Band Edge




10MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




15MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




1.4MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




3MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




5MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




10MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




15MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - Full RB

Lower Band Edge



Upper Band Edge



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/03	Test Band	LTE Band 4

1.4MHz Channel Bandwidth - 1RB


Upper Band Edge



Marker Frequency	1.757500000 GHz
Band Function	Band Power
Band Span	1.000000 MHz
Band Left	1.757000000 GHz
Band Right	1.758000000 GHz
N dB Points	-3.01 dB
On/Off	On

3MHz Channel Bandwidth - 1RB


Upper Band Edge



Marker Frequency	1.757500000 GHz
Band Function	Band Power
Band Span	1.000000 MHz
Band Left	1.757000000 GHz
Band Right	1.758000000 GHz
N dB Points	-3.01 dB
On/Off	On

5MHz Channel Bandwidth - 1RB

Upper Band Edge



Marker Frequency	1.757500000 GHz
Band Function	Band Power
Band Span	1.000000 MHz
Band Left	1.757000000 GHz
Band Right	1.758000000 GHz
N dB Points	-3.01 dB
On/Off	On